

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG073120\
 Data File : BG046146.D
 Acq On : 1 Aug 2020 6:15
 Operator : CG/JU
 Sample : L3518-03
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-4

Quant Time: Aug 01 07:20:44 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG073020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 30 18:43:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.95	152	90435	20.00	ng	0.00
21) Naphthalene-d8	10.75	136	348725	20.00	ng	0.00
39) Acenaphthene-d10	14.58	164	214136	20.00	ng	0.00
64) Phenanthrene-d10	17.32	188	496401	20.00	ng	0.00
76) Chrysene-d12	21.57	240	590845	20.00	ng	0.00
86) Perylene-d12	24.67	264	597481	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	537948	103.41	ng	0.00
7) Phenol-d6	7.12	99	611794	86.29	ng	0.00
23) Nitrobenzene-d5	9.11	82	529175	82.16	ng	0.00
42) 2,4,6-Tribromophenol	16.06	330	362273	110.14	ng	0.00
45) 2-Fluorobiphenyl	13.21	172	1148760	77.93	ng	0.00
79) Terphenyl-d14	19.93	244	1969594	67.89	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG073120\
Data File : BG046146.D
Acq On : 1 Aug 2020 6:15
Operator : CG/JU
Sample : L3518-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-4

Quant Time: Aug 01 07:20:44 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG073020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 30 18:43:49 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.95 min Scan# 828
Delta R.T. -0.00 min
Lab File: BG046146.D
Acq: 1 Aug 2020 6:15

Instrument :
BNA_G
ClientSampleId :
TP-4

Tot Ion:152 Resp: 90435
Ion Ratio Lower Upper
152 100
150 146.3 122.1 183.1
115 54.6 43.2 64.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 103.406 ng
RT: 5.54 min Scan# 417
Delta R.T. -0.00 min
Lab File: BG046146.D
Acq: 1 Aug 2020 6:15

Tgt Ion:112 Resp: 537948
Ion Ratio Lower Upper
112 100
64 65.6 50.2 75.2
63 32.8 24.2 36.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 86.290 ng

RT: 7.12 min Scan# 686

Delta R.T. -0.00 min

Lab File: BG046146.D

Acq: 1 Aug 2020 6:15

Instrument :

BNA_G

ClientSampleId :

TP-4


Tot Ion: 99 Resp: 611794

Ion Ratio Lower Upper




99 100

42 19.7 14.7 22.1

71 32.2 26.5 39.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.75 min Scan# 1304

Delta R.T. -0.00 min

Lab File: BG046146.D

Acq: 1 Aug 2020 6:15

Tgt Ion: 136 Resp: 348725


Ion Ratio Lower Upper

136 100



137 10.5 8.8 13.2


54 8.6 7.0 10.4

68 6.4 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 82.159 ng
RT: 9.11 min Scan# 1024
Delta R.T. -0.00 min
Lab File: BG046146.D
Acq: 1 Aug 2020 6:15

Instrument :
BNA_G
ClientSampled :
TP-4

Tot Ion	Ratio	Lower	Upper
82	100		
128	44.4	34.4	51.6
54	54.3	40.8	61.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.58 min Scan# 1955
Delta R.T. -0.01 min
Lab File: BG046146.D
Acq: 1 Aug 2020 6:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.0	80.6	121.0
160	44.3	34.9	52.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 110.144 ng
 RT: 16.06 min Scan# 2208
 Delta R.T. -0.01 min
 Lab File: BG046146.D
 Acq: 1 Aug 2020 6:15

Instrument :
 BNA_G
 ClientSampleId :
 TP-4

Tot Ion:330 Resp: 362273
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.4 116.2
 141 31.5 23.4 35.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 77.928 ng
 RT: 13.21 min Scan# 1722
 Delta R.T. -0.00 min
 Lab File: BG046146.D
 Acq: 1 Aug 2020 6:15

Tgt Ion:172 Resp: 1148760
 Ion Ratio Lower Upper
 172 100
 171 38.5 31.7 47.5
 170 25.0 20.9 31.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.32 min Scan# 2422

Delta R.T. -0.01 min

Lab File: BG046146.D

Acq: 1 Aug 2020 6:15

Instrument :

BNA_G

ClientSampleId :

TP-4


Tot Ion:188 Resp: 496401

Ion Ratio Lower Upper

188 100

94 8.2 6.4 9.6




80 9.4 7.4 11.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.57 min Scan# 3145

Delta R.T. -0.01 min

Lab File: BG046146.D

Acq: 1 Aug 2020 6:15


Tgt Ion:240 Resp: 590845

Ion Ratio Lower Upper

240 100

120 8.8 7.1 10.7



236 25.7 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 67.891 ng

RT: 19.93 min Scan# 2867

Delta R.T. -0.01 min

Lab File: BG046146.D

Acq: 1 Aug 2020 6:15

Instrument :

BNA_G

ClientSampleId :

TP-4


Tot Ion:244 Resp: 1969594

Ion Ratio Lower Upper

244 100

212 9.1 7.2 10.8




122 11.0 8.3 12.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.67 min Scan# 3673

Delta R.T. -0.01 min

Lab File: BG046146.D

Acq: 1 Aug 2020 6:15


Tgt Ion:264 Resp: 597481

Ion Ratio Lower Upper

264 100

260 23.6 19.7 29.5

265 22.8 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

