

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080316\
 Data File : BG023421.D
 Acq On : 3 Aug 2016 11:37
 Operator : UM/SJ
 Sample : H4287-02
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-58-14.0-15.0

Quant Time: Aug 04 03:10:44 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG080116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 01 19:22:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	101820	20.00	ng	0.00
21) Naphthalene-d8	10.95	136	460090	20.00	ng	0.00
38) Acenaphthene-d10	14.78	164	320600	20.00	ng	0.00
63) Phenanthrene-d10	17.55	188	897193	20.00	ng	0.00
75) Chrysene-d12	21.86	240	1036609	20.00	ng	0.00
86) Perylene-d12	25.24	264	941708	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	217142	35.90	ng	0.00
7) Phenol-d6	7.27	99	286429	30.40	ng	0.00
23) Nitrobenzene-d5	9.29	82	192666	20.82	ng	0.00
41) 2,4,6-Tribromophenol	16.28	330	198944	42.42	ng	0.00
44) 2-Fluorobiphenyl	13.40	172	498975	26.25	ng	0.00
78) Terphenyl-d14	20.15	244	1912833	49.82	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.23	163	124345	5.06	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080316\
Data File : BG023421.D
Acq On : 3 Aug 2016 11:37
Operator : UM/SJ
Sample : H4287-02
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-58-14.0-15.0

Quant Time: Aug 04 03:10:44 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG080116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 01 19:22:14 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.12 min Scan# 900

Delta R.T. 0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37

Instrument :

BNA_G

ClientSampleId :

SB-58-14.0-15.0


Tot Ion:152 Resp: 101820

Ion Ratio Lower Upper

152 100

150 156.4 144.7 217.1




115 63.8 64.0 96.0#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 35.90 ng

RT: 5.66 min Scan# 481

Delta R.T. 0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37


Tgt Ion:112 Resp: 217142

Ion Ratio Lower Upper

112 100

64 63.1 59.0 88.4



63 32.5 37.8 56.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 30.40 ng

RT: 7.27 min Scan# 755

Delta R.T. -0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37

Instrument :

BNA_G

ClientSampleId :

SB-58-14.0-15.0


Tot Ion: 99 Resp: 286429

Ion Ratio Lower Upper

99 100

42 17.5 17.8 26.6#




71 38.5 41.5 62.3#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.95 min Scan# 1381

Delta R.T. -0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37

Tgt Ion: 136 Resp: 460090


Ion Ratio Lower Upper

136 100

137 11.9 9.6 14.4

54 8.7 7.3 10.9

68 7.5 5.3 7.9






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 20.82 ng
RT: 9.29 min Scan# 1099
Delta R.T. -0.00 min
Lab File: BG023421.D
Acq: 3 Aug 2016 11:37




Instrument :
BNA_G
ClientSampleId :
SB-58-14.0-15.0


Tot Ion	82	Resp	192666
Ion Ratio	Lower	Upper	
82	100		
128	35.3	24.4	36.6
54	44.2	41.4	62.0



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.78 min Scan# 2033
Delta R.T. -0.00 min
Lab File: BG023421.D
Acq: 3 Aug 2016 11:37

Tgt Ion	164	Resp	320600
Ion Ratio	Lower	Upper	
164	100		
162	101.9	87.7	131.5
160	45.8	37.2	55.8









#41
 2,4,6-Tribromophenol
 Concen: 42.42 ng
 RT: 16.28 min Scan# 2288
 Delta R.T. -0.00 min
 Lab File: BG023421.D
 Acq: 3 Aug 2016 11:37

Instrument :
 BNA_G
 ClientSampleId :
 SB-58-14.0-15.0

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.4	116.2
141	38.0	31.7	47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 26.25 ng
 RT: 13.40 min Scan# 1798
 Delta R.T. 0.00 min
 Lab File: BG023421.D
 Acq: 3 Aug 2016 11:37

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.4	31.6	47.4
170	25.1	21.3	31.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.06 ng

RT: 14.23 min Scan# 1939

Delta R.T. -0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37

Instrument :

BNA_G

ClientSampleId :

SB-58-14.0-15.0


Tot Ion:163 Resp: 124345

Ion Ratio Lower Upper

163 100

194 4.4 3.6 5.4




164 8.6 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.55 min Scan# 2504

Delta R.T. 0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37


Tgt Ion:188 Resp: 897193

Ion Ratio Lower Upper

188 100

94 8.6 5.2 7.8#



80 9.6 7.2 10.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrvsene-d12

Concen: 20.00 ng

RT: 21.86 min Scan# 3238

Delta R.T. -0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37

Instrument :

BNA_G

ClientSampleId :

SB-58-14.0-15.0


Tot Ion:240 Resp: 1036609

Ion Ratio Lower Upper

240 100

120 8.3 4.1 6.1#




236 26.4 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 49.82 ng

RT: 20.15 min Scan# 2947

Delta R.T. -0.00 min

Lab File: BG023421.D

Acq: 3 Aug 2016 11:37


Tgt Ion:244 Resp: 1912833

Ion Ratio Lower Upper

244 100

212 9.6 10.8 16.2#



122 10.8 8.0 12.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.24 min Scan# 3813
Delta R.T. -0.00 min
Lab File: BG023421.D
Acq: 3 Aug 2016 11:37

Instrument :
BNA_G
ClientSampleId :
SB-58-14.0-15.0

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.4	27.6
265	22.2	18.9	28.3

