

Data File : BG041914.D
Acq On : 3 Aug 2019 18:33
Operator : HP/JU
Sample : K4015-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-GPC2-BLANK

Quant Time: Aug 04 02:34:37 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Aug 04 02:31:42 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	77685	20.00	ng/ul	0.00
18) Naphthalene-d8	10.86	136	333106	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.70	164	226521	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.45	188	462889	20.00	ng/ul	0.00
77) Chrysene-d12	21.73	240	445875	20.00	ng/ul	0.00
85) Perylene-d12	25.00	264	486204	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	10.87	131	309	0.05	ng/ul	-0.13
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	14.70	160	98042	4.89	ng/ul	0.31
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	15.70	176	360	0.02	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	17.45	188	462889	20.84	ng/ul	-0.10
78) Pyrene-d10	19.83	212	228	0.01	ng/ul	0.00
89) Benzo(a)pyrene-d12	25.00	264	486204	19.14	ng/ul	0.22


Target Compounds				Qvalue	
44) Dimethylphthalate	14.70	163	49287	2.826 ng/ul#	1
45) 2,6-Dinitrotoluene	14.69	165	29673	7.821 ng/ul#	39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG041914.D
Acq On : 3 Aug 2019 18:33
Operator : HP/JU
Sample : K4015-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-GPC2-BLANK

Quant Time: Aug 04 02:34:37 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Aug 04 02:31:42 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 2.826 ng/ul

RT: 14.70 min Scan# 1976

Delta R.T. 0.55 min

Lab File: BG041914.D

Acq: 3 Aug 2019 18:33

Instrument :

BNA_G

ClientSampleId :

SVOC-GPC2-BLANK


Tgt Ion:163 Resp: 49287

Ion Ratio Lower Upper

163 100

194 0.0 4.2 6.2#




164 448.0 7.8 11.8#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#45

2,6-Dinitrotoluene

Concen: 7.821 ng/ul

RT: 14.69 min Scan# 1975

Delta R.T. 0.43 min

Lab File: BG041914.D

Acq: 3 Aug 2019 18:33


Tgt Ion:165 Resp: 29673

Ion Ratio Lower Upper

165 100

89 1.0 36.8 55.2#

121 0.0 15.6 23.4#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BG

Ion 121.00 (120.70 to 121.70): E

