

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080515\
 Data File : BG018286.D
 Acq On : 6 Aug 2015 00:22
 Operator : UM/TP
 Sample : G3095-21RE
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C01M5RE

Manual Integrations
 APPROVED

apatel
 8/10/2015 9:24:25 AM

Quant Time: Aug 07 12:28:20 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080515.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Aug 06 03:42:27 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.43	152	57251	20.00	ng/ul	0.00
18) Naphthalene-d8	10.21	136	266092	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.12	164	187394	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.88	188	390292	20.00	ng/ul	0.00
78) Chrysene-d12	21.08	240	202140	20.00	ng/ul	0.00
86) Perylene-d12	23.25	264	200884	20.00	ng/ul	0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	2.90	96	1463	2.20	ng/uL	0.00
5) Phenol-d5	6.64	99	70958	15.76	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.78	67	35541	16.33	ng/ul	0.00
9) 2-Chlorophenol-d4	6.97	132	61459	16.40	ng/ul	0.00
13) 4-Methylphenol-d8	8.17	113	52661	13.85	ng/ul	0.00
19) Nitrobenzene-d5	8.59	128	32368	15.71	ng/ul	0.00
22) 2-Nitrophenol-d4	9.30	143	39327	16.50	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.86	165	67473	15.40	ng/ul	0.00
29) 4-Chloroaniline-d4	10.37	131	39849	7.59	ng/ul	0.00
44) Dimethylphthalate-d6	13.53	166	208927	14.42	ng/ul	0.00
47) Acenaphthylene-d8	13.80	160	243684	14.83	ng/ul	0.00
52) 4-Nitrophenol-d4	14.37	143	26157	10.94	ng/ul	0.00
58) Fluorene-d10	15.11	176	185183	14.22	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.26	200	32669	12.09	ng/ul	0.00
71) Anthracene-d10	16.97	188	242963	14.15	ng/ul	0.00
79) Pyrene-d10	19.29	212	195793	17.31	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.11	264	125203	11.98	ng/ul	0.00

Target Compounds

						Ovalue
45) Dimethylphthalate	13.58	163	114886	7.95	ng/ul	97
70) Phenanthrene	16.92	178	43845	2.23	ng/ul	99
77) Fluoranthene	18.95	202	127705	5.85	ng/ul	97
80) Pyrene	19.31	202	122220	8.70	ng/ul	97
83) Benzo(a)anthracene	21.07	228	45769	4.29	ng/ul	96
85) Chrysene	21.12	228	74721	7.79	ng/ul	97
88) Benzo(b)fluoranthene	22.61	252	110012	8.93	ng/ul#	95
89) Benzo(k)fluoranthene	22.64	252	30699	2.60	ng/ul#	91
91) Benzo(a)pyrene	23.15	252	58304	5.42	ng/ul#	96
92) Indeno(1,2,3-cd)pyrene	25.42	276	61180	4.60	ng/ul#	87
94) Benzo(g,h,i)perylene	26.08	276	54534m	5.05	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA G\DATA\BG080515\
Data File : BG018286.D
Acq On : 6 Aug 2015 00:22
Operator : UM/TP
Sample : G3095-21RE
Misc :
ALS Vial : 15 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
C01M5RE

Manual Integrations
APPROVED

apatel
8/10/2015 9:24:25 AM

Quant Time: Aug 07 12:28:20 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080515.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Aug 06 03:42:27 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 7.95 ng/ul

RT: 13.58 min Scan# 1854

Delta R.T. -0.00 min

Lab File: BG018286.D

Acq: 6 Aug 2015 00:22

Instrument :

BNA_G


ClientSampleId :

C01M5RE




Tot Ion:	163	Resp:	114886
Ion Ratio	Lower	Upper	
163	100		
194	8.1	5.4	8.2
164	9.2	7.8	11.8

Manual Integrations
APPROVED

apatel
8/10/2015 9:24:25 AM



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#70

Phenanthrene

Concen: 2.23 ng/ul


RT: 16.92 min Scan# 2422

Delta R.T. 0.00 min



Lab File: BG018286.D


Acq: 6 Aug 2015 00:22

Tgt Ion:	178	Resp:	43845
Ion Ratio	Lower	Upper	
178	100		
179	15.7	12.2	18.4
176	18.1	14.5	21.7



Abundance Ion 178.00 (177.70 to 178.70): E
Ion 179.00 (178.70 to 179.70): E
Ion 176.00 (175.70 to 176.70): E









#77
 Fluoranthene
 Concen: 5.85 ng/ul
 RT: 18.95 min Scan# 2768
 Delta R.T. 0.00 min
 Lab File: BG018286.D
 Acq: 6 Aug 2015 00:22

Instrument :
 BNA_G
 ClientSampleId :
 C01M5RE

Tot Ion	Ion	Ratio	Resp	Lower	Upper
202	100				
101	6.3	6.2	9.2		
100	5.1	4.6	6.8		




Manual Integrations
 APPROVED


apatel
 8/10/2015 9:24:25 AM



#80
 Pyrene
 Concen: 8.70 ng/ul
 RT: 19.31 min Scan# 2830
 Delta R.T. 0.00 min
 Lab File: BG018286.D
 Acq: 6 Aug 2015 00:22

Tgt Ion	Ion	Ratio	Resp	Lower	Upper
202	100				
101	6.6	6.2	9.2		
100	4.9	4.6	7.0		









#83
Benzo(a)anthracene
Concen: 4.29 ng/ul
RT: 21.07 min Scan# 3129
Delta R.T. 0.00 min
Lab File: BG018286.D
Acq: 6 Aug 2015 00:22

Instrument :
BNA_G
ClientSampleId :
C01M5RE

Tot Ion	Ratio	Lower	Upper
228	100		
229	21.9	16.3	24.5
226	28.8	21.2	31.8




Manual Integrations
APPROVED


apatel
8/10/2015 9:24:25 AM



#85
Chrysene
Concen: 7.79 ng/ul
RT: 21.12 min Scan# 3137
Delta R.T. -0.00 min
Lab File: BG018286.D
Acq: 6 Aug 2015 00:22

Tgt Ion	Ratio	Lower	Upper
228	100		
226	27.5	23.0	34.6
229	22.0	15.9	23.9









#88
Benzo(b)fluoranthene
Concen: 8.93 ng/ul
RT: 22.61 min Scan# 3390
Delta R.T. 0.01 min
Lab File: BG018286.D
Acq: 6 Aug 2015 00:22

Instrument :
BNA_G
ClientSampleId :
C01M5RE

Tot Ion	Ratio	Lower	Upper
252	100		
253	25.1	18.1	27.1
125	6.2	3.1	4.7




Manual Integrations
APPROVED


apatel
8/10/2015 9:24:25 AM



#89
Benzo(k)fluoranthene
Concen: 2.60 ng/ul
RT: 22.64 min Scan# 3396
Delta R.T. 0.00 min
Lab File: BG018286.D
Acq: 6 Aug 2015 00:22

Tgt Ion	Ratio	Lower	Upper
252	100		
253	24.9	16.4	24.6
125	7.0	3.4	5.2





#91

Benzo(a)pyrene

Concen: 5.42 ng/ul

RT: 23.15 min Scan# 3483

Delta R.T. 0.00 min

Lab File: BG018286.D

Acq: 6 Aug 2015 00:22

Instrument :

BNA_G





ClientSampleId :

C01M5RE

Tot Ion:	252	Resp:	58304
Ion Ratio	Lower	Upper	
252	100		
253	22.1	18.9	28.3
125	7.3	3.2	4.8#

Manual Integrations
APPROVED

apatel
8/10/2015 9:24:25 AM



#92

Indeno(1,2,3-cd)pyrene

Concen: 4.60 ng/ul




RT: 25.42 min Scan# 3869




Delta R.T. 0.00 min

Lab File: BG018286.D

Acq: 6 Aug 2015 00:22

Tgt Ion:	276	Resp:	61180
Ion Ratio	Lower	Upper	
276	100		
138	7.9	8.2	12.4#
277	17.5	20.1	30.1#





#94

Benzo(a,h,i)perylene

Concen: 5.05 ng/ul m

RT: 26.08 min Scan# 3982

Delta R.T. -0.00 min

Lab File: BG018286.D

Acq: 6 Aug 2015 00:22

Tot Ion:	276	Resp:	54534
Ion Ratio	Lower	Upper	
276	100		
138	9.9	6.0	9.0#
277	26.9	21.1	31.7

Instrument :

BNA_G

ClientSampleId :

C01M5RE

Manual Integrations
APPROVED

apatel
8/10/2015 9:24:25 AM

