

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080516\
 Data File : BG023483.D
 Acq On : 5 Aug 2016 11:49
 Operator : UM/SJ
 Sample : H4209-01
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Aug 05 23:14:42 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 30 02:24:23 2004
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	122785	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	594985	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	412344	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.54	188	1042036	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1101257	20.00	ng/ul	0.00
83) Perylene-d12	25.24	264	1053680	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.49	96	6308	2.18	ng/uL	0.00
5) Phenol-d5	7.27	99	298630	24.14	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.43	67	218349	27.55	ng/ul	0.00
9) 2-Chlorophenol-d4	7.64	132	214466	25.42	ng/ul	0.00
13) 4-Methylphenol-d8	8.83	113	238512	24.70	ng/ul	0.00
19) Nitrobenzene-d5	9.29	128	120514	25.70	ng/ul	0.00
22) 2-Nitrophenol-d4	10.02	143	137917	25.61	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.57	165	250221	24.63	ng/ul	0.00
29) 4-Chloroaniline-d4	11.09	131	351746	29.51	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	966537	28.63	ng/ul	0.00
46) Acenaphthylene-d8	14.47	160	1055866	27.79	ng/ul	0.00
51) 4-Nitrophenol-d4	15.00	143	67139	11.65	ng/ul	0.00
57) Fluorene-d10	15.77	176	859931	27.57	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	79579	11.90	ng/ul	0.00
70) Anthracene-d10	17.64	188	1329583	28.32	ng/ul	0.00
76) Pyrene-d10	19.93	212	1546324	27.74	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.00	264	1363746	28.59	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.22	163	564024	16.87	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080516\
Data File : BG023483.D
Acq On : 5 Aug 2016 11:49
Operator : UM/SJ
Sample : H4209-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Aug 05 23:14:42 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080416.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 30 02:24:23 2004
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 16.87 ng/ul

RT: 14.22 min Scan# 1938

Delta R.T. -0.00 min

Lab File: BG023483.D

Acq: 5 Aug 2016 11:49

Instrument :

BNA_G

ClientSampleId :


Tot Ion:163 Resp: 564024

Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.2

164 9.6 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

