

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080516\
 Data File : BG023484.D
 Acq On : 5 Aug 2016 12:29
 Operator : UM/SJ
 Sample : H4209-02
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Aug 05 23:14:50 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 30 02:24:23 2004
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	135665	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	645506	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	464068	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.54	188	1165635	20.00	ng/ul	0.00
75) Chrysene-d12	21.86	240	1220406	20.00	ng/ul	0.00
83) Perylene-d12	25.24	264	1183310	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.49	96	6463	2.03	ng/uL	0.00
5) Phenol-d5	7.27	99	315843	23.11	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.43	67	226366	25.85	ng/ul	0.00
9) 2-Chlorophenol-d4	7.64	132	228465	24.50	ng/ul	0.00
13) 4-Methylphenol-d8	8.82	113	261503	24.51	ng/ul	0.00
19) Nitrobenzene-d5	9.29	128	127878	25.13	ng/ul	0.00
22) 2-Nitrophenol-d4	10.02	143	144005	24.64	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.57	165	244901	22.22	ng/ul	0.00
29) 4-Chloroaniline-d4	11.09	131	358019	27.68	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	1047615	27.57	ng/ul	0.00
46) Acenaphthylene-d8	14.47	160	1141674	26.70	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	137684	21.23	ng/ul	0.00
57) Fluorene-d10	15.77	176	930143	26.49	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	150408	20.11	ng/ul	0.00
70) Anthracene-d10	17.64	188	1465217	27.90	ng/ul	0.00
76) Pyrene-d10	19.93	212	1668100	27.00	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.00	264	1516953	28.32	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.22	163	715875	19.03	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080516\
Data File : BG023484.D
Acq On : 5 Aug 2016 12:29
Operator : UM/SJ
Sample : H4209-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Aug 05 23:14:50 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080416.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 30 02:24:23 2004
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 19.03 ng/ul

RT: 14.22 min Scan# 1938

Delta R.T. -0.00 min

Lab File: BG023484.D

Acq: 5 Aug 2016 12:29

Instrument :

BNA_G

ClientSampleId :


Tot Ion:163 Resp: 715875

Ion Ratio Lower Upper

163 100

194 3.8 3.4 5.2

164 9.7 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

