

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080516\
 Data File : BG023500.D
 Acq On : 5 Aug 2016 23:08
 Operator : UM/SJ
 Sample : H4209-20
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Aug 06 01:15:07 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 30 04:23:18 2004
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	122295	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	567757	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	426365	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.54	188	1084996	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1092820	20.00	ng/ul	0.00
83) Perylene-d12	25.23	264	1072029	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.50	96	7130	2.48	ng/uL	0.00
5) Phenol-d5	7.27	99	372883	30.27	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.43	67	261571	33.14	ng/ul	0.00
9) 2-Chlorophenol-d4	7.64	132	264642	31.49	ng/ul	0.00
13) 4-Methylphenol-d8	8.83	113	303311	31.54	ng/ul	0.00
19) Nitrobenzene-d5	9.35	128	937	0.21	ng/ul	0.06
22) 2-Nitrophenol-d4	10.02	143	169094	32.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.57	165	302878	31.24	ng/ul	0.00
29) 4-Chloroaniline-d4	11.09	131	374477	32.92	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	1145406	32.81	ng/ul	0.00
46) Acenaphthylene-d8	14.48	160	1296371	33.00	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	174088	29.21	ng/ul	0.00
57) Fluorene-d10	15.77	176	1049622	32.54	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	211070	30.32	ng/ul	0.00
70) Anthracene-d10	17.64	188	1625938	33.26	ng/ul	0.00
76) Pyrene-d10	19.93	212	1789796	32.36	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.00	264	1676016	34.54	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.22	163	834250	24.13	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG080516\
Data File : BG023500.D
Acq On : 5 Aug 2016 23:08
Operator : UM/SJ
Sample : H4209-20
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Aug 06 01:15:07 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG080416.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 30 04:23:18 2004
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 24.13 ng/ul

RT: 14.22 min Scan# 1938

Delta R.T. -0.00 min

Lab File: BG023500.D

Acq: 5 Aug 2016 23:08

Instrument :

BNA_G

ClientSampleId :

Tot Ion:163 Resp: 834250

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.2

164 11.0 8.8 13.2

