

Data File : BG042006.D
Acq On : 6 Aug 2019 20:22
Operator : HP/JU
Sample : K4139-05
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-GPC-BLANK

Quant Time: Aug 07 01:38:14 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 07 01:34:07 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	54328	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	236222	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	186110	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.43	188	477472	20.00	ng/ul	0.00
77) Chrysene-d12	21.72	240	508915	20.00	ng/ul	0.00
85) Perylene-d12	24.98	264	583181	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	14.69	160	81725	4.96	ng/ul	0.31
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	15.71	176	146	0.01	ng/ul	0.03
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	17.43	188	477472	20.84	ng/ul	-0.10
78) Pyrene-d10	19.84	212	124	0.00	ng/ul	0.01
89) Benzo(a)pyrene-d12	24.98	264	583181	19.14	ng/ul	0.22


Target Compounds					Qvalue	
44) Dimethylphthalate	14.69	163	39499	2.756 ng/ul#		1
45) 2,6-Dinitrotoluene	14.69	165	23988	7.695 ng/ul#		38


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG042006.D
Acq On : 6 Aug 2019 20:22
Operator : HP/JU
Sample : K4139-05
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-GPC-BLANK

Quant Time: Aug 07 01:38:14 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 07 01:34:07 2019
Response via : Initial Calibration









#44
 Dimethylphthalate
 Concen: 2.756 ng/ul
 RT: 14.69 min Scan# 1974
 Delta R.T. 0.55 min
 Lab File: BG042006.D
 Acq: 6 Aug 2019 20:22

Instrument :
 BNA_G
 ClientSampleId :
 SVOC-GPC-BLANK

Tgt Ion	Ratio	Lower	Upper
163	100		
194	0.0	4.2	6.2#
164	486.6	7.8	11.8#




Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E



#45
 2,6-Dinitrotoluene
 Concen: 7.695 ng/ul
 RT: 14.69 min Scan# 1974
 Delta R.T. 0.44 min
 Lab File: BG042006.D
 Acq: 6 Aug 2019 20:22

Tgt Ion	Ratio	Lower	Upper
165	100		
89	0.0	36.8	55.2#
121	0.0	15.6	23.4#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 89.00 (88.70 to 89.70): BG
 Ion 121.00 (120.70 to 121.70): E

