

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG080619\
Quantitation Report (QT Reviewed)


Data File : BG042004.D
Acq On : 6 Aug 2019 19:05
Operator : HP/JU
Sample : K4028-21
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BENW4

Manual Integrations
APPROVED

mohammad
8/7/2019 4:39:59 PM

Quant Time: Aug 07 02:06:42 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 07 01:34:07 2019
Response via : Initial Calibration



Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG080619\
Quantitation Report (Qedit)




Data File : BG042004.D
Acq On : 6 Aug 2019 19:05
Operator : HP/JU
Sample : K4028-21
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BENW4

Manual Integrations
APPROVED

mohammad
8/7/2019 4:39:59 PM

Quant Time: Aug 07 01:38:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 07 01:34:07 2019
Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.871min (-0.000) 8.55ng/ul

response 22433

Ion	Exp%	Act%
143.00	100	100
113.00	68.30	59.37
41.00	31.00	27.68
42.00	21.10	19.63

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG080619\
Quantitation Report (Qedit)




Data File : BG042004.D
Acq On : 6 Aug 2019 19:05
Operator : HP/JU
Sample : K4028-21
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BENW4

Manual Integrations
APPROVED

mohammad
8/7/2019 4:39:59 PM

Quant Time: Aug 07 01:38:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 07 01:34:07 2019
Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.871min (-0.000) 10.18ng/ul m

JU
08/07/19

response 26708

Ion	Exp%	Act%
143.00	100	100
113.00	68.30	59.37
41.00	31.00	27.68
42.00	21.10	19.63

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG080619\
Quantitation Report (QT Reviewed)

Data File : BG042004.D
Acq On : 6 Aug 2019 19:05
Operator : HP/JU
Sample : K4028-21
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BENW4

Manual Integrations
APPROVED

mohammad
8/7/2019 4:39:59 PM

Quant Time: Aug 07 02:06:42 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 07 01:34:07 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	62076	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	259515	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	201496	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.44	188	491426	20.00	ng/ul	0.00
77) Chrysene-d12	21.72	240	505687	20.00	ng/ul	0.00
85) Perylene-d12	24.98	264	583928	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.41	96	3260	2.30	ng/uL	0.00
5) Phenol-d5	7.17	99	65185	13.38	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.34	67	39068	14.34	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	62786	15.07	ng/ul	0.00
13) 4-Methylphenol-d8	8.73	113	55009	13.45	ng/ul	0.00
19) Nitrobenzene-d5	9.19	128	31997	16.38	ng/ul	0.00
22) 2-Nitrophenol-d4	9.92	143	38172	16.83	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.46	165	67976	14.85	ng/ul	0.00
29) 4-Chloroaniline-d4	10.98	131	82141	16.17	ng/ul	0.00
43) Dimethylphthalate-d6	14.08	166	288095	18.44	ng/ul	0.00
46) Acenaphthylene-d8	14.38	160	303680	17.01	ng/ul	0.00
51) 4-Nitrophenol-d4	14.87	143	26708m	10.18	ng/ul	0.00
57) Fluorene-d10	15.68	176	244895	17.61	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.79	200	33228	10.54	ng/ul	0.00
70) Anthracene-d10	17.53	188	437022	18.54	ng/ul	0.00
78) Pyrene-d10	19.82	212	524042	18.57	ng/ul	0.00
89) Benzo(a)pyrene-d12	24.76	264	575168	18.86	ng/ul	0.00

JU 08/08/19

Target Compounds					Qvalue
44) Dimethylphthalate	14.13	163	106480	6.862	ng/ul 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed