

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG080718\
 Data File : BG036189.D
 Acq On : 8 Aug 2018 9:26
 Operator : JU/SJ
 Sample : PB111825BL
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Aug 08 10:57:25 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 31 12:30:06 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	28610	20.00	ng	-0.02
21) Naphthalene-d8	10.82	136	92087	20.00	ng	-0.02
38) Acenaphthene-d10	14.63	164	70772	20.00	ng	-0.02
63) Phenanthrene-d10	17.38	188	204298	20.00	ng	-0.02
75) Chrysene-d12	21.64	240	232643	20.00	ng	-0.02
86) Perylene-d12	24.83	264	211647	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	141408	82.06	ng	-0.01
7) Phenol-d6	7.18	99	199908	77.75	ng	-0.02
23) Nitrobenzene-d5	9.17	82	201978	91.63	ng	-0.02
41) 2,4,6-Tribromophenol	16.13	330	88927	95.33	ng	-0.02
44) 2-Fluorobiphenyl	13.25	172	477200	90.34	ng	-0.02
78) Terphenyl-d14	19.99	244	931879	88.30	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.17	70	28527	13.176	ng	# 66
50) 2,6-Dinitrotoluene	14.63	165	9320	7.381	ng	# 18
56) 2,4-Dinitrotoluene	14.63	165	9320	5.145	ng	# 16
66) 4-Bromophenyl-phenylether	16.13	248	6906	2.914	ng	# 1
76) Benzidine	19.99	184	16396	2.681	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG080718\
Data File : BG036189.D
Acq On : 8 Aug 2018 9:26
Operator : JU/SJ
Sample : PB111825BL
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Aug 08 10:57:25 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 31 12:30:06 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.01 min Scan# 803
Delta R.T. -0.02 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	162.7	126.6	189.8
115	59.1	53.0	79.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 82.059 ng
RT: 5.59 min Scan# 392
Delta R.T. -0.01 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.3	56.3	84.5
63	37.7	30.1	45.1





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 77.753 ng

RT: 7.18 min Scan# 662

Delta R.T. -0.02 min

Lab File: BG036189.D

Acq: 8 Aug 2018 9:26

Instrument :

BNA_G

ClientSampled :


Tot Ion: 99 Resp: 199908

Ion Ratio Lower Upper

99 100

42 15.6 14.1 21.1




71 47.4 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.176 ng

RT: 9.17 min Scan# 1001

Delta R.T. 0.34 min

Lab File: BG036189.D

Acq: 8 Aug 2018 9:26

Tgt Ion: 70 Resp: 28527


Ion Ratio Lower Upper

70 100

42 35.7 49.1 73.7#

101 0.0 8.5 12.7#

130 0.0 13.4 20.0#






Abundance Ion 70.00 (69.70 to 70.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 101.00 (100.70 to 101.70): BGC

Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.82 min Scan# 1281
Delta R.T. -0.02 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	92087
Ion Ratio	Lower	Upper
136	100	
137	12.0	9.2 13.8
54	7.0	10.3 15.5#
68	4.1	4.5 6.7#




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 91.626 ng
RT: 9.17 min Scan# 1001
Delta R.T. -0.02 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26

Tgt Ion: 82	Resp:	201978
Ion Ratio	Lower	Upper
82	100	
128	32.9	29.7 44.5
54	41.5	43.1 64.7#



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.63 min Scan# 1931

Delta R.T. -0.02 min

Lab File: BG036189.D

Acq: 8 Aug 2018 9:26

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 70772

Ion Ratio Lower Upper

164 100

162 107.3 78.8 118.2




160 53.9 35.4 53.0#



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 95.331 ng

RT: 16.13 min Scan# 2185

Delta R.T. -0.02 min

Lab File: BG036189.D

Acq: 8 Aug 2018 9:26


Tgt Ion:330 Resp: 88927

Ion Ratio Lower Upper

330 100

332 99.9 77.0 115.6



141 38.0 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 90.336 ng
 RT: 13.25 min Scan# 1696
 Delta R.T. -0.02 min
 Lab File: BG036189.D
 Acq: 8 Aug 2018 9:26




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	34.5	30.0	45.0
170	23.7	19.5	29.3



#50
 2,6-Dinitrotoluene
 Concen: 7.381 ng
 RT: 14.63 min Scan# 1931
 Delta R.T. 0.41 min
 Lab File: BG036189.D
 Acq: 8 Aug 2018 9:26

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	52.7	79.1#
89	0.0	49.2	73.8#









#56
2,4-Dinitrotoluene
Concen: 5.145 ng
RT: 14.63 min Scan# 1931
Delta R.T. -0.38 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26




Instrument :
BNA_G
ClientSampleId :


Tot Ion:165 Resp: 9320
Ion Ratio Lower Upper
165 100
63 0.0 42.0 63.0#
89 0.0 66.9 100.3#
182 0.0 2.6 3.8#



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.38 min Scan# 2398
Delta R.T. -0.02 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26

Tgt Ion:188 Resp: 204298
Ion Ratio Lower Upper
188 100
94 6.8 6.9 10.3#
80 7.2 7.7 11.5#









#66
 4-Bromophenyl-phenylether
 Concen: 2.914 ng
 RT: 16.13 min Scan# 2185
 Delta R.T. -0.46 min
 Lab File: BG036189.D
 Acq: 8 Aug 2018 9:26

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:248 Resp: 6906
 Ion Ratio Lower Upper
 248 100
 250 233.3 77.1 115.7#
 141 459.4 50.8 76.2#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.64 min Scan# 3124
 Delta R.T. -0.02 min
 Lab File: BG036189.D
 Acq: 8 Aug 2018 9:26

Tgt Ion:240 Resp: 232643
 Ion Ratio Lower Upper
 240 100
 120 5.3 6.8 10.2#
 236 26.5 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#76

Benzidine

Concen: 2.681 ng

RT: 19.99 min Scan# 2842

Delta R.T. 0.36 min

Lab File: BG036189.D

Acq: 8 Aug 2018 9:26

Instrument :

BNA_G

ClientSampleId :


Tot Ion:184 Resp: 16396

Ion Ratio Lower Upper




184 100

185 16.0 11.1 16.7

183 10.8 10.6 16.0



Abundance Ion 184.00 (183.70 to 184.70): E
Ion 185.00 (184.70 to 185.70): E
Ion 183.00 (182.70 to 183.70): E



#78

Terphenyl-d14

Concen: 88.296 ng

RT: 19.99 min Scan# 2842

Delta R.T. -0.02 min

Lab File: BG036189.D

Acq: 8 Aug 2018 9:26


Tgt Ion:244 Resp: 931879

Ion Ratio Lower Upper



244 100


212 9.2 5.8 8.8#

122 6.6 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.83 min Scan# 3666
Delta R.T. -0.03 min
Lab File: BG036189.D
Acq: 8 Aug 2018 9:26

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	17.4	26.0
265	20.2	17.7	26.5

