

Data Path : Z:\HPCHEM1\BNA_G\Data\BG080817\
 Data File : BG028182.D
 Acq On : 8 Aug 2017 9:50
 Operator : SJ/JU
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02052

Quant Time: Aug 09 01:04:23 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080217.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 08 03:54:28 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	134	0.00
2	1,4-Dioxane	0.451	0.551	-22.2#	168#	0.00
3 S	1,4-Dioxane-d8	0.429	0.428	0.2	148	0.00
4	Benzaldehyde	1.269	1.245	1.9	123	0.00
5 S	Phenol-d5	2.197	1.875	14.7	120	0.00
6	Phenol	2.183	1.881	13.8	120	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.391	1.284	7.7	123	0.00
8	Bis(2-Chloroethyl)ether	1.487	1.342	9.8	122	0.00
9 S	2-Chlorophenol-d4	1.386	1.322	4.6	125	0.00
10	2-Chlorophenol	1.350	1.274	5.6	127	0.00
11	2-Methylphenol	1.541	1.360	11.7	119	0.00
12	2,2'-oxybis(1-Chloropropane	3.610	3.200	11.4	116	0.00
13 S	4-Methylphenol-d8	1.836	1.568	14.6	114	0.00
14	Acetophenone	2.618	2.327	11.1	116	0.00
15 P	N-Nitroso-di-n-propylamine	1.488	1.362	8.5	117	0.00
16	4-Methylphenol	1.740	1.446	16.9	111	0.00
17	Hexachloroethane	0.560	0.548	2.1	129	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	120	0.00
19 S	Nitrobenzene-d5	0.156	0.159	-1.9	124	0.00
20	Nitrobenzene	0.453	0.450	0.7	121	0.00
21	Isophorone	0.860	0.855	0.6	119	0.00
22 S	2-Nitrophenol-d4	0.171	0.180	-5.3	126	0.00
23 C	2-Nitrophenol	0.173	0.177	-2.3	122	0.00
24	2,4-Dimethylphenol	0.430	0.418	2.8	115	0.00
25	Bis(2-Chloroethoxy)methane	0.469	0.450	4.1	114	0.00
26 S	2,4-Dichlorophenol-d3	0.355	0.344	3.1	118	0.00
27 C	2,4-Dichlorophenol	0.323	0.311	3.7	118	0.00
28	Naphthalene	0.991	0.994	-0.3	121	0.00
29 S	4-Chloroaniline-d4	0.395	0.436	-10.4	118	0.00
30	4-Chloroaniline	0.383	0.437	-14.1	123	0.00
31 C	Hexachlorobutadiene	0.238	0.235	1.3	121	0.00
32	Caprolactam	0.134	0.135	-0.7	122	0.00
33 C	4-Chloro-3-methylphenol	0.412	0.404	1.9	116	0.00
34	2-Methylnaphthalene	0.796	0.773	2.9	117	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	115	0.00
36	1,2,4,5-Tetrachlorobenzene	0.645	0.635	1.6	118	0.00
37	Hexachlorocyclopentadiene	0.356	0.338	5.1	124	0.00
38 C	2,4,6-Trichlorophenol	0.402	0.438	-9.0	127	0.00
39	2,4,5-Trichlorophenol	0.438	0.460	-5.0	123	0.00
40	1,1'-Biphenyl	1.461	1.457	0.3	118	0.00
41	2-Chloronaphthalene	1.154	1.138	1.4	115	0.00
42	2-Nitroaniline	0.484	0.501	-3.5	115	0.00
43 S	Dimethylphthalate-d6	1.779	1.776	0.2	114	0.00
44	Dimethylphthalate	1.638	1.630	0.5	115	0.00

Data Path : Z:\HPCHEM1\BNA_G\Data\BG080817\
 Data File : BG028182.D
 Acq On : 8 Aug 2017 9:50
 Operator : SJ/JU
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02052

Quant Time: Aug 09 01:04:23 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080217.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 08 03:54:28 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.338	0.342	-1.2	113	0.00
46 S	Acenaphthylene-d8	2.006	1.991	0.7	116	0.00
47	Acenaphthylene	1.917	1.901	0.8	115	0.00
48	3-Nitroaniline	0.305	0.323	-5.9	118	0.00
49 C	Acenaphthene	1.293	1.283	0.8	113	0.00
50	2,4-Dinitrophenol	0.191	0.186	2.6	132	0.00
51 S	4-Nitrophenol-d4	0.283	0.297	-4.9	124	0.00
52	4-Nitrophenol	0.293	0.291	0.7	114	0.00
53	Dibenzofuran	1.886	1.853	1.7	114	0.00
54	2,4-Dinitrotoluene	0.512	0.531	-3.7	119	0.00
55	2,3,4,6-Tetrachlorophenol	0.408	0.428	-4.9	122	0.00
56	Diethylphthalate	1.921	1.865	2.9	114	0.00
57 S	Fluorene-d10	1.596	1.597	-0.1	116	0.00
58	Fluorene	1.669	1.652	1.0	116	0.00
59	4-Chlorophenyl-phenylether	0.896	0.884	1.3	117	0.00
60	4-Nitroaniline	0.361	0.357	1.1	117	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	113	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.130	0.129	0.8	126	0.00
63	4,6-Dinitro-2-methylphenol	0.132	0.128	3.0	123	0.00
64	N-Nitrosodiphenylamine	0.526	0.537	-2.1	116	0.00
65	4-Bromophenyl-phenylether	0.215	0.218	-1.4	116	0.00
66	Hexachlorobenzene	0.229	0.232	-1.3	118	0.00
67	Atrazine	0.229	0.236	-3.1	118	0.00
68 C	Pentachlorophenol	0.116	0.109	6.0	126	0.00
69	Phenanthrene	1.007	1.016	-0.9	116	0.00
70 S	Anthracene-d10	0.959	0.974	-1.6	119	0.00
71	Anthracene	1.029	1.063	-3.3	120	0.00
72	Carbazole	0.895	0.903	-0.9	117	0.00
73	Di-n-butylphthalate	1.114	1.129	-1.3	115	0.00
74 C	Fluoranthene	1.223	1.234	-0.9	114	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	121	0.00
76 S	Pyrene-d10	1.026	0.966	5.8	112	0.00
77	Pyrene	1.193	1.137	4.7	115	0.00
78	Butylbenzylphthalate	0.447	0.444	0.7	121	0.00
79	3,3'-Dichlorobenzidine	0.386	0.388	-0.5	119	0.00
80	Benzo(a)anthracene	1.156	1.132	2.1	120	0.00
81	Bis(2-ethylhexyl)phthalate	0.636	0.631	0.8	123	0.00
82	Chrysene	1.041	1.038	0.3	121	0.00
83 I	Perylene-d12	1.000	1.000	0.0	124	0.00
84	Di-n-octyl phthalate	1.199	1.153	3.8	123	0.00
85	Benzo(b)fluoranthene	1.197	1.197	0.0	127	0.00
86	Benzo(k)fluoranthene	1.169	1.135	2.9	119	0.00
87 S	Benzo(a)pyrene-d12	0.936	0.911	2.7	122	0.00

Data Path : Z:\HPCHEM1\BNA_G\Data\BG080817\
Data File : BG028182.D
Acq On : 8 Aug 2017 9:50
Operator : SJ/JU
Sample : SSTDCCC020
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_G
LabSampleId :
SSTD02052

Quant Time: Aug 09 01:04:23 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080217.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 08 03:54:28 2017
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.159	1.142	1.5	124	0.00
89	Indeno(1,2,3-cd)pyrene	1.357	1.331	1.9	126	0.01
90	Dibenzo(a,h)anthracene	1.137	1.119	1.6	126	0.03
91	Benzo(g,h,i)perylene	1.116	1.069	4.2	121	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0