

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG080921\
 Data File : BG049740.D
 Acq On : 9 Aug 2021 14:49
 Operator : CG/JU
 Sample : M3181-05
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BGEY7

Manual Integrations
 APPROVED

mohammad
 8/10/2021 4:33:21 PM

Quant Time: Aug 09 17:08:39 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG080421.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 09 11:39:37 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.046	152	27357	20.000	ng/u1	0.00
20) Naphthalene-d8	10.865	136	111460	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.695	164	78578	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.445	188	159811	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.727	240	137532	20.000	ng/u1	0.00
88) Perylene-d12	25.011	264	144296	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.428	96	1155m	1.974	ng/uL	0.00
4) Pyridine-d5	3.863	84	10548	6.007	ng/u1	0.00
7) Phenol-d5	7.200	99	33172	13.361	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.358	67	17084	11.979	ng/u1	-0.01
11) 2-Chlorophenol-d4	7.576	132	24466	13.768	ng/u1	0.00
15) 4-Methylphenol-d8	8.756	113	25879	13.670	ng/u1	0.00
21) Nitrobenzene-d5	9.215	128	11906	13.560	ng/u1	0.00
24) 2-Nitrophenol-d4	9.937	143	14674	14.635	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.489	165	25351	13.409	ng/u1	0.00
31) 4-Chloroaniline-d4	11.000	131	31673	12.237	ng/u1	0.00
46) Dimethylphthalate-d6	14.090	166	82684	13.409	ng/u1	0.00
49) Acenaphthylene-d8	14.390	160	92427	12.598	ng/u1	0.00
54) 4-Nitrophenol-d4	14.913	143	7145	7.166	ng/u1	0.00
60) Fluorene-d10	15.688	176	66391	12.525	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.812	200	6342	5.896	ng/u1	0.00
73) Anthracene-d10	17.544	188	98723	13.087	ng/u1	0.00
81) Pyrene-d10	19.835	212	105329	13.900	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.782	264	94724	11.981	ng/u1	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG080921\
Data File : BG049740.D
Acq On : 9 Aug 2021 14:49
Operator : CG/JU
Sample : M3181-05
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BGEY7

Manual Integrations
APPROVED

mohammad
8/10/2021 4:33:21 PM

Quant Time: Aug 09 17:08:39 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG080421.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 09 11:39:37 2021
Response via : Initial Calibration

