

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081015\
 Data File : BG018375.D
 Acq On : 11 Aug 2015 4:32
 Operator : UM/MA
 Sample : G3154-03
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleID :
 C01Y3

Manual Integrations
 APPROVED

apatel
 8/11/2015 9:14:13 AM

Quant Time: Aug 11 05:20:42 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG080915.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 11 01:39:57 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	100336	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	497644	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.67	164	325297	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.41	188	704868	20.00	ng/ul	0.00
78) Chrysene-d12	21.67	240	640851	20.00	ng/ul	0.01
86) Perylene-d12	24.91	264	653202	20.00	ng/ul	0.03

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.47	96	7015	3.09	ng/uL	0.00
5) Phenol-d5	7.20	99	154356	16.95	ng/ul	0.01
7) Bis-(2-Chloroethyl)ether-d	7.36	67	96563	17.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.57	132	116040	16.64	ng/ul	0.01
13) 4-Methylphenol-d8	8.74	113	124265	16.24	ng/ul	0.00
19) Nitrobenzene-d5	9.19	128	58111	14.98	ng/ul	0.00
22) 2-Nitrophenol-d4	9.92	143	57436	14.54	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.46	165	112659	13.44	ng/ul	0.00
29) 4-Chloroaniline-d4	10.98	131	105425	11.13	ng/ul	0.00
44) Dimethylphthalate-d6	14.07	166	378060	13.81	ng/ul	0.00
47) Acenaphthylene-d8	14.36	160	321474	9.33	ng/ul	0.00
52) 4-Nitrophenol-d4	14.85	143	30939	6.28	ng/ul	0.01
58) Fluorene-d10	15.66	176	201474	8.45	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.77	200	8001	2.31	ng/ul	0.01
71) Anthracene-d10	17.51	188	228665	6.78	ng/ul	0.00
79) Pyrene-d10	19.79	212	167224	5.03	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.68	264	99497	2.87	ng/ul	0.02

Target Compounds

						Qvalue
45) Dimethylphthalate	14.11	163	166963	6.18	ng/ul	99
77) Fluoranthene	19.46	202	76829	1.88	ng/ul	99
80) Pyrene	19.82	202	72073	1.66	ng/ul	99
83) Benzo(a)anthracene	21.66	228	43354	1.09	ng/ul#	84
84) Bis(2-ethylhexyl)phthalate	21.57	149	68761	2.66	ng/ul	97
85) Chrysene	21.72	228	43567m	1.17	ng/ul	
88) Benzo(b)fluoranthene	23.88	252	80123	1.95	ng/ul#	89
91) Benzo(a)pyrene	24.75	252	51054	1.31	ng/ul#	71

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081015\
Data File : BG018375.D
Acq On : 11 Aug 2015 4:32
Operator : UM/MA
Sample : G3154-03
Misc :
ALS Vial : 23 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
C01Y3

Manual Integrations
APPROVED

apatel
8/11/2015 9:14:13 AM

Quant Time: Aug 11 05:20:42 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG080915.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 11 01:39:57 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 6.18 ng/ul

RT: 14.11 min Scan# 1919

Delta R.T. 0.00 min

Lab File: BG018375.D

Acq: 11 Aug 2015 4:32

Instrument :

BNA_G





ClientSampleId :

C01Y3

Tgt Ion	Ratio	Resp	Lower	Upper
163	100	166963		
194	4.2		2.9	4.3
164	9.3		7.7	11.5

Manual Integrations
APPROVED

apatel
8/11/2015 9:14:13 AM



#77

Fluoranthene

Concen: 1.88 ng/ul




RT: 19.46 min Scan# 2829


Delta R.T. 0.01 min

Lab File: BG018375.D

Acq: 11 Aug 2015 4:32

Tgt Ion	Ratio	Resp	Lower	Upper
202	100	76829		
101	11.6		9.7	14.5
100	9.6		7.8	11.8









#80
Pyrene
Concen: 1.66 ng/ul
RT: 19.82 min Scan# 2890
Delta R.T. 0.01 min
Lab File: BG018375.D
Acq: 11 Aug 2015 4:32

Instrument :
BNA_G
ClientSampleId :
C01Y3

Tgt Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	14.5	11.0	16.4
100	12.5	9.8	14.6




Manual Integrations
APPROVED


apatel
8/11/2015 9:14:13 AM



#83
Benzo(a)anthracene
Concen: 1.09 ng/ul
RT: 21.66 min Scan# 3203
Delta R.T. 0.01 min
Lab File: BG018375.D
Acq: 11 Aug 2015 4:32

Tgt Ion	Ratio	Resp Lower	Resp Upper
228	100		
229	28.8	15.5	23.3#
226	33.9	22.1	33.1#









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 2.66 ng/ul
 RT: 21.57 min Scan# 3188
 Delta R.T. 0.01 min
 Lab File: BG018375.D
 Acq: 11 Aug 2015 4:32

Instrument :
 BNA_G
 ClientSampleId :
 C01Y3

Tgt Ion	Ratio	Resp Lower	Resp Upper
149	100		
167	26.1	22.2	33.2
279	3.9	2.8	4.2




Manual Integrations
 APPROVED


apatel
 8/11/2015 9:14:13 AM



#85
 Chrysene
 Concen: 1.17 ng/ul m
 RT: 21.72 min Scan# 3214
 Delta R.T. 0.01 min
 Lab File: BG018375.D
 Acq: 11 Aug 2015 4:32

Tgt Ion	Ratio	Resp Lower	Resp Upper
228	100		
226	31.1	26.5	39.7
229	25.4	16.9	25.3#









#88
Benzo(b)fluoranthene
Concen: 1.95 ng/ul
RT: 23.88 min Scan# 3581
Delta R.T. 0.03 min
Lab File: BG018375.D
Acq: 11 Aug 2015 4:32

Instrument :
BNA_G
ClientSampleId :
C01Y3

Tgt Ion	Ratio	Resp Lower	Resp Upper
252	100		
253	22.8	18.1	27.1
125	23.6	8.3	12.5#

Manual Integrations
APPROVED

apatel
8/11/2015 9:14:13 AM



#91
Benzo(a)pyrene
Concen: 1.31 ng/ul
RT: 24.75 min Scan# 3730
Delta R.T. 0.03 min
Lab File: BG018375.D
Acq: 11 Aug 2015 4:32

Tgt Ion	Ratio	Resp Lower	Resp Upper
252	100		
253	30.1	17.7	26.5#
125	32.4	10.2	15.2#

