

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081016\
 Data File : BG023598.D
 Acq On : 10 Aug 2016 18:48
 Operator : UM/SJ
 Sample : PB92752BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SBLK52

Quant Time: Aug 11 03:59:47 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG080416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Aug 11 03:58:16 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	153899	20.00	ng/ul	0.00
18) Naphthalene-d8	10.94	136	704783	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	502254	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1251381	20.00	ng/ul	0.00
75) Chrysene-d12	21.87	240	1293355	20.00	ng/ul	0.00
83) Perylene-d12	25.26	264	1293440	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.48	96	8181	2.26	ng/uL	0.00
5) Phenol-d5	7.26	99	391622	25.26	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.58	67	483	0.05	ng/ul	0.15
9) 2-Chlorophenol-d4	7.64	132	277334	26.22	ng/ul	0.00
13) 4-Methylphenol-d8	8.82	113	301324	24.90	ng/ul	0.00
19) Nitrobenzene-d5	9.29	128	148527	26.74	ng/ul	0.00
22) 2-Nitrophenol-d4	10.02	143	171863	26.94	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.57	165	297491	24.72	ng/ul	0.00
29) 4-Chloroaniline-d4	11.09	131	429600	30.43	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	1079013	26.24	ng/ul	0.00
46) Acenaphthylene-d8	14.48	160	1237200	26.73	ng/ul	0.00
51) 4-Nitrophenol-d4	15.09	143	4252	0.61	ng/ul	0.10
57) Fluorene-d10	15.78	176	994541	26.17	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	180418	22.47	ng/ul	0.00
70) Anthracene-d10	17.65	188	1534329	27.21	ng/ul	0.00
76) Pyrene-d10	19.94	212	1689591	25.81	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.03	264	1643978	28.08	ng/ul	0.00

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081016\
Data File : BG023598.D
Acq On : 10 Aug 2016 18:48
Operator : UM/SJ
Sample : PB92752BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SBLK52

Quant Time: Aug 11 03:59:47 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG080416.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Aug 11 03:58:16 2016
Response via : Initial Calibration

