

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081215\
 Data File : BG018417.D
 Acq On : 13 Aug 2015 4:43
 Operator : UM/MA
 Sample : MDL-01-W
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MDL-01-W

Quant Time: Aug 13 05:51:53 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG080915.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Aug 13 04:56:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	121427	20.00	ng/ul	0.00
18) Naphthalene-d8	10.83	136	538785	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.65	164	361039	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.39	188	891101	20.00	ng/ul	0.00
78) Chrysene-d12	21.65	240	926848	20.00	ng/ul	0.00
86) Perylene-d12	24.86	264	922904	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.45	96	14411	5.24	ng/uL	0.00
5) Phenol-d5	7.18	99	289102	26.23	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.34	67	181627	26.59	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	218532	25.89	ng/ul	0.00
13) 4-Methylphenol-d8	8.72	113	241441	26.07	ng/ul	0.00
19) Nitrobenzene-d5	9.18	128	122843	29.25	ng/ul	0.00
22) 2-Nitrophenol-d4	9.90	143	130880	30.60	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.44	165	243324	26.80	ng/ul	0.00
29) 4-Chloroaniline-d4	10.95	131	344184	33.55	ng/ul	0.00
44) Dimethylphthalate-d6	14.05	166	841204	27.69	ng/ul	0.00
47) Acenaphthylene-d8	14.34	160	1014746	26.53	ng/ul	0.00
52) 4-Nitrophenol-d4	14.84	143	159950	29.27	ng/ul	0.00
58) Fluorene-d10	15.64	176	728667	27.54	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.75	200	103979	23.72	ng/ul	0.00
71) Anthracene-d10	17.49	188	1178252	27.65	ng/ul	0.00
79) Pyrene-d10	19.77	212	1289831	26.82	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.65	264	1372767	28.02	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
35) 1-Methylnaphthalene	12.70	142	48144	2.39	ng/ul	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081215\
Data File : BG018417.D
Acq On : 13 Aug 2015 4:43
Operator : UM/MA
Sample : MDL-01-W
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MDL-01-W

Quant Time: Aug 13 05:51:53 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG080915.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Aug 13 04:56:12 2015
Response via : Initial Calibration





#35

1-Methylnaphthalene

Concen: 2.39 ng/ul

RT: 12.70 min Scan# 1678

Delta R.T. -0.00 min

Lab File: BG018417.D

Acq: 13 Aug 2015 4:43

Instrument :

BNA_G

ClientSampleId :

MDL-01-W


Tgt Ion:142 Resp: 48144

Ion Ratio Lower Upper

142 100

141 103.3 77.1 115.7

116 3.8 3.5 5.3



Abundance

Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 116.00 (115.70 to 116.70): E

