

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081224\
 Data File : BG062367.D
 Acq On : 12 Aug 2024 15:16
 Operator : MA/JU
 Sample : P3502-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DCXT0

Quant Time: Aug 12 16:58:03 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG080524.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 09 01:00:03 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.952	152	45042	20.000	ng/u1	0.00
20) Naphthalene-d8	10.749	136	201722	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.573	164	175096	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.310	188	410856	20.000	ng/u1	0.00
79) Chrysene-d12	21.552	240	411554	20.000	ng/u1	0.00
88) Perylene-d12	24.642	264	459155	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.417	96	5103	4.885	ng/uL	0.00
4) Pyridine-d5	3.823	84	19973	6.078	ng/u1	0.00
7) Phenol-d5	7.106	99	35952	8.363	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.283	67	80372	30.370	ng/u1	0.00
11) 2-Chlorophenol-d4	7.482	132	83468	27.098	ng/u1	0.00
15) 4-Methylphenol-d8	8.646	113	64842	18.108	ng/u1	0.00
21) Nitrobenzene-d5	9.104	128	44644	35.892	ng/u1	0.00
24) 2-Nitrophenol-d4	9.826	143	47069	40.226	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.361	165	102580	30.184	ng/u1	0.00
31) 4-Chloroaniline-d4	10.872	131	80712	16.374	ng/u1	0.00
46) Dimethylphthalate-d6	13.980	166	406587	30.097	ng/u1	0.00
49) Acenaphthylene-d8	14.267	160	446663	29.161	ng/u1	0.00
54) 4-Nitrophenol-d4	14.749	143	16367	8.654	ng/u1	0.00
60) Fluorene-d10	15.566	176	378114	31.182	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.671	200	47803	39.287	ng/u1	0.00
73) Anthracene-d10	17.410	188	647999	32.700	ng/u1	0.00
81) Pyrene-d10	19.695	212	815975	33.357	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.430	264	817855	33.320	ng/u1	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081224\
Data File : BG062367.D
Acq On : 12 Aug 2024 15:16
Operator : MA/JU
Sample : P3502-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DCXT0

Quant Time: Aug 12 16:58:03 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG080524.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 09 01:00:03 2024
Response via : Initial Calibration

