

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081516\
 Data File : BG023726.D
 Acq On : 15 Aug 2016 18:28
 Operator : UM/SJ
 Sample : H4422-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-1

Quant Time: Aug 16 01:16:11 2016
 Quant Method : Z:\HPCHEM1\BNA_G\Methods\8270-BG080116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 01 19:22:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	144650	20.00	ng	-0.01
21) Naphthalene-d8	10.94	136	704302	20.00	ng	-0.01
38) Acenaphthene-d10	14.78	164	450110	20.00	ng	0.00
63) Phenanthrene-d10	17.55	188	817363	20.00	ng	0.00
75) Chrysene-d12	21.87	240	779879	20.00	ng	0.01
86) Perylene-d12	25.28	264	785423	20.00	ng	0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	701605	81.65	ng	0.00
7) Phenol-d6	7.29	99	700497	52.34	ng	0.01
23) Nitrobenzene-d5	9.29	82	1282571	90.53	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	663593	100.79	ng	0.00
44) 2-Fluorobiphenyl	13.40	172	2425288	90.88	ng	0.00
78) Terphenyl-d14	20.16	244	2077659	82.90	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.22	163	215567	6.24	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG081516\
Data File : BG023726.D
Acq On : 15 Aug 2016 18:28
Operator : UM/SJ
Sample : H4422-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-1

Quant Time: Aug 16 01:16:11 2016
Quant Method : Z:\HPCHEM1\BNA_G\Methods\8270-BG080116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 01 19:22:14 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.11 min Scan# 897

Delta R.T. -0.01 min

Lab File: BG023726.D

Acq: 15 Aug 2016 18:28

Instrument :

BNA_G

ClientSampleId :

MW-1


Tgt Ion:152 Resp: 144650

Ion Ratio Lower Upper

152 100

150 140.1 144.7 217.1#

115 60.4 64.0 96.0#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E

150000


100000

50000


0

8.11

8.00 8.05 8.10 8.15



Time-->



#5

2-Fluorophenol

Concen: 81.65 ng

RT: 5.65 min Scan# 479

Delta R.T. -0.01 min

Lab File: BG023726.D

Acq: 15 Aug 2016 18:28


Tgt Ion:112 Resp: 701605

Ion Ratio Lower Upper

112 100

64 71.3 59.0 88.4

63 38.1 37.8 56.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC

500000

400000

300000


200000

100000


0

5.65

5.60 5.70



Time-->



#7

Phenol-d6

Concen: 52.34 ng

RT: 7.29 min Scan# 757

Delta R.T. 0.01 min

Lab File: BG023726.D

Acq: 15 Aug 2016 18:28

Instrument :

BNA_G

ClientSampleId :

MW-1


Tgt Ion: 99 Resp: 700497

Ion Ratio Lower Upper




99 100

42 16.6 17.8 26.6#

71 38.1 41.5 62.3#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.94 min Scan# 1379

Delta R.T. -0.01 min

Lab File: BG023726.D

Acq: 15 Aug 2016 18:28

Tgt Ion: 136 Resp: 704302


Ion Ratio Lower Upper

136 100



137 11.6 9.6 14.4

54 8.7 7.3 10.9

68 7.5 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 90.53 ng
 RT: 9.29 min Scan# 1098
 Delta R.T. -0.01 min
 Lab File: BG023726.D
 Acq: 15 Aug 2016 18:28




Instrument :
 BNA_G
 ClientSampleId :
 MW-1


Tgt Ion: 82 Resp: 1282571
 Ion Ratio Lower Upper
 82 100
 128 39.4 24.4 36.6#
 54 49.4 41.4 62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.78 min Scan# 2033
 Delta R.T. -0.00 min
 Lab File: BG023726.D
 Acq: 15 Aug 2016 18:28

Tgt Ion: 164 Resp: 450110
 Ion Ratio Lower Upper
 164 100
 162 101.4 87.7 131.5
 160 43.8 37.2 55.8









#41
 2,4,6-Tribromophenol
 Concen: 100.79 ng
 RT: 16.29 min Scan# 2289
 Delta R.T. 0.00 min
 Lab File: BG023726.D
 Acq: 15 Aug 2016 18:28

Instrument :
 BNA_G
 ClientSampled :
 MW-1

Tgt Ion:330 Resp: 663593
 Ion Ratio Lower Upper
 330 100
 332 97.1 77.4 116.2
 141 36.6 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 90.88 ng
 RT: 13.40 min Scan# 1798
 Delta R.T. 0.00 min
 Lab File: BG023726.D
 Acq: 15 Aug 2016 18:28

Tgt Ion:172 Resp: 2425288
 Ion Ratio Lower Upper
 172 100
 171 43.2 31.6 47.4
 170 29.2 21.3 31.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.24 ng

RT: 14.22 min Scan# 1938

Delta R.T. -0.01 min

Lab File: BG023726.D

Acq: 15 Aug 2016 18:28





Instrument :

BNA_G

ClientSampleId :

MW-1

Tgt Ion:	163	Resp:	215567
Ion Ratio		Lower	Upper
163	100		
194	3.9	3.6	5.4
164	10.2	8.1	12.1



#63

Phenanthrene-d10

Concen: 20.00 ng




RT: 17.55 min Scan# 2504


Delta R.T. 0.00 min

Lab File: BG023726.D

Acq: 15 Aug 2016 18:28

Tgt Ion:	188	Resp:	817363
Ion Ratio		Lower	Upper
188	100		
94	8.5	5.2	7.8#
80	10.8	7.2	10.8#









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.87 min Scan# 3240
Delta R.T. 0.01 min
Lab File: BG023726.D
Acq: 15 Aug 2016 18:28




Instrument :
BNA_G
ClientSampleId :
MW-1


Tgt Ion:240 Resp: 779879
Ion Ratio Lower Upper
240 100
120 8.6 4.1 6.1#
236 26.8 21.1 31.7



#78
Terphenyl-d14
Concen: 82.90 ng
RT: 20.16 min Scan# 2948
Delta R.T. 0.00 min
Lab File: BG023726.D
Acq: 15 Aug 2016 18:28

Tgt Ion:244 Resp: 2077659
Ion Ratio Lower Upper
244 100
212 10.7 10.8 16.2#
122 10.6 8.0 12.0





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.28 min Scan# 3820
Delta R.T. 0.04 min
Lab File: BG023726.D
Acq: 15 Aug 2016 18:28

Instrument :
BNA_G
ClientSampleId :
MW-1

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.5	18.4	27.6
265	19.9	18.9	28.3

