

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG082016\
 Data File : BG023825.D
 Acq On : 20 Aug 2016 20:20
 Operator : UM/SJ
 Sample : H4533-06MS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BF01-01MS

Manual Integrations
 APPROVED

sohil
 8/22/2016 3:54:58 PM

Quant Time: Aug 22 05:21:25 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG081816.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Aug 22 04:56:05 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	123337	20.00	ng/ul	0.00
18) Naphthalene-d8	10.93	136	504490	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.77	164	312151	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.53	188	697217	20.00	ng/ul	0.00
75) Chrysene-d12	21.84	240	766774	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	738507	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.46	96	15115	5.56	ng/uL	0.00
5) Phenol-d5	7.25	99	402402	34.79	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.41	67	270312	34.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.62	132	282150	34.37	ng/ul	0.00
13) 4-Methylphenol-d8	8.81	113	299618	33.13	ng/ul	0.00
19) Nitrobenzene-d5	9.27	128	141672m	34.76	ng/ul	0.00
22) 2-Nitrophenol-d4	10.00	143	164355	35.37	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.55	165	287391	34.21	ng/ul	0.00
29) 4-Chloroaniline-d4	11.07	131	358806	34.90	ng/ul	0.00
43) Dimethylphthalate-d6	14.16	166	893367	34.52	ng/ul	0.00
46) Acenaphthylene-d8	14.46	160	1031887	35.21	ng/ul	0.00
51) 4-Nitrophenol-d4	14.98	143	137592	32.90	ng/ul	0.00
57) Fluorene-d10	15.76	176	775145	34.31	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.89	200	136244	30.83	ng/ul	0.00
70) Anthracene-d10	17.63	188	1121902	34.90	ng/ul	0.00
76) Pyrene-d10	19.92	212	1281446	34.83	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1196073	35.38	ng/ul	0.00

Target Compounds

						Qvalue
6) Phenol	7.28	94	399175	33.69	ng/ul#	69
10) 2-Chlorophenol	7.65	128	261972	31.29	ng/ul#	82
15) N-Nitroso-di-n-propylamine	8.90	70	284156	31.21	ng/ul#	86
33) 4-Chloro-3-methylphenol	12.22	107	328641	31.70	ng/ul#	82
44) Dimethylphthalate	14.21	163	658524	25.45	ng/ul	98
49) Acenaphthene	14.83	153	681838	33.35	ng/ul	95
52) 4-Nitrophenol	14.99	109	139113	33.11	ng/ul#	70
54) 2,4-Dinitrotoluene	15.14	165	261254	32.36	ng/ul#	72
68) Pentachlorophenol	17.19	266	139985	37.34	ng/ul	93
77) Pyrene	19.95	202	1468775	32.41	ng/ul#	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_G\DATA\BG082016\
Data File : BG023825.D
Acq On : 20 Aug 2016 20:20
Operator : UM/SJ
Sample : H4533-06MS
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
BF01-01MS

Manual Integrations
APPROVED

sohil
8/22/2016 3:54:58 PM

Quant Time: Aug 22 05:21:25 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG081816.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Aug 22 04:56:05 2016
Response via : Initial Calibration





#6

Phenol

Concen: 33.69 ng/ul

RT: 7.28 min Scan# 755

Delta R.T. -0.00 min

Lab File: BG023825.D

Acq: 20 Aug 2016 20:20

Instrument :

BNA_G





ClientSampleId :

BF01-01MS

Tgt Ion	Ratio	Lower	Upper
94	100		
65	33.6	16.8	25.2#
66	46.2	22.6	33.8#

Manual Integrations
APPROVED

sohil
8/22/2016 3:54:58 PM



#10

2-Chlorophenol

Concen: 31.29 ng/ul




RT: 7.65 min Scan# 819




Delta R.T. -0.00 min

Lab File: BG023825.D

Acq: 20 Aug 2016 20:20

Tgt Ion	Ratio	Lower	Upper
128	100		
64	63.0	34.2	51.4#
130	32.8	27.0	40.4









#15
N-Nitroso-di-n-propylamine
Concen: 31.21 ng/ul
RT: 8.90 min Scan# 1031
Delta R.T. -0.00 min
Lab File: BG023825.D
Acq: 20 Aug 2016 20:20

Instrument :
BNA_G
ClientSampleId :
BF01-01MS

Tgt Ion	Ratio	Lower	Upper
70	100		
42	48.9	31.4	47.2#
101	9.7	8.6	13.0
130	16.2	19.0	28.4#


Manual Integrations
APPROVED


sohil
8/22/2016 3:54:58 PM



#33
4-Chloro-3-methylphenol
Concen: 31.70 ng/ul
RT: 12.22 min Scan# 1596
Delta R.T. -0.01 min
Lab File: BG023825.D
Acq: 20 Aug 2016 20:20

Tgt Ion	Ratio	Lower	Upper
107	100		
144	24.5	22.7	34.1
142	69.3	71.6	107.4#









#44
Dimethylphthalate
Concen: 25.45 ng/ul
RT: 14.21 min Scan# 1935
Delta R.T. -0.00 min
Lab File: BG023825.D
Acq: 20 Aug 2016 20:20

Instrument :
BNA_G
ClientSampleId :
BF01-01MS

Tgt Ion	Ratio	Resp Lower	Resp Upper
163	100		
194	4.5	3.4	5.2
164	9.8	8.8	13.2




Manual Integrations
APPROVED


sohil
8/22/2016 3:54:58 PM



#49
Acenaphthene
Concen: 33.35 ng/ul
RT: 14.83 min Scan# 2041
Delta R.T. -0.00 min
Lab File: BG023825.D
Acq: 20 Aug 2016 20:20

Tgt Ion	Ratio	Resp Lower	Resp Upper
153	100		
152	48.3	37.3	55.9
154	90.5	68.2	102.2





#52

4-Nitrophenol

Concen: 33.11 ng/ul

RT: 14.99 min Scan# 2069

Delta R.T. -0.00 min

Lab File: BG023825.D

Acq: 20 Aug 2016 20:20

Instrument :

BNA_G





ClientSampleId :

BF01-01MS

Tgt Ion	Ratio	Resp	Lower	Upper
109	100	139113		
139	99.6	136.1	204.1#	
65	129.7	106.0	159.0	

Manual Integrations
APPROVED

sohil
8/22/2016 3:54:58 PM



#54

2,4-Dinitrotoluene

Concen: 32.36 ng/ul




RT: 15.14 min Scan# 2094


Delta R.T. 0.00 min

Lab File: BG023825.D

Acq: 20 Aug 2016 20:20

Tgt Ion	Ratio	Resp	Lower	Upper
165	100	261254		
63	48.8	25.7	38.5#	
182	2.6	2.1	3.1	









#68
 Pentachlorophenol
 Concen: 37.34 ng/ul
 RT: 17.19 min Scan# 2442
 Delta R.T. 0.00 min
 Lab File: BG023825.D
 Acq: 20 Aug 2016 20:20

Instrument :
 BNA_G
 ClientSampleId :
 BF01-01MS

Tgt Ion	Ratio	Resp	Lower	Upper
266	100	139985		
264	68.2	54.7	82.1	
268	61.7	57.8	86.8	

Manual Integrations
 APPROVED

sohil
 8/22/2016 3:54:58 PM



#77
 Pyrene
 Concen: 32.41 ng/ul
 RT: 19.95 min Scan# 2913
 Delta R.T. 0.00 min
 Lab File: BG023825.D
 Acq: 20 Aug 2016 20:20

Tgt Ion	Ratio	Resp	Lower	Upper
202	100	1468775		
101	11.4	12.5	18.7#	
100	10.2	10.2	15.4#	

