

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG082117\
 Data File : BG028408.D
 Acq On : 22 Aug 2017 3:57
 Operator : SJ/JU
 Sample : I4827-14
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B0AE8

Quant Time: Aug 22 13:59:28 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080217.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 22 04:33:26 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.35	152	44654	20.00	ng/ul	0.00
18) Naphthalene-d8	11.16	136	193788	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.95	164	142346	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.80	188	422562	20.00	ng/ul	0.10
75) Chrysene-d12	22.03	240	373935	20.00	ng/ul	0.00
83) Perylene-d12	25.53	264	376243	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.83	96	4094	4.27	ng/uL	0.00
5) Phenol-d5	7.50	99	99041	20.19	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.66	67	61646	19.85	ng/ul	0.00
9) 2-Chlorophenol-d4	7.88	132	71057	22.97	ng/ul	0.00
13) 4-Methylphenol-d8	9.04	113	84150	20.53	ng/ul	0.00
19) Nitrobenzene-d5	9.51	128	36955	24.39	ng/ul	0.00
22) 2-Nitrophenol-d4	10.23	143	44434	26.74	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.78	165	86674	25.21	ng/ul	0.00
29) 4-Chloroaniline-d4	11.29	131	93721	24.49	ng/ul	0.00
43) Dimethylphthalate-d6	14.34	166	300201	23.71	ng/ul	0.00
46) Acenaphthylene-d8	14.64	160	345892	24.23	ng/ul	0.00
51) 4-Nitrophenol-d4	15.15	143	38861	19.30	ng/ul	0.00
57) Fluorene-d10	15.94	176	260823	22.96	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.13	200	314	0.11	ng/ul	0.07
70) Anthracene-d10	17.80	188	422562	20.85	ng/ul	0.00
76) Pyrene-d10	20.07	212	473281	24.68	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.29	264	434818	24.69	ng/ul	0.00
Target Compounds						
6) Phenol	7.52	94	8730	1.791	ng/ul	98
44) Dimethylphthalate	14.39	163	99691	8.552	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG082117\
Data File : BG028408.D
Acq On : 22 Aug 2017 3:57
Operator : SJ/JU
Sample : I4827-14
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B0AE8

Quant Time: Aug 22 13:59:28 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080217.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 22 04:33:26 2017
Response via : Initial Calibration





#6

Phenol

Concen: 1.791 ng/ul

RT: 7.52 min Scan# 670

Delta R.T. 0.00 min

Lab File: BG028408.D

Acq: 22 Aug 2017 3:57

Instrument :

BNA_G

ClientSampleId :

B0AE8





Tgt Ion: 94 Resp: 8730

Ion Ratio Lower Upper

94 100

65 31.9 26.8 40.2

66 54.3 44.4 66.6



#44

Dimethylphthalate

Concen: 8.552 ng/ul

RT: 14.39 min Scan# 1838

Delta R.T. -0.00 min

Lab File: BG028408.D

Acq: 22 Aug 2017 3:57

Tgt Ion: 163 Resp: 99691

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.0

164 11.1 9.0 13.4

