

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG082219\
 Data File : BG042411.D
 Acq On : 22 Aug 2019 21:32
 Operator : HP/JU
 Sample : K4277-13
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-22

Quant Time: Aug 23 04:03:07 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 22 14:29:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	58385	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	226599	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	170600	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	384825	20.00	ng	0.00
76) Chrysene-d12	21.69	240	400258	20.00	ng	0.00
87) Perylene-d12	24.93	264	454583	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	233748	81.08	ng	0.00
7) Phenol-d6	7.17	99	211984	54.44	ng	0.00
23) Nitrobenzene-d5	9.17	82	345205	105.27	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	350881	144.71	ng	0.00
45) 2-Fluorobiphenyl	13.28	172	1083921	107.46	ng	0.00
79) Terphenyl-d14	20.03	244	1849509	99.90	ng	0.00
Target Compounds						
10) Phenol	7.19	94	16397	4.141	ng	Qvalue 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG082219\
Data File : BG042411.D
Acq On : 22 Aug 2019 21:32
Operator : HP/JU
Sample : K4277-13
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-22

Quant Time: Aug 23 04:03:07 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 22 14:29:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.00 min Scan# 836
Delta R.T. -0.01 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32

Instrument :
BNA_G
ClientSampleId :
TP-22

Tot Ion	Ratio	Lower	Upper
152	100		
150	151.4	125.4	188.0
115	50.0	38.5	57.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 81.084 ng
RT: 5.56 min Scan# 421
Delta R.T. 0.00 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32

Tgt Ion	Ratio	Lower	Upper
112	100		
64	52.9	42.8	64.2
63	28.4	22.7	34.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 54.439 ng

RT: 7.17 min Scan# 694

Delta R.T. -0.01 min

Lab File: BG042411.D

Acq: 22 Aug 2019 21:32

Instrument :

BNA_G

ClientSampleId :

TP-22


Tot Ion: 99 Resp: 211984

Ion Ratio Lower Upper




99 100

42 14.8 12.0 18.0

71 32.1 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 4.141 ng

RT: 7.19 min Scan# 698

Delta R.T. -0.01 min

Lab File: BG042411.D

Acq: 22 Aug 2019 21:32


Tgt Ion: 94 Resp: 16397

Ion Ratio Lower Upper



94 100


65 25.5 5.6 45.6

66 43.2 16.0 56.0



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1317

Delta R.T. 0.00 min

Lab File: BG042411.D

Acq: 22 Aug 2019 21:32

Instrument :

BNA_G

ClientSampleId :

TP-22

Tot Ion:136 Resp: 226599


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 6.9 4.9 7.3

68 4.2 3.6 5.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC



#23

Nitrobenzene-d5

Concen: 105.274 ng

RT: 9.17 min Scan# 1035

Delta R.T. -0.01 min

Lab File: BG042411.D

Acq: 22 Aug 2019 21:32


Tgt Ion: 82 Resp: 345205

Ion Ratio Lower Upper

82 100

128 50.3 40.7 61.1



54 46.6 36.3 54.5




Abundance Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BGC









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1970
Delta R.T. 0.00 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32

Instrument :
BNA_G
ClientSampled :
TP-22

Tot Ion:164 Resp: 170600
Ion Ratio Lower Upper
164 100
162 98.7 79.9 119.9
160 43.1 34.3 51.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
2,4,6-Tribromophenol
Concen: 144.705 ng
RT: 16.16 min Scan# 2224
Delta R.T. -0.01 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32

Tgt Ion:330 Resp: 350881
Ion Ratio Lower Upper
330 100
332 97.5 77.4 116.0
141 28.0 21.4 32.0



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 107.457 ng
 RT: 13.28 min Scan# 1735
 Delta R.T. 0.00 min
 Lab File: BG042411.D
 Acq: 22 Aug 2019 21:32

Instrument :
 BNA_G
 ClientSampleId :
 TP-22

Tot Ion:172 Resp: 1083921




Ion	Ratio	Lower	Upper
172	100		
171	38.9	30.5	45.7
170	25.2	20.2	30.2




#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.41 min Scan# 2438
 Delta R.T. -0.01 min
 Lab File: BG042411.D
 Acq: 22 Aug 2019 21:32

Tgt Ion:188 Resp: 384825

Ion	Ratio	Lower	Upper
188	100		
94	6.3	4.5	6.7
80	6.5	4.9	7.3









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.69 min Scan# 3166
Delta R.T. -0.01 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32




Instrument :
BNA_G
ClientSampleId :
TP-22


Tot Ion	Ratio	Lower	Upper
240	100		
120	6.8	5.7	8.5
236	26.2	21.0	31.4



#79
Terphenyl-d14
Concen: 99.898 ng
RT: 20.03 min Scan# 2883
Delta R.T. 0.00 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.7	6.0	9.0
122	9.4	6.7	10.1





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.93 min Scan# 3718
Delta R.T. -0.01 min
Lab File: BG042411.D
Acq: 22 Aug 2019 21:32

Instrument :
BNA_G
ClientSampleId :
TP-22

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.5	27.7
265	22.0	17.6	26.4

