

Data Path : Z:\HPCHEM1\BNA G\DATA\BG082316\
 Data File : BG023856.D
 Acq On : 23 Aug 2016 16:54
 Operator : UM/SJ
 Sample : H4556-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-11C(15-16.5)

Quant Time: Aug 24 01:42:30 2016
 Quant Method : Z:\HPCHEM1\BNA G\Methods\8270-BG080116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 01 19:22:14 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	102007	20.00	ng	-0.03
21) Naphthalene-d8	10.93	136	424308	20.00	ng	-0.03
38) Acenaphthene-d10	14.76	164	261246	20.00	ng	-0.02
63) Phenanthrene-d10	17.52	188	605669	20.00	ng	-0.02
75) Chrysene-d12	21.84	240	659007	20.00	ng	-0.03
86) Perylene-d12	25.21	264	645176	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	637532	105.20	ng	-0.03
7) Phenol-d6	7.25	99	907235	96.12	ng	-0.03
23) Nitrobenzene-d5	9.27	82	612951	71.82	ng	-0.03
41) 2,4,6-Tribromophenol	16.26	330	331818	86.84	ng	-0.02
44) 2-Fluorobiphenyl	13.38	172	1091214	70.45	ng	-0.02
78) Terphenyl-d14	20.13	244	1452338	64.31	ng	-0.02
Target Compounds						
49) Dimethylphthalate	14.20	163	349574	17.44	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG082316\
Data File : BG023856.D
Acq On : 23 Aug 2016 16:54
Operator : UM/SJ
Sample : H4556-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-11C(15-16.5)

Quant Time: Aug 24 01:42:30 2016
Quant Method : Z:\HPCHEM1\BNA G\Methods\8270-BG080116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 01 19:22:14 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.09 min Scan# 894
Delta R.T. -0.03 min
Lab File: BG023856.D
Acq: 23 Aug 2016 16:54

Instrument :
BNA_G
ClientSampleId :
SB-11C(15-16.5)

Tot Ion	Ratio	Lower	Upper
152	100		
150	146.3	144.7	217.1
115	59.8	64.0	96.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.20 ng
RT: 5.63 min Scan# 475
Delta R.T. -0.03 min
Lab File: BG023856.D
Acq: 23 Aug 2016 16:54

Tgt Ion	Ratio	Lower	Upper
112	100		
64	73.1	59.0	88.4
63	38.6	37.8	56.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 96.12 ng

RT: 7.25 min Scan# 751

Delta R.T. -0.03 min

Lab File: BG023856.D

Acq: 23 Aug 2016 16:54

Instrument :

BNA_G

ClientSampleId :

SB-11C(15-16.5)


Tot Ion: 99 Resp: 907235

Ion Ratio Lower Upper




99 100

42 19.2 17.8 26.6

71 42.4 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1377

Delta R.T. -0.03 min

Lab File: BG023856.D

Acq: 23 Aug 2016 16:54

Tgt Ion: 136 Resp: 424308


Ion Ratio Lower Upper

136 100



137 12.4 9.6 14.4


54 9.9 7.3 10.9

68 8.1 5.3 7.9#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 71.82 ng
 RT: 9.27 min Scan# 1095
 Delta R.T. -0.03 min
 Lab File: BG023856.D
 Acq: 23 Aug 2016 16:54




Instrument :
 BNA_G
 ClientSampleId :
 SB-11C(15-16.5)


Tot Ion	Ratio	Lower	Upper
82	100		
128	35.8	24.4	36.6
54	50.0	41.4	62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.76 min Scan# 2030
 Delta R.T. -0.02 min
 Lab File: BG023856.D
 Acq: 23 Aug 2016 16:54

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.8	87.7	131.5
160	46.7	37.2	55.8









#41
 2,4,6-Tribromophenol
 Concen: 86.84 ng
 RT: 16.26 min Scan# 2285
 Delta R.T. -0.02 min
 Lab File: BG023856.D
 Acq: 23 Aug 2016 16:54

Instrument :
 BNA_G
 ClientSampleId :
 SB-11C(15-16.5)

Tot Ion:330 Resp: 331818
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.4 116.2
 141 41.8 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 70.45 ng
 RT: 13.38 min Scan# 1794
 Delta R.T. -0.02 min
 Lab File: BG023856.D
 Acq: 23 Aug 2016 16:54

Tgt Ion:172 Resp: 1091214
 Ion Ratio Lower Upper
 172 100
 171 38.0 31.6 47.4
 170 25.2 21.3 31.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 17.44 ng

RT: 14.20 min Scan# 1935

Delta R.T. -0.03 min

Lab File: BG023856.D

Acq: 23 Aug 2016 16:54

Instrument :

BNA_G

ClientSampleId :

SB-11C(15-16.5)


Tot Ion:163 Resp: 349574

Ion Ratio Lower Upper

163 100

194 4.3 3.6 5.4




164 9.9 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.52 min Scan# 2500

Delta R.T. -0.02 min

Lab File: BG023856.D

Acq: 23 Aug 2016 16:54


Tgt Ion:188 Resp: 605669

Ion Ratio Lower Upper

188 100

94 10.1 5.2 7.8#



80 11.1 7.2 10.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.84 min Scan# 3234

Delta R.T. -0.03 min

Lab File: BG023856.D

Acq: 23 Aug 2016 16:54

Instrument :

BNA_G

ClientSampleId :

SB-11C(15-16.5)


Tot Ion:240 Resp: 659007

Ion Ratio Lower Upper

240 100

120 8.6 4.1 6.1#




236 26.4 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 64.31 ng

RT: 20.13 min Scan# 2944

Delta R.T. -0.02 min

Lab File: BG023856.D

Acq: 23 Aug 2016 16:54


Tgt Ion:244 Resp: 1452338

Ion Ratio Lower Upper

244 100

212 9.4 10.8 16.2#



122 10.2 8.0 12.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.21 min Scan# 3808
Delta R.T. -0.03 min
Lab File: BG023856.D
Acq: 23 Aug 2016 16:54

Instrument :
BNA_G
ClientSampleId :
SB-11C(15-16.5)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.4	27.6
265	21.8	18.9	28.3

