

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082421\
 Data File : BG049960.D
 Acq On : 24 Aug 2021 20:12
 Operator : CG/JU
 Sample : M3394-22DL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SWCS-07-0002DL

Manual Integrations
 APPROVED

mohammad
 8/25/2021 3:34:14 PM

Quant Time: Aug 25 01:08:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG080321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 23 16:13:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.985	152	34566	20.000	ng	0.00
21) Naphthalene-d8	10.804	136	139230	20.000	ng	# 0.00
39) Acenaphthene-d10	14.640	164	91313	20.000	ng	0.00
64) Phenanthrene-d10	17.395	188	164191	20.000	ng	# 0.00
76) Chrysene-d12	21.678	240	134258	20.000	ng	0.00
86) Perylene-d12	24.921	264	134318	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.541	112	15136	7.850	ng	0.00
7) Phenol-d6	7.162	99	23344	7.998	ng	0.00
23) Nitrobenzene-d5	9.160	82	15890	5.050	ng	0.00
42) 2,4,6-Tribromophenol	16.138	330	10013	7.460	ng	0.00
45) 2-Fluorobiphenyl	13.260	172	35127	5.598	ng	0.00
79) Terphenyl-d14	20.004	244	41886	5.666	ng	0.00
Target Compounds						Qvalue
49) Acenaphthylene	14.364	152	27297	3.316	ng	94
55) Dibenzofuran	15.040	168	21344	2.653	ng	99
58) Fluorene	15.692	166	32784	5.013	ng	99
71) Phenanthrene	17.442	178	552466	63.955	ng	97
72) Anthracene	17.531	178	136386	16.076	ng	99
73) Carbazole	17.801	167	38537	4.796	ng	99
75) Fluoranthene	19.457	202	699858	65.839	ng	99
78) Pyrene	19.822	202	499713	54.595	ng	98
81) Benzo(a)anthracene	21.654	228	286675	32.788	ng	97
83) Chrysene	21.725	228	243609m	29.147	ng	
87) Indeno(1,2,3-cd)pyrene	28.633	276	101332	10.461	ng	# 98
88) Benzo(b)fluoranthene	23.887	252	306820	34.829	ng	# 94
89) Benzo(k)fluoranthene	23.951	252	118292m	14.396	ng	
90) Benzo(a)pyrene	24.768	252	202321	25.378	ng	# 94
91) Dibenzo(a,h)anthracene	28.657	278	28427	3.483	ng	# 68
92) Benzo(g,h,i)perylene	29.802	276	89962	11.249	ng	# 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082421\
Data File : BG049960.D
Acq On : 24 Aug 2021 20:12
Operator : CG/JU
Sample : M3394-22DL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL

Manual Integrations
APPROVED

mohammad
8/25/2021 3:34:14 PM


Quant Time: Aug 25 01:08:51 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG080321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 23 16:13:24 2021
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.985 min Scan# 842
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleID :
SWCS-07-0002DL




Tgt Ion:152 Resp: 34566
Ion Ratio Lower Upper
152 100
150 147.9 119.4 179.0
115 63.4 60.2 90.4

Manual Integrations
APPROVED



mohammad
8/25/2021 3:34:14 PM




#5
2-Fluorophenol
Concen: 7.850 ng
RT: 5.541 min Scan# 426
Delta R.T. 0.005 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12



Tgt Ion:112 Resp: 15136
Ion Ratio Lower Upper
112 100
64 71.6 46.7 70.1#
63 46.0 35.3 52.9









#7
Phenol-d6
Concen: 7.998 ng
RT: 7.162 min Scan# 702
Delta R.T. 0.005 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12

Tgt Ion: 99 Resp: 23344
Ion Ratio Lower Upper
99 100
42 20.2 20.5 30.7#
71 43.2 41.5 62.3

Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Manual Integrations
APPROVED


mohammad
8/25/2021 3:34:14 PM



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.804 min Scan# 1322
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12


Tgt Ion: 136 Resp: 139230
Ion Ratio Lower Upper
136 100
137 9.6 8.2 12.2
54 5.8 5.5 8.3
68 3.6 2.3 3.5#





#23
Nitrobenzene-d5
Concen: 5.050 ng
RT: 9.160 min Scan# 1042
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL



Tgt Ion: 82 Resp: 15890
Ion Ratio Lower Upper
82 100
128 39.6 29.8 44.6
54 38.0 45.8 68.8#




Manual Integrations
APPROVED


mohammad
8/25/2021 3:34:14 PM



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.640 min Scan# 1975
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12


Tgt Ion: 164 Resp: 91313
Ion Ratio Lower Upper
164 100
162 112.9 81.4 122.0
160 44.9 34.9 52.3





#42
2,4,6-Tribromophenol
Concen: 7.460 ng
RT: 16.138 min Scan# 2230
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleID :
SWCS-07-0002DL




Tgt Ion:330 Resp: 10013
Ion Ratio Lower Upper
330 100
332 96.2 77.3 115.9
141 43.5 35.6 53.4

Manual Integrations
APPROVED



mohammad
8/25/2021 3:34:14 PM




#45
2-Fluorobiphenyl
Concen: 5.598 ng
RT: 13.260 min Scan# 1740
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Tgt Ion:172 Resp: 35127
Ion Ratio Lower Upper
172 100
171 34.5 28.6 43.0
170 22.2 18.6 27.8





#49
Acenaphthylene
Concen: 3.316 ng
RT: 14.364 min Scan# 1928
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Tgt Ion:152 Resp: 27297
Ion Ratio Lower Upper
152 100
151 20.0 18.2 27.4
153 12.5 11.7 17.5

Manual Integrations
APPROVED



mohammad
8/25/2021 3:34:14 PM




#55
Dibenzofuran
Concen: 2.653 ng
RT: 15.040 min Scan# 2043
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Tgt Ion:168 Resp: 21344
Ion Ratio Lower Upper
168 100
139 41.6 33.4 50.2
169 15.0 12.3 18.5





#58
Fluorene
Concen: 5.013 ng
RT: 15.692 min Scan# 2154
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Tgt Ion:166 Resp: 32784
Ion Ratio Lower Upper
166 100
165 97.4 77.7 116.5
167 14.6 10.8 16.2

Manual Integrations
APPROVED



mohammad
8/25/2021 3:34:14 PM




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.395 min Scan# 2444
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Tgt Ion:188 Resp: 164191
Ion Ratio Lower Upper
188 100
94 5.7 5.4 8.0
80 6.2 3.7 5.5#





#71
Phenanthrene
Concen: 63.955 ng
RT: 17.442 min Scan# 2452
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleID :
SWCS-07-0002DL




Tgt Ion:178 Resp: 552466
Ion Ratio Lower Upper
178 100
176 19.7 16.0 24.0
179 15.8 14.2 21.4

Manual Integrations
APPROVED



mohammad
8/25/2021 3:34:14 PM




#72
Anthracene
Concen: 16.076 ng
RT: 17.531 min Scan# 2467
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Tgt Ion:178 Resp: 136386
Ion Ratio Lower Upper
178 100
176 18.9 14.6 21.8
179 16.2 13.4 20.0









#73
Carbazole
Concen: 4.796 ng
RT: 17.801 min Scan# 2513
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12





Tgt Ion:167 Resp: 38537
Ion Ratio Lower Upper
167 100
166 21.7 17.4 26.2
139 12.8 10.7 16.1



#75
Fluoranthene
Concen: 65.839 ng
RT: 19.457 min Scan# 2795
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Tgt Ion:202 Resp: 699858
Ion Ratio Lower Upper
202 100
101 5.4 0.0 24.7
203 18.6 0.0 38.5



Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL

Manual Integrations
APPROVED

mohammad
8/25/2021 3:34:14 PM







#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.678 min Scan# 3173
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12

Tgt Ion:	240	Resp:	134258
Ion Ratio	Lower	Upper	
240	100		
120	4.9	4.2	6.2
236	25.3	21.8	32.6

Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Manual Integrations
APPROVED


mohammad
8/25/2021 3:34:14 PM



#78
Pyrene
Concen: 54.595 ng
RT: 19.822 min Scan# 2857
Delta R.T. 0.005 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12

Tgt Ion:	202	Resp:	499713
Ion Ratio	Lower	Upper	
202	100		
200	21.2	15.8	23.8
203	18.3	14.6	21.8









#79
Terphenyl-d14
Concen: 5.666 ng
RT: 20.004 min Scan# 2888
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12

Tgt Ion:	244	Resp:	41886
Ion Ratio	Lower	Upper	
244	100		
212	8.1	6.9	10.3
122	6.4	5.0	7.6

Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Manual Integrations
APPROVED


mohammad
8/25/2021 3:34:14 PM




#81
Benzo(a)anthracene
Concen: 32.788 ng
RT: 21.654 min Scan# 3169
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12

Tgt Ion:	228	Resp:	286675
Ion Ratio	Lower	Upper	
228	100		
226	27.1	22.7	34.1
229	21.3	16.0	24.0









#83
Chrysene
Concen: 29.147 ng m
RT: 21.725 min Scan# 3181
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12





Tgt Ion: 228 Resp: 243609
Ion Ratio Lower Upper
228 100
226 30.4 23.1 34.7
229 20.9 15.3 22.9



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.921 min Scan# 3725
Delta R.T. -0.001 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Tgt Ion: 264 Resp: 134318
Ion Ratio Lower Upper
264 100
260 22.2 19.4 29.2
265 24.9 16.9 25.3



Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL


Manual Integrations
APPROVED

mohammad
8/25/2021 3:34:14 PM



#87
Indeno(1,2,3-cd)pyrene
Concen: 10.461 ng
RT: 28.633 min Scan# 4357
Delta R.T. -0.013 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Tgt Ion:276 Resp: 101332
Ion Ratio Lower Upper
276 100
138 3.9 5.1 7.7#
277 24.5 19.8 29.6

Manual Integrations
APPROVED



mohammad
8/25/2021 3:34:14 PM




#88
Benzo(b)fluoranthene
Concen: 34.829 ng
RT: 23.887 min Scan# 3549
Delta R.T. -0.007 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12



Tgt Ion:252 Resp: 306820
Ion Ratio Lower Upper
252 100
253 23.4 16.2 24.4
125 5.1 3.0 4.4#





#89

Benzo(k)fluoranthene

Concen: 14.396 ng m

RT: 23.951 min Scan# 3560

Delta R.T. -0.007 min

Lab File: BG049960.D

Acq: 24 Aug 2021 20:12

Tgt Ion:	252	Resp:	118292
Ion Ratio	Lower	Upper	
252	100		
253	24.7	18.0	27.0
125	6.1	3.1	4.7#

Instrument :





BNA_G

ClientSampleId :

SWCS-07-0002DL

Manual Integrations
APPROVED

mohammad
8/25/2021 3:34:14 PM



#90

Benzo(a)pyrene

Concen: 25.378 ng




RT: 24.768 min Scan# 3699


Delta R.T. -0.007 min

Lab File: BG049960.D

Acq: 24 Aug 2021 20:12


Tgt Ion:	252	Resp:	202321
Ion Ratio	Lower	Upper	
252	100		
253	23.6	16.6	25.0
125	6.0	3.5	5.3#





#91
Dibenzo(a,h)anthracene
Concen: 3.483 ng
RT: 28.657 min Scan# 4361
Delta R.T. -0.042 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12




Instrument :
BNA_G
ClientSampleId :
SWCS-07-0002DL




Tgt Ion:278 Resp: 28427
Ion Ratio Lower Upper
278 100
139 15.0 4.6 6.8#
279 38.2 17.9 26.9#

Manual Integrations
APPROVED

mohammad
8/25/2021 3:34:14 PM



#92
Benzo(g,h,i)perylene
Concen: 11.249 ng
RT: 29.802 min Scan# 4556
Delta R.T. -0.013 min
Lab File: BG049960.D
Acq: 24 Aug 2021 20:12



Tgt Ion:276 Resp: 89962
Ion Ratio Lower Upper
276 100
277 27.0 18.4 27.6
138 10.6 7.0 10.6#

