

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082922\
 Data File : BG054774.D
 Acq On : 29 Aug 2022 16:00
 Operator : CG/JU
 Sample : N4355-12
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-37

Quant Time: Aug 30 02:48:21 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 25 17:50:55 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.153	152	54406	20.000	ng	0.00
21) Naphthalene-d8	10.973	136	222073	20.000	ng	0.00
39) Acenaphthene-d10	14.780	164	149428	20.000	ng	0.00
64) Phenanthrene-d10	17.524	188	334617	20.000	ng	0.00
76) Chrysene-d12	21.813	240	313817	20.000	ng	-0.01
86) Perylene-d12	25.180	264	329719	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.685	112	182113	58.289	ng	0.00
7) Phenol-d6	7.295	99	159114	37.239	ng	0.00
23) Nitrobenzene-d5	9.322	82	343447	81.188	ng	0.00
42) 2,4,6-Tribromophenol	16.267	330	245185	131.312	ng	0.00
45) 2-Fluorobiphenyl	13.405	172	811788	81.653	ng	0.00
79) Terphenyl-d14	20.127	244	1292875	81.630	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.684	149	103295	7.855	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082922\
Data File : BG054774.D
Acq On : 29 Aug 2022 16:00
Operator : CG/JU
Sample : N4355-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-37

Quant Time: Aug 30 02:48:21 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 25 17:50:55 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.153 min Scan# 81
Delta R.T. -0.000 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00




Instrument :
BNA_G
ClientSampleId :
MW-37

Tgt Ion:152 Resp: 54406
Ion Ratio Lower Upper
152 100
150 150.9 125.2 187.8
115 56.9 47.9 71.9



#5
2-Fluorophenol
Concen: 58.289 ng
RT: 5.685 min Scan# 408
Delta R.T. -0.001 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00

Tgt Ion:112 Resp: 182113
Ion Ratio Lower Upper
112 100
64 62.0 49.3 73.9
63 32.4 26.3 39.5









#7
Phenol-d6
Concen: 37.239 ng
RT: 7.295 min Scan# 682
Delta R.T. -0.001 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00




Instrument :
BNA_G
ClientSampleId :
MW-37


Tgt Ion: 99 Resp: 159114
Ion Ratio Lower Upper
99 100
42 17.2 14.6 22.0
71 30.1 24.6 37.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.973 min Scan# 1308
Delta R.T. -0.007 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00

Tgt Ion: 136 Resp: 222073
Ion Ratio Lower Upper
136 100
137 11.3 9.2 13.8
54 9.0 7.7 11.5
68 6.6 5.6 8.4









#23
Nitrobenzene-d5
Concen: 81.188 ng
RT: 9.322 min Scan# 1027
Delta R.T. -0.007 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00




Instrument :
BNA_G
ClientSampleId :
MW-37


Tgt Ion: 82 Resp: 343447
Ion Ratio Lower Upper
82 100
128 42.7 32.2 48.2
54 49.3 41.4 62.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.780 min Scan# 1956
Delta R.T. -0.007 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00


Tgt Ion: 164 Resp: 149428
Ion Ratio Lower Upper
164 100
162 101.2 83.0 124.4
160 44.6 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 131.312 ng
RT: 16.267 min Scan# 2210
Delta R.T. -0.007 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00

Instrument :
BNA_G
ClientSampleId :
MW-37







Tgt Ion:330 Resp: 245185
Ion Ratio Lower Upper
330 100
332 97.5 79.8 119.6
141 32.9 26.8 40.2



#45
2-Fluorobiphenyl
Concen: 81.653 ng
RT: 13.405 min Scan# 1722
Delta R.T. -0.007 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00

Tgt Ion:172 Resp: 811788
Ion Ratio Lower Upper
172 100
171 37.7 31.2 46.8
170 25.7 20.6 30.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.524 min Scan# 24
Delta R.T. -0.007 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00




Instrument :
BNA_G
ClientSampleId :
MW-37


Tgt Ion:188 Resp: 334617
Ion Ratio Lower Upper
188 100
94 8.7 7.0 10.4
80 9.8 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.813 min Scan# 3153
Delta R.T. -0.013 min
Lab File: BG054774.D
Acq: 29 Aug 2022 16:00

Tgt Ion:240 Resp: 313817
Ion Ratio Lower Upper
240 100
120 10.2 8.2 12.4
236 26.8 21.2 31.8









#79
 Terphenyl-d14
 Concen: 81.630 ng
 RT: 20.127 min Scan# 2866
 Delta R.T. -0.007 min
 Lab File: BG054774.D
 Acq: 29 Aug 2022 16:00




Instrument :
 BNA_G
 ClientSampleId :
 MW-37


Tgt Ion:244 Resp: 1292875
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.2 9.2
 122 10.7 9.0 13.6



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 7.855 ng
 RT: 21.684 min Scan# 3131
 Delta R.T. -0.013 min
 Lab File: BG054774.D
 Acq: 29 Aug 2022 16:00

Tgt Ion:149 Resp: 103295
 Ion Ratio Lower Upper
 149 100
 167 26.5 21.4 32.0
 279 3.8 3.1 4.7





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.180 min Scan# 31
 Delta R.T. -0.018 min
 Lab File: BG054774.D
 Acq: 29 Aug 2022 16:00

Instrument :
 BNA_G
 ClientSampleId :
 MW-37

Tgt Ion:264 Resp: 329719
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.9 29.9
 265 21.7 16.9 25.3

