

Data Path : Z:\HPCHEM1\BNA G\DATA\BG083017\  
 Data File : BG028561.D  
 Acq On : 30 Aug 2017 20:20  
 Operator : SJ/JU  
 Sample : I4917-07  
 Misc :  
 ALS Vial : 14 Sample Multiplier: 1

**Instrument :**  
 BNA\_G  
**ClientSampled :**  
 B0B47

**Manual Integrations**  
**APPROVED**  
 Sohil  
 8/31/2017 7:18:05 PM

Quant Time: Aug 31 04:53:08 2017  
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG080217.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Thu Aug 31 04:17:10 2017  
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.34	152	46443	20.00	ng/ul	0.00
18) Naphthalene-d8	11.16	136	186947	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.95	164	118927	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.71	188	262402m	20.00	ng/ul	0.00
75) Chrysene-d12	22.04	240	315786	20.00	ng/ul	0.00
83) Perylene-d12	25.56	264	316336	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.83	96	4248	4.26	ng/uL	0.00
5) Phenol-d5	7.50	99	103995	20.39	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.65	67	71431	22.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.88	132	79904	24.83	ng/ul	0.00
13) 4-Methylphenol-d8	9.04	113	82355	19.32	ng/ul	0.00
19) Nitrobenzene-d5	9.51	128	40358	27.61	ng/ul	0.00
22) 2-Nitrophenol-d4	10.23	143	46366	28.93	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.78	165	86504	26.09	ng/ul	0.00
29) 4-Chloroaniline-d4	11.30	131	54316	14.71	ng/ul	0.00
43) Dimethylphthalate-d6	14.34	166	262823	24.85	ng/ul	0.00
46) Acenaphthylene-d8	14.65	160	306110	25.67	ng/ul	0.00
51) 4-Nitrophenol-d4	15.16	143	25746	15.31	ng/ul	0.01
57) Fluorene-d10	15.94	176	230434	24.28	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.07	200	36877m	21.63	ng/ul	0.00
70) Anthracene-d10	17.80	188	355769	28.27	ng/ul	0.00
76) Pyrene-d10	20.08	212	415271	25.64	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.31	264	403363	27.24	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
6) Phenol	7.52	94	12161	2.399	ng/ul#	89
34) 2-Methylnaphthalene	12.79	142	10629	1.429	ng/ul	91
44) Dimethylphthalate	14.39	163	86835	8.916	ng/ul#	97
69) Phenanthrene	17.75	178	17842m	1.351	ng/ul	
74) Fluoranthene	19.74	202	22969m	1.431	ng/ul	
77) Pyrene	20.11	202	95415	5.064	ng/ul#	93
82) Chrysene	22.08	228	24115	1.468	ng/ul#	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG083017\  
 Data File : BG028561.D  
 Acq On : 30 Aug 2017 20:20  
 Operator : SJ/JU  
 Sample : I4917-07  
 Misc :  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 Client Sampled :  
 B0B47

Manual Integrations  
**APPROVED**  
 Sohil  
 8/31/2017 7:18:05 PM

Quant Time: Aug 31 04:53:08 2017  
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG080217.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Thu Aug 31 04:17:10 2017  
 Response via : Initial Calibration

