

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083018\
 Data File : BG036485.D
 Acq On : 30 Aug 2018 19:29
 Operator : JU/SJ
 Sample : J4282-20
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SU-01-082918-C

Quant Time: Aug 31 01:33:15 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 23 12:07:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	57802	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	245777	20.00	ng	-0.02
38) Acenaphthene-d10	14.69	164	162749	20.00	ng	-0.02
63) Phenanthrene-d10	17.43	188	404571	20.00	ng	0.00
75) Chrysene-d12	21.70	240	457619	20.00	ng	-0.02
86) Perylene-d12	24.91	264	466836	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	386044	105.94	ng	0.00
7) Phenol-d6	7.22	99	496337	95.14	ng	0.00
23) Nitrobenzene-d5	9.22	82	352972	77.92	ng	-0.02
41) 2,4,6-Tribromophenol	16.17	330	210116	108.20	ng	0.00
44) 2-Fluorobiphenyl	13.31	172	845090	74.14	ng	-0.02
78) Terphenyl-d14	20.04	244	1455394	74.34	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083018\
Data File : BG036485.D
Acq On : 30 Aug 2018 19:29
Operator : JU/SJ
Sample : J4282-20
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SU-01-082918-C

Quant Time: Aug 31 01:33:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 23 12:07:02 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 813
Delta R.T. -0.01 min
Lab File: BG036485.D
Acq: 30 Aug 2018 19:29

Instrument :
BNA_G
ClientSampleId :
SU-01-082918-C

Tot Ion:152 Resp: 57802
Ion Ratio Lower Upper
152 100
150 157.2 119.5 179.3
115 59.8 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 105.944 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.00 min
Lab File: BG036485.D
Acq: 30 Aug 2018 19:29

Tgt Ion:112 Resp: 386044
Ion Ratio Lower Upper
112 100
64 67.7 57.2 85.8
63 35.6 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 95.137 ng

RT: 7.22 min Scan# 669

Delta R.T. -0.00 min

Lab File: BG036485.D

Acq: 30 Aug 2018 19:29

Instrument :

BNA_G

ClientSampleId :

SU-01-082918-C


Tot Ion: 99 Resp: 496337

Ion Ratio Lower Upper



99 100

42 19.3 16.5 24.7

71 35.8 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1290

Delta R.T. -0.02 min

Lab File: BG036485.D

Acq: 30 Aug 2018 19:29

Tgt Ion: 136 Resp: 245777


Ion Ratio Lower Upper

136 100



137 10.8 8.8 13.2


54 10.1 9.2 13.8

68 6.2 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 77.921 ng

RT: 9.22 min Scan# 1010

Delta R.T. -0.02 min

Lab File: BG036485.D

Acq: 30 Aug 2018 19:29

Instrument :

BNA_G

ClientSampleId :

SU-01-082918-C


Tot Ion: 82 Resp: 352972

Ion Ratio Lower Upper




82 100

128 41.9 33.3 49.9

54 56.4 45.1 67.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1940

Delta R.T. -0.02 min

Lab File: BG036485.D

Acq: 30 Aug 2018 19:29


Tgt Ion:164 Resp: 162749

Ion Ratio Lower Upper



164 100

162 104.2 80.7 121.1

160 44.5 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 108.198 ng
 RT: 16.17 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BG036485.D
 Acq: 30 Aug 2018 19:29

Instrument :
 BNA_G
 ClientSampleId :
 SU-01-082918-C

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.2	75.4	113.2
141	37.0	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.141 ng
 RT: 13.31 min Scan# 1706
 Delta R.T. -0.02 min
 Lab File: BG036485.D
 Acq: 30 Aug 2018 19:29

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	31.3	46.9
170	25.2	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.43 min Scan# 2407
Delta R.T. -0.01 min
Lab File: BG036485.D
Acq: 30 Aug 2018 19:29

Instrument :
BNA_G
ClientSampleId :
SU-01-082918-C

Tot Ion:188 Resp: 404571
Ion Ratio Lower Upper
188 100
94 8.0 6.7 10.1
80 8.9 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.70 min Scan# 3133
Delta R.T. -0.02 min
Lab File: BG036485.D
Acq: 30 Aug 2018 19:29

Tgt Ion:240 Resp: 457619
Ion Ratio Lower Upper
240 100
120 7.4 6.9 10.3
236 26.5 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 74.336 ng
 RT: 20.04 min Scan# 2851
 Delta R.T. -0.02 min
 Lab File: BG036485.D
 Acq: 30 Aug 2018 19:29

Instrument :
 BNA_G
 ClientSampleId :
 SU-01-082918-C

Tot Ion:244 Resp: 1455394

Ion	Ratio	Lower	Upper
244	100		
212	8.9	7.0	10.6
122	9.0	7.1	10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.91 min Scan# 3680
 Delta R.T. -0.03 min
 Lab File: BG036485.D
 Acq: 30 Aug 2018 19:29

Tgt Ion:264 Resp: 466836

Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.6	29.4
265	20.9	17.4	26.0

