

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090119\
 Data File : BG042669.D
 Acq On : 1 Sep 2019 19:54
 Operator : HP/JU
 Sample : K4554-05
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-12-(0-2)

Quant Time: Sep 02 08:03:03 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 22 14:29:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	29223	20.00	ng	0.00
21) Naphthalene-d8	10.82	136	111137	20.00	ng	0.00
39) Acenaphthene-d10	14.65	164	87132	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	224797	20.00	ng	0.00
76) Chrysene-d12	21.68	240	256869	20.00	ng	-0.01
87) Perylene-d12	24.92	264	299737	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	199451	138.23	ng	0.00
7) Phenol-d6	7.16	99	269286	138.16	ng	0.00
23) Nitrobenzene-d5	9.17	82	154121	95.83	ng	0.00
42) 2,4,6-Tribromophenol	16.15	330	198030	159.90	ng	0.00
45) 2-Fluorobiphenyl	13.27	172	528903	102.66	ng	0.00
79) Terphenyl-d14	20.02	244	1146467	96.49	ng	0.00
Target Compounds						
10) Phenol	7.19	94	24833	12.531	ng	90
50) Dimethylphthalate	14.11	163	40273	6.406	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090119\
Data File : BG042669.D
Acq On : 1 Sep 2019 19:54
Operator : HP/JU
Sample : K4554-05
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-12-(0-2)

Quant Time: Sep 02 08:03:03 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 22 14:29:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.00 min Scan# 835
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54

Instrument :
BNA_G
ClientSampleId :
SB-12-(0-2)

Tot Ion:152 Resp: 29223
Ion Ratio Lower Upper
152 100
150 168.3 125.4 188.0
115 49.9 38.5 57.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.229 ng
RT: 5.55 min Scan# 419
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54

Tgt Ion:112 Resp: 199451
Ion Ratio Lower Upper
112 100
64 51.5 42.8 64.2
63 28.3 22.7 34.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 138.164 ng

RT: 7.16 min Scan# 693

Delta R.T. -0.01 min

Lab File: BG042669.D

Acq: 1 Sep 2019 19:54

Instrument :

BNA_G

ClientSampleId :

SB-12-(0-2)


Tot Ion: 99 Resp: 269286

Ion Ratio Lower Upper




99 100

42 15.0 12.0 18.0

71 34.9 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 12.531 ng

RT: 7.19 min Scan# 697

Delta R.T. -0.01 min

Lab File: BG042669.D

Acq: 1 Sep 2019 19:54


Tgt Ion: 94 Resp: 24833

Ion Ratio Lower Upper



94 100


65 30.5 5.6 45.6

66 41.7 16.0 56.0



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.82 min Scan# 1315
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54




Instrument :
BNA_G
ClientSampleId :
SB-12-(0-2)


Tot Ion:136	Resp:	111137
Ion Ratio	Lower	Upper
136	100	
137	11.1	8.7 13.1
54	6.4	4.9 7.3
68	3.4	3.6 5.4#



#23
Nitrobenzene-d5
Concen: 95.831 ng
RT: 9.17 min Scan# 1034
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54

Tgt Ion: 82	Resp:	154121
Ion Ratio	Lower	Upper
82	100	
128	49.8	40.7 61.1
54	45.6	36.3 54.5









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.65 min Scan# 1968
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54




Instrument :
BNA_G
ClientSampleId :
SB-12-(0-2)


Tot Ion:164 Resp: 87132
Ion Ratio Lower Upper
164 100
162 102.5 79.9 119.9
160 44.3 34.3 51.5



#42
2,4,6-Tribromophenol
Concen: 159.903 ng
RT: 16.15 min Scan# 2223
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54

Tgt Ion:330 Resp: 198030
Ion Ratio Lower Upper
330 100
332 95.5 77.4 116.0
141 26.9 21.4 32.0









#45
 2-Fluorobiphenyl
 Concen: 102.663 ng
 RT: 13.27 min Scan# 1733
 Delta R.T. -0.01 min
 Lab File: BG042669.D
 Acq: 1 Sep 2019 19:54




Instrument :
 BNA_G
 ClientSampleId :
 SB-12-(0-2)


Tot Ion:172 Resp: 528903
 Ion Ratio Lower Upper
 172 100
 171 37.7 30.5 45.7
 170 24.6 20.2 30.2



#50
 Dimethylphthalate
 Concen: 6.406 ng
 RT: 14.11 min Scan# 1875
 Delta R.T. -0.01 min
 Lab File: BG042669.D
 Acq: 1 Sep 2019 19:54

Tgt Ion:163 Resp: 40273
 Ion Ratio Lower Upper
 163 100
 194 5.3 4.2 6.2
 164 8.6 8.8 13.2#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.41 min Scan# 2437
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54

Instrument :
BNA_G
ClientSampleId :
SB-12-(0-2)

Tot Ion:188 Resp: 224797
Ion Ratio Lower Upper
188 100
94 4.5 4.5 6.7
80 4.7 4.9 7.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3164
Delta R.T. -0.01 min
Lab File: BG042669.D
Acq: 1 Sep 2019 19:54

Tgt Ion:240 Resp: 256869
Ion Ratio Lower Upper
240 100
120 6.0 5.7 8.5
236 25.3 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 96.492 ng

RT: 20.02 min Scan# 2881

Delta R.T. -0.01 min

Lab File: BG042669.D

Acq: 1 Sep 2019 19:54

Instrument :

BNA_G

ClientSampled :

SB-12-(0-2)


Tot Ion:244 Resp: 1146467

Ion Ratio Lower Upper

244 100

212 7.0 6.0 9.0




122 6.8 6.7 10.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.92 min Scan# 3715

Delta R.T. -0.02 min

Lab File: BG042669.D

Acq: 1 Sep 2019 19:54


Tgt Ion:264 Resp: 299737

Ion Ratio Lower Upper

264 100

260 22.4 18.5 27.7

265 22.1 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

