

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090518\
 Data File : BG036566.D
 Acq On : 5 Sep 2018 18:37
 Operator : JU/SJ
 Sample : J4741-27
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 A0C2-04-C

Quant Time: Sep 06 02:53:40 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	57231	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	237976	20.00	ng	0.00
38) Acenaphthene-d10	14.68	164	154601	20.00	ng	0.00
63) Phenanthrene-d10	17.42	188	409411	20.00	ng	0.00
75) Chrysene-d12	21.69	240	442723	20.00	ng	0.00
86) Perylene-d12	24.90	264	440007	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	261195	72.40	ng	0.00
7) Phenol-d6	7.21	99	241397	46.73	ng	0.00
23) Nitrobenzene-d5	9.22	82	370988	84.58	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	270792	146.79	ng	0.00
44) 2-Fluorobiphenyl	13.31	172	856257	79.08	ng	0.00
78) Terphenyl-d14	20.03	244	1515655	80.02	ng	0.00
Target Compounds						
31) Naphthalene	10.91	128	47106	3.960	ng	97
37) 2-Methylnaphthalene	12.51	142	30799	3.538	ng	98
49) Dimethylphthalate	14.12	163	127860	10.128	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090518\
Data File : BG036566.D
Acq On : 5 Sep 2018 18:37
Operator : JU/SJ
Sample : J4741-27
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
A0C2-04-C

Quant Time: Sep 06 02:53:40 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.06 min Scan# 811

Delta R.T. -0.01 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37

Instrument :

BNA_G

ClientSampleId :

A0C2-04-C


Tot Ion:152 Resp: 57231

Ion Ratio Lower Upper

152 100

150 150.1 119.5 179.3




115 60.4 44.5 66.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 72.396 ng

RT: 5.62 min Scan# 397

Delta R.T. -0.00 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37


Tgt Ion:112 Resp: 261195

Ion Ratio Lower Upper

112 100

64 70.7 57.2 85.8



63 36.5 30.8 46.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 46.732 ng

RT: 7.21 min Scan# 667

Delta R.T. -0.01 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37

Instrument :

BNA_G

ClientSampleId :

A0C2-04-C


Tot Ion: 99 Resp: 241397

Ion Ratio Lower Upper




99 100

42 19.3 16.5 24.7

71 35.6 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1289

Delta R.T. -0.00 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37

Tgt Ion: 136 Resp: 237976


Ion Ratio Lower Upper

136 100



137 12.5 8.8 13.2


54 10.1 9.2 13.8

68 6.9 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 84.582 ng
RT: 9.22 min Scan# 1009
Delta R.T. -0.00 min
Lab File: BG036566.D
Acq: 5 Sep 2018 18:37




Instrument :
BNA_G
ClientSampleId :
A0C2-04-C


Tot Ion: 82 Resp: 370988
Ion Ratio Lower Upper
82 100
128 41.3 33.3 49.9
54 53.3 45.1 67.7



#31
Naphthalene
Concen: 3.960 ng
RT: 10.91 min Scan# 1297
Delta R.T. -0.01 min
Lab File: BG036566.D
Acq: 5 Sep 2018 18:37

Tgt Ion: 128 Resp: 47106
Ion Ratio Lower Upper
128 100
129 10.4 9.4 14.2
127 12.8 11.0 16.4









#37
2-Methylnaphthalene
Concen: 3.538 ng
RT: 12.51 min Scan# 1570
Delta R.T. -0.00 min
Lab File: BG036566.D
Acq: 5 Sep 2018 18:37




Instrument :
BNA_G
ClientSampleId :
A0C2-04-C


Tot Ion:142 Resp: 30799
Ion Ratio Lower Upper
142 100
141 86.2 68.5 102.7
115 39.9 29.8 44.8



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.68 min Scan# 1939
Delta R.T. -0.00 min
Lab File: BG036566.D
Acq: 5 Sep 2018 18:37

Tgt Ion:164 Resp: 154601
Ion Ratio Lower Upper
164 100
162 102.0 80.7 121.1
160 45.4 35.3 52.9









#41
 2,4,6-Tribromophenol
 Concen: 146.792 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.01 min
 Lab File: BG036566.D
 Acq: 5 Sep 2018 18:37

Instrument :
 BNA_G
 ClientSampleId :
 A0C2-04-C

Tot Ion:330 Resp: 270792
 Ion Ratio Lower Upper
 330 100
 332 94.4 75.4 113.2
 141 36.5 30.7 46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 79.080 ng
 RT: 13.31 min Scan# 1705
 Delta R.T. -0.00 min
 Lab File: BG036566.D
 Acq: 5 Sep 2018 18:37

Tgt Ion:172 Resp: 856257
 Ion Ratio Lower Upper
 172 100
 171 38.6 31.3 46.9
 170 24.9 21.0 31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 10.128 ng

RT: 14.12 min Scan# 1844

Delta R.T. -0.01 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37

Instrument :

BNA_G

ClientSampleId :

A0C2-04-C





Tot Ion:163 Resp: 127860

Ion Ratio Lower Upper

163 100

194 4.9 4.0 6.0

164 11.0 8.1 12.1



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2405

Delta R.T. -0.01 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37




Tgt Ion:188 Resp: 409411


Ion Ratio Lower Upper

188 100

94 7.8 6.7 10.1

80 9.1 8.1 12.1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3131

Delta R.T. -0.01 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37

Instrument :

BNA_G

ClientSampleId :

A0C2-04-C


Tot Ion:240 Resp: 442723

Ion Ratio Lower Upper

240 100

120 7.8 6.9 10.3




236 25.3 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 80.019 ng

RT: 20.03 min Scan# 2849

Delta R.T. -0.00 min

Lab File: BG036566.D

Acq: 5 Sep 2018 18:37


Tgt Ion:244 Resp: 1515655

Ion Ratio Lower Upper

244 100

212 8.8 7.0 10.6



122 9.3 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.90 min Scan# 3678
Delta R.T. -0.00 min
Lab File: BG036566.D
Acq: 5 Sep 2018 18:37

Instrument :
BNA_G
ClientSampleId :
A0C2-04-C

Tot Ion:	264	Resp:	440007
Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.6	29.4
265	21.9	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

