

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091020\
 Data File : BG046592.D
 Acq On : 10 Sep 2020 21:53
 Operator : CG/JU
 Sample : L3939-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PAV-B41-090820-0-10

Quant Time: Sep 11 01:19:07 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 15:06:53 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	71067	20.00	ng	0.00
21) Naphthalene-d8	10.73	136	277367	20.00	ng	0.00
39) Acenaphthene-d10	14.56	164	191616	20.00	ng	0.00
64) Phenanthrene-d10	17.30	188	464139	20.00	ng	0.00
76) Chrysene-d12	21.55	240	491924	20.00	ng	0.00
86) Perylene-d12	24.65	264	469452	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	447113	111.43	ng	0.00
7) Phenol-d6	7.10	99	541231	95.15	ng	0.00
23) Nitrobenzene-d5	9.08	82	426652	87.92	ng	0.00
42) 2,4,6-Tribromophenol	16.05	330	296453	114.18	ng	0.00
45) 2-Fluorobiphenyl	13.18	172	1089863	86.83	ng	0.00
79) Terphenyl-d14	19.92	244	1806208	78.14	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091020\
Data File : BG046592.D
Acq On : 10 Sep 2020 21:53
Operator : CG/JU
Sample : L3939-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PAV-B41-090820-0-10

Quant Time: Sep 11 01:19:07 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 15:06:53 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.93 min Scan# 824
 Delta R.T. -0.01 min
 Lab File: BG046592.D
 Acq: 10 Sep 2020 21:53

Instrument :
 BNA_G
 ClientSampleId :
 PAV-B41-090820-0-10

Tot Ion:152 Resp: 71067
 Ion Ratio Lower Upper
 152 100
 150 150.7 119.5 179.3
 115 52.2 44.3 66.5




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 111.433 ng
 RT: 5.51 min Scan# 413
 Delta R.T. 0.00 min
 Lab File: BG046592.D
 Acq: 10 Sep 2020 21:53

Tgt Ion:112 Resp: 447113
 Ion Ratio Lower Upper
 112 100
 64 61.5 47.0 70.6
 63 29.9 23.5 35.3



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 95.153 ng

RT: 7.10 min Scan# 683

Delta R.T. -0.01 min

Lab File: BG046592.D

Acq: 10 Sep 2020 21:53

Instrument :

BNA_G

ClientSampleId :

PAV-B41-090820-0-10





Tot Ion: 99 Resp: 541231

Ion Ratio Lower Upper

99 100

42 16.4 13.3 19.9

71 31.2 25.3 37.9



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.73 min Scan# 1300

Delta R.T. 0.00 min

Lab File: BG046592.D

Acq: 10 Sep 2020 21:53

Tgt Ion: 136 Resp: 277367




Ion Ratio Lower Upper


136 100

137 11.0 8.8 13.2

54 7.3 6.1 9.1

68 5.5 4.8 7.2









#23
Nitrobenzene-d5
Concen: 87.917 ng
RT: 9.08 min Scan# 1020
Delta R.T. -0.01 min
Lab File: BG046592.D
Acq: 10 Sep 2020 21:53

Instrument :
BNA_G
ClientSampleId :
PAV-B41-090820-0-10

Tot Ion: 82 Resp: 426652
Ion Ratio Lower Upper
82 100
128 46.1 35.7 53.5
54 48.6 39.4 59.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.56 min Scan# 1952
Delta R.T. -0.01 min
Lab File: BG046592.D
Acq: 10 Sep 2020 21:53

Tgt Ion:164 Resp: 191616
Ion Ratio Lower Upper
164 100
162 102.9 83.3 124.9
160 44.4 35.0 52.6



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 114.185 ng
 RT: 16.05 min Scan# 2206
 Delta R.T. 0.00 min
 Lab File: BG046592.D
 Acq: 10 Sep 2020 21:53




Instrument :
 BNA_G
 ClientSampleId :
 PAV-B41-090820-0-10


Tot Ion:330 Resp: 296453
 Ion Ratio Lower Upper
 330 100
 332 97.2 76.1 114.1
 141 33.4 26.1 39.1



#45
 2-Fluorobiphenyl
 Concen: 86.827 ng
 RT: 13.18 min Scan# 1718
 Delta R.T. -0.01 min
 Lab File: BG046592.D
 Acq: 10 Sep 2020 21:53

Tgt Ion:172 Resp: 1089863
 Ion Ratio Lower Upper
 172 100
 171 37.4 31.8 47.6
 170 24.4 20.3 30.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.30 min Scan# 2419
Delta R.T. -0.01 min
Lab File: BG046592.D
Acq: 10 Sep 2020 21:53




Instrument :
BNA_G
ClientSampleId :
PAV-B41-090820-0-10


Tot Ion:188 Resp: 464139
Ion Ratio Lower Upper
188 100
94 7.6 6.3 9.5
80 8.1 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.55 min Scan# 3142
Delta R.T. -0.01 min
Lab File: BG046592.D
Acq: 10 Sep 2020 21:53

Tgt Ion:240 Resp: 491924
Ion Ratio Lower Upper
240 100
120 8.7 6.6 10.0
236 26.1 21.4 32.2






#79
 Terphenyl-d14
 Concen: 78.141 ng
 RT: 19.92 min Scan# 2864
 Delta R.T. -0.01 min
 Lab File: BG046592.D
 Acq: 10 Sep 2020 21:53




Instrument :
 BNA_G
 ClientSampleId :
 PAV-B41-090820-0-10

Tot Ion:244 Resp: 1806208

Ion	Ratio	Lower	Upper
244	100		
212	8.6	6.9	10.3
122	9.9	8.2	12.4




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.65 min Scan# 3670
 Delta R.T. -0.01 min
 Lab File: BG046592.D
 Acq: 10 Sep 2020 21:53

Tgt Ion:264 Resp: 469452

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.2	28.8
265	22.4	17.9	26.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

