

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091219\
 Data File : BG042810.D
 Acq On : 13 Sep 2019 10:17
 Operator : HP/JU
 Sample : PB122847BL
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB122847BL

Quant Time: Sep 13 14:11:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG091219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 12 14:06:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	86178	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	324462	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	220364	20.00	ng	-0.01
64) Phenanthrene-d10	17.47	188	534148	20.00	ng	-0.01
76) Chrysene-d12	21.75	240	573855	20.00	ng	-0.01
87) Perylene-d12	25.02	264	616371	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.68	112	562375	113.45	ng	0.00
7) Phenol-d6	7.27	99	805100	113.16	ng	0.00
23) Nitrobenzene-d5	9.27	82	496514	79.67	ng	-0.01
42) 2,4,6-Tribromophenol	16.22	330	316571	107.98	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	1091871	78.43	ng	-0.01
79) Terphenyl-d14	20.08	244	2057711	79.47	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091219\
Data File : BG042810.D
Acq On : 13 Sep 2019 10:17
Operator : HP/JU
Sample : PB122847BL
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB122847BL

Quant Time: Sep 13 14:11:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG091219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 12 14:06:09 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.12 min Scan# 856
Delta R.T. -0.01 min
Lab File: BG042810.D
Acq: 13 Sep 2019 10:17

Instrument :
BNA_G
ClientSampleId :
PB122847BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	146.8	118.9	178.3
115	52.9	47.4	71.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 113.453 ng
RT: 5.68 min Scan# 441
Delta R.T. -0.01 min
Lab File: BG042810.D
Acq: 13 Sep 2019 10:17

Tgt Ion	Ratio	Lower	Upper
112	100		
64	75.5	60.2	90.2
63	39.6	31.2	46.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 113.158 ng

RT: 7.27 min Scan# 711

Delta R.T. 0.00 min

Lab File: BG042810.D

Acq: 13 Sep 2019 10:17

Instrument :

BNA_G

ClientSampleId :

PB122847BL





Tot Ion: 99 Resp: 805100

Ion Ratio Lower Upper

99 100

42 20.8 17.5 26.3

71 39.3 32.0 48.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.93 min Scan# 1334

Delta R.T. -0.01 min

Lab File: BG042810.D

Acq: 13 Sep 2019 10:17

Tgt Ion: 136 Resp: 324462




Ion Ratio Lower Upper


136 100

137 10.1 9.0 13.6

54 10.6 9.4 14.0

68 5.9 5.4 8.2









#23
Nitrobenzene-d5
Concen: 79.670 ng
RT: 9.27 min Scan# 1052
Delta R.T. -0.01 min
Lab File: BG042810.D
Acq: 13 Sep 2019 10:17

Instrument :
BNA_G
ClientSampleId :
PB122847BL

Tot Ion	82	Resp	496514
Ion Ratio	Lower	Upper	
82	100		
128	38.7	29.8	44.8
54	54.8	46.1	69.1




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1981
Delta R.T. -0.01 min
Lab File: BG042810.D
Acq: 13 Sep 2019 10:17

Tgt Ion	164	Resp	220364
Ion Ratio	Lower	Upper	
164	100		
162	101.7	84.6	126.8
160	43.7	34.2	51.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 107.979 ng
 RT: 16.22 min Scan# 2234
 Delta R.T. -0.01 min
 Lab File: BG042810.D
 Acq: 13 Sep 2019 10:17

Instrument :
 BNA_G
 ClientSampleId :
 PB122847BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.3	76.7	115.1
141	34.5	27.0	40.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 78.432 ng
 RT: 13.36 min Scan# 1748
 Delta R.T. -0.01 min
 Lab File: BG042810.D
 Acq: 13 Sep 2019 10:17

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	28.9	43.3
170	24.6	19.1	28.7






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2448

Delta R.T. -0.01 min

Lab File: BG042810.D

Acq: 13 Sep 2019 10:17

Instrument :

BNA_G

ClientSampleId :

PB122847BL


Tot Ion:188 Resp: 534148

Ion Ratio Lower Upper

188 100

94 7.5 4.8 7.2#




80 7.7 6.6 9.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3176

Delta R.T. -0.01 min

Lab File: BG042810.D

Acq: 13 Sep 2019 10:17


Tgt Ion:240 Resp: 573855

Ion Ratio Lower Upper

240 100

120 6.7 5.4 8.2



236 27.0 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 79.471 ng

RT: 20.08 min Scan# 2892

Delta R.T. -0.01 min

Lab File: BG042810.D

Acq: 13 Sep 2019 10:17

Instrument :

BNA_G

ClientSampleId :

PB122847BL


Tot Ion:244 Resp: 2057711

Ion Ratio Lower Upper




244 100

212 9.2 6.6 10.0

122 9.3 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.02 min

Lab File: BG042810.D

Acq: 13 Sep 2019 10:17


Tgt Ion:264 Resp: 616371

Ion Ratio Lower Upper

264 100

260 23.8 18.2 27.2

265 22.0 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

