

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG091317\
 Data File : BG028697.D
 Acq On : 13 Sep 2017 14:09
 Operator : SJ/JU
 Sample : I5189-09
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C-MW-06-090817

Quant Time: Sep 14 08:29:12 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.33	152	24873	20.00	ng	0.00
21) Naphthalene-d8	11.14	136	101236	20.00	ng	0.00
38) Acenaphthene-d10	14.94	164	75328	20.00	ng	0.00
63) Phenanthrene-d10	17.69	188	220780	20.00	ng	0.00
75) Chrysene-d12	22.02	240	261331	20.00	ng	-0.01
86) Perylene-d12	25.52	264	264787	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.90	112	100311	66.55	ng	0.00
7) Phenol-d6	7.48	99	80349	35.40	ng	0.00
23) Nitrobenzene-d5	9.50	82	219225	103.59	ng	0.00
41) 2,4,6-Tribromophenol	16.43	330	223972	179.77	ng	0.00
44) 2-Fluorobiphenyl	13.56	172	574402	101.68	ng	0.00
78) Terphenyl-d14	20.28	244	1261362	102.93	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG091317\
Data File : BG028697.D
Acq On : 13 Sep 2017 14:09
Operator : SJ/JU
Sample : I5189-09
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C-MW-06-090817

Quant Time: Sep 14 08:29:12 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration








#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.33 min Scan# 807
Delta R.T. 0.00 min
Lab File: BG028697.D
Acq: 13 Sep 2017 14:09

Instrument :
BNA_G
ClientSampleId :
C-MW-06-090817




Tot Ion:152 Resp: 24873
Ion Ratio Lower Upper
152 100
150 173.5 114.0 171.0#
115 66.6 48.1 72.1




#5

2-Fluorophenol
Concen: 66.545 ng
RT: 5.90 min Scan# 393
Delta R.T. -0.01 min
Lab File: BG028697.D
Acq: 13 Sep 2017 14:09

Tgt Ion:112 Resp: 100311
Ion Ratio Lower Upper
112 100
64 70.4 61.8 92.6
63 39.1 37.2 55.8





#7

Phenol-d6

Concen: 35.402 ng

RT: 7.48 min Scan# 663

Delta R.T. -0.01 min

Lab File: BG028697.D

Acq: 13 Sep 2017 14:09

Instrument :

BNA_G

ClientSampleId :

C-MW-06-090817


Tot Ion: 99 Resp: 80349

Ion Ratio Lower Upper




99 100

42 20.3 20.5 30.7#

71 42.6 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.14 min Scan# 1286

Delta R.T. -0.01 min

Lab File: BG028697.D

Acq: 13 Sep 2017 14:09

Tgt Ion: 136 Resp: 101236


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3

54 11.2 9.3 13.9

68 4.7 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 103.591 ng
RT: 9.50 min Scan# 1006
Delta R.T. -0.01 min
Lab File: BG028697.D
Acq: 13 Sep 2017 14:09




Instrument :
BNA_G
ClientSampleId :
C-MW-06-090817


Tot Ion	Ratio	Lower	Upper
82	100		
128	37.8	26.4	39.6
54	57.2	49.4	74.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.94 min Scan# 1932
Delta R.T. -0.01 min
Lab File: BG028697.D
Acq: 13 Sep 2017 14:09

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.4	85.1	127.7
160	47.4	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 179.770 ng
 RT: 16.43 min Scan# 2186
 Delta R.T. -0.01 min
 Lab File: BG028697.D
 Acq: 13 Sep 2017 14:09

Instrument :
 BNA_G
 ClientSampleId :
 C-MW-06-090817

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.0	77.3	115.9
141	30.9	32.1	48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 101.678 ng
 RT: 13.56 min Scan# 1697
 Delta R.T. -0.01 min
 Lab File: BG028697.D
 Acq: 13 Sep 2017 14:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	32.2	48.2
170	23.4	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.69 min Scan# 2400

Delta R.T. -0.01 min

Lab File: BG028697.D

Acq: 13 Sep 2017 14:09

Instrument :

BNA_G

ClientSampleId :

C-MW-06-090817


Tot Ion:188 Resp: 220780

Ion Ratio Lower Upper

188 100

94 6.1 5.8 8.8



80 7.4 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.02 min Scan# 3137

Delta R.T. -0.01 min

Lab File: BG028697.D

Acq: 13 Sep 2017 14:09


Tgt Ion:240 Resp: 261331

Ion Ratio Lower Upper

240 100

120 5.6 5.7 8.5#



236 25.6 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 102.932 ng

RT: 20.28 min Scan# 2841

Delta R.T. 0.00 min

Lab File: BG028697.D

Acq: 13 Sep 2017 14:09

Instrument :

BNA_G

ClientSampleId :

C-MW-06-090817


Tot Ion:244 Resp: 1261362

Ion Ratio Lower Upper

244 100

212 8.1 10.0 15.0#




122 6.8 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.52 min Scan# 3733

Delta R.T. -0.01 min

Lab File: BG028697.D

Acq: 13 Sep 2017 14:09


Tgt Ion:264 Resp: 264787

Ion Ratio Lower Upper

264 100

260 22.7 21.8 32.8

265 22.4 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

