

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091420\
 Data File : BG046604.D
 Acq On : 14 Sep 2020 15:30
 Operator : CG/JU
 Sample : PB131580BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB131580BL

Quant Time: Sep 14 17:32:52 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 15:06:53 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	60421	20.00	ng	0.00
21) Naphthalene-d8	10.72	136	240131	20.00	ng	0.00
39) Acenaphthene-d10	14.55	164	171342	20.00	ng	0.00
64) Phenanthrene-d10	17.30	188	452197	20.00	ng	0.00
76) Chrysene-d12	21.55	240	504588	20.00	ng	0.00
86) Perylene-d12	24.65	264	475717	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	393309	115.29	ng	0.00
7) Phenol-d6	7.10	99	510093	105.48	ng	0.00
23) Nitrobenzene-d5	9.08	82	332744	79.20	ng	0.00
42) 2,4,6-Tribromophenol	16.05	330	246186	106.04	ng	0.00
45) 2-Fluorobiphenyl	13.18	172	929167	82.78	ng	0.00
79) Terphenyl-d14	19.91	244	1695322	71.50	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091420\
Data File : BG046604.D
Acq On : 14 Sep 2020 15:30
Operator : CG/JU
Sample : PB131580BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB131580BL

Quant Time: Sep 14 17:32:52 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 15:06:53 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.93 min Scan# 823
Delta R.T. -0.01 min
Lab File: BG046604.D
Acq: 14 Sep 2020 15:30

Instrument :
BNA_G
ClientSampleId :
PB131580BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	142.9	119.5	179.3
115	50.3	44.3	66.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 115.295 ng
RT: 5.51 min Scan# 412
Delta R.T. -0.00 min
Lab File: BG046604.D
Acq: 14 Sep 2020 15:30

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.7	47.0	70.6
63	30.0	23.5	35.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 105.480 ng

RT: 7.10 min Scan# 682

Delta R.T. -0.01 min

Lab File: BG046604.D

Acq: 14 Sep 2020 15:30

Instrument :

BNA_G

ClientSampleId :

PB131580BL


Tot Ion: 99 Resp: 510093

Ion Ratio Lower Upper




99 100

42 16.2 13.3 19.9

71 31.4 25.3 37.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.72 min Scan# 1299

Delta R.T. -0.00 min

Lab File: BG046604.D

Acq: 14 Sep 2020 15:30

Tgt Ion: 136 Resp: 240131


Ion Ratio Lower Upper

136 100



137 11.3 8.8 13.2


54 8.0 6.1 9.1

68 5.9 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 79.199 ng
RT: 9.08 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG046604.D
Acq: 14 Sep 2020 15:30




Instrument :
BNA_G
ClientSampleId :
PB131580BL


Tot Ion: 82 Resp: 332744
Ion Ratio Lower Upper
82 100
128 44.6 35.7 53.5
54 47.7 39.4 59.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.55 min Scan# 1951
Delta R.T. -0.01 min
Lab File: BG046604.D
Acq: 14 Sep 2020 15:30

Tgt Ion:164 Resp: 171342
Ion Ratio Lower Upper
164 100
162 102.7 83.3 124.9
160 45.4 35.0 52.6





#42

2,4,6-Tribromophenol

Concen: 106.043 ng

RT: 16.05 min Scan# 2205

Delta R.T. -0.00 min

Lab File: BG046604.D

Acq: 14 Sep 2020 15:30

Instrument :

BNA_G

ClientSampleId :

PB131580BL


Tot Ion:330 Resp: 246186

Ion Ratio Lower Upper

330 100

332 97.7 76.1 114.1




141 32.9 26.1 39.1



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 82.784 ng

RT: 13.18 min Scan# 1717

Delta R.T. -0.01 min

Lab File: BG046604.D

Acq: 14 Sep 2020 15:30


Tgt Ion:172 Resp: 929167

Ion Ratio Lower Upper

172 100

171 37.4 31.8 47.6



170 24.7 20.3 30.5




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.30 min Scan# 2418
Delta R.T. -0.01 min
Lab File: BG046604.D
Acq: 14 Sep 2020 15:30




Instrument :
BNA_G
ClientSampleId :
PB131580BL


Tot Ion:188 Resp: 452197
Ion Ratio Lower Upper
188 100
94 7.8 6.3 9.5
80 8.4 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.55 min Scan# 3141
Delta R.T. -0.01 min
Lab File: BG046604.D
Acq: 14 Sep 2020 15:30

Tgt Ion:240 Resp: 504588
Ion Ratio Lower Upper
240 100
120 8.4 6.6 10.0
236 25.4 21.4 32.2





#79

Terphenyl-d14

Concen: 71.503 ng

RT: 19.91 min Scan# 2863

Delta R.T. -0.01 min

Lab File: BG046604.D

Acq: 14 Sep 2020 15:30

Instrument :

BNA_G

ClientSampleId :

PB131580BL


Tot Ion:244 Resp: 1695322

Ion Ratio Lower Upper

244 100

212 8.2 6.9 10.3




122 10.0 8.2 12.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.65 min Scan# 3669

Delta R.T. -0.01 min

Lab File: BG046604.D

Acq: 14 Sep 2020 15:30


Tgt Ion:264 Resp: 475717

Ion Ratio Lower Upper

264 100

260 23.5 19.2 28.8

265 21.1 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

