

Data Path : Z:\HPCHEM1\BNA G\DATA\BG091817\
 Data File : BG028804.D
 Acq On : 18 Sep 2017 20:59
 Operator : SJ/JU
 Sample : I5259-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Sep 19 01:12:38 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	30369	20.00	ng	-0.04
21) Naphthalene-d8	11.11	136	128666	20.00	ng	-0.04
38) Acenaphthene-d10	14.91	164	96105	20.00	ng	-0.04
63) Phenanthrene-d10	17.66	188	272614	20.00	ng	-0.04
75) Chrysene-d12	21.98	240	303237	20.00	ng	-0.05
86) Perylene-d12	25.45	264	304479	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.86	112	128297	69.71	ng	-0.05
7) Phenol-d6	7.44	99	124911	45.08	ng	-0.05
23) Nitrobenzene-d5	9.46	82	245435	91.25	ng	-0.05
41) 2,4,6-Tribromophenol	16.40	330	250696	157.72	ng	-0.04
44) 2-Fluorobiphenyl	13.53	172	650199	90.21	ng	-0.04
78) Terphenyl-d14	20.24	244	1191340	83.78	ng	-0.04
Target Compounds						
49) Dimethylphthalate	14.35	163	27579	3.42	ng	Qvalue # 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG091817\
Data File : BG028804.D
Acq On : 18 Sep 2017 20:59
Operator : SJ/JU
Sample : I5259-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Sep 19 01:12:38 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.29 min Scan# 800

Delta R.T. -0.04 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59

Instrument :

BNA_G

ClientSampleId :


Tot Ion:152 Resp: 30369

Ion Ratio Lower Upper

152 100

150 159.4 114.0 171.0




115 59.1 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 69.71 ng

RT: 5.86 min Scan# 386

Delta R.T. -0.05 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59


Tgt Ion:112 Resp: 128297

Ion Ratio Lower Upper

112 100

64 71.2 61.8 92.6



63 38.7 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 45.08 ng

RT: 7.44 min Scan# 656

Delta R.T. -0.05 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59


Instrument :

BNA_G




ClientSampleId :

Tot Ion: 99 Resp: 124911

Ion	Ratio	Lower	Upper
99	100		
42	18.7	20.5	30.7#
71	38.6	37.6	56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.11 min Scan# 1280


Delta R.T. -0.04 min

Lab File: BG028804.D



Acq: 18 Sep 2017 20:59


Tgt Ion: 136 Resp: 128666

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.9	13.3
54	10.1	9.3	13.9
68	4.0	5.1	7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 91.25 ng
 RT: 9.46 min Scan# 999
 Delta R.T. -0.05 min
 Lab File: BG028804.D
 Acq: 18 Sep 2017 20:59




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	82	Resp	245435
Ion	Ratio	Lower	Upper
82	100		
128	39.0	26.4	39.6
54	53.1	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.91 min Scan# 1927
 Delta R.T. -0.04 min
 Lab File: BG028804.D
 Acq: 18 Sep 2017 20:59

Tgt Ion	164	Resp	96105
Ion	Ratio	Lower	Upper
164	100		
162	100.1	85.1	127.7
160	43.8	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 157.72 ng
 RT: 16.40 min Scan# 2180
 Delta R.T. -0.04 min
 Lab File: BG028804.D
 Acq: 18 Sep 2017 20:59

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.8	77.3	115.9
141	29.0	32.1	48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 90.21 ng
 RT: 13.53 min Scan# 1692
 Delta R.T. -0.04 min
 Lab File: BG028804.D
 Acq: 18 Sep 2017 20:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.8	32.2	48.2
170	22.4	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.42 ng

RT: 14.35 min Scan# 1831

Delta R.T. -0.04 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59

Instrument :

BNA_G

ClientSampleId :


Tot Ion:163 Resp: 27579

Ion Ratio Lower Upper

163 100

194 3.4 3.8 5.6#




164 11.6 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.66 min Scan# 2395

Delta R.T. -0.04 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59


Tgt Ion:188 Resp: 272614

Ion Ratio Lower Upper

188 100

94 6.4 5.8 8.8



80 6.7 7.5 11.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.98 min Scan# 3131

Delta R.T. -0.05 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59

Instrument :

BNA_G

ClientSampleId :


Tot Ion:240 Resp: 303237

Ion Ratio Lower Upper

240 100

120 7.0 5.7 8.5




236 24.6 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 83.78 ng

RT: 20.24 min Scan# 2835

Delta R.T. -0.04 min

Lab File: BG028804.D

Acq: 18 Sep 2017 20:59


Tgt Ion:244 Resp: 1191340

Ion Ratio Lower Upper

244 100

212 7.8 10.0 15.0#



122 7.6 8.6 12.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 25.45 min Scan# 3721
 Delta R.T. -0.08 min
 Lab File: BG028804.D
 Acq: 18 Sep 2017 20:59

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	21.8	32.8
265	23.3	18.2	27.4

