




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062951.D
 Acq On : 19 Sep 2024 20:08
 Operator : JU/RC
 Sample : P3878-16MEDL 10X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:01 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062951.D\data.ms

(21) Nitrobenzene-d5 (S)

9.024min (+ 0.019) 0.31 ng/uL

response 410

Ion	Exp%	Act%
128.00	100.00	100.00
82.00	265.60	257.37
54.00	113.30	101.46
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062951.D
 Acq On : 19 Sep 2024 20:08
 Operator : JU/RC
 Sample : P3878-16MEDL 10X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :

BNA_G




ClientSampleId :

DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:01 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062951.D\data.ms

(21) Nitrobenzene-d5 (S)

9.006min (+ 0.001) 1.34 ng/ul m

response 1789

Ion	Exp%	Act%
128.00	100.00	100.00
82.00	265.60	333.47#
54.00	113.30	147.39#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062951.D
Acq On : 19 Sep 2024 20:08
Operator : JU/RC
Sample : P3878-16MEDL 10X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:01 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062951.D\data.ms

(24) 2-Nitrophenol-d4 (S)

9.735min (+ 0.007) 0.89 ng/uL

response 1353

Ion	Exp%	Act%
143.00	100.00	100.00
69.00	76.30	86.38
41.00	28.60	41.14#
42.00	39.90	29.87#




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062951.D
Acq On : 19 Sep 2024 20:08
Operator : JU/RC
Sample : P3878-16MEDL 10X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:01 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062951.D\data.ms

(24) 2-Nitrophenol-d4 (S)

9.735min (+ 0.007) 1.22 ng/ul m

response 1839

Ion	Exp%	Act%
143.00	100.00	100.00
69.00	76.30	86.38
41.00	28.60	41.14#
42.00	39.90	29.87#




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(7) Phenol-d5 (S)

7.027min (-0.004) 1.52 ng/u1

response 6350

Ion	Exp%	Act%
99.00	100.00	100.00
71.00	39.50	47.60#
42.00	20.50	37.60#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(7) Phenol-d5 (S)

7.027min (-0.004) 1.65 ng/ul m

response 6892

Ion	Exp%	Act%
99.00	100.00	100.00
71.00	39.50	47.60#
42.00	20.50	37.60#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062952.D
 Acq On : 19 Sep 2024 20:48
 Operator : JU/RC
 Sample : P3878-18MEDL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(15) 4-Methylphenol-d8 (S)

8.566min (+ 0.002) 0.94 ng/uL

response 2880

Ion	Exp%	Act%
113.00	100.00	100.00
115.00	99.00	78.63#
54.00	17.30	13.91
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(15) 4-Methylphenol-d8 (S)

8.566min (+ 0.002) 1.73 ng/ul m

response 5305

Ion	Exp%	Act%
113.00	100.00	100.00
115.00	99.00	78.63#
54.00	17.30	13.91
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062952.D
 Acq On : 19 Sep 2024 20:48
 Operator : JU/RC
 Sample : P3878-18MEDL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :

BNA_G




ClientSampleId :

DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(24) 2-Nitrophenol-d4 (S)

9.724min (-0.004) 1.16 ng/uI

response 1720

Ion	Exp%	Act%
143.00	100.00	100.00
69.00	76.30	41.16#
41.00	28.60	21.67#
42.00	39.90	24.62#

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062952.D
 Acq On : 19 Sep 2024 20:48
 Operator : JU/RC
 Sample : P3878-18MEDL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :

BNA_G




ClientSampleId :

DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(24) 2-Nitrophenol-d4 (S)

9.724min (-0.004) 1.54 ng/ul m

response 2277

Ion	Exp%	Act%
143.00	100.00	100.00
69.00	76.30	41.16#
41.00	28.60	21.67#
42.00	39.90	24.62#




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(28) 2,4-Dichlorophenol-d3 (S)

10.264min (-0.004) 0.82 ng/ul

response 2531

Ion	Exp%	Act%
165.00	100.00	100.00
167.00	63.10	87.43#
101.00	31.20	38.44#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(28) 2,4-Dichlorophenol-d3 (S)

10.282min (+ 0.013) 1.84 ng/ul m

response 5647

Ion	Exp%	Act%
165.00	100.00	100.00
167.00	63.10	32.39#
101.00	31.20	20.08#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(31) 4-Chloroaniline-d4 (S)

10.775min (-0.004) 0.83 ng/u1

response 3172

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	31.50	26.99
69.00	20.10	52.65#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(31) 4-Chloroaniline-d4 (S)

10.787min (+ 0.008) 1.59 ng/ul m

response 6081

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	31.50	44.65#
69.00	20.10	39.59#
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062952.D
 Acq On : 19 Sep 2024 20:48
 Operator : JU/RC
 Sample : P3878-18MEDL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :

BNA_G




ClientSampleId :

DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(58) 2,3,4,6-Tetrachlorophenol

15.123min (+ 0.008) 2.06 ng/uI

response 5512

Ion	Exp%	Act%
232.00	100.00	100.00
131.00	39.90	25.43#
130.00	2.40	0.00#
166.00	27.60	14.49#




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062952.D
 Acq On : 19 Sep 2024 20:48
 Operator : JU/RC
 Sample : P3878-18MEDL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(58) 2,3,4,6-Tetrachlorophenol

15.123min (+ 0.008) 2.60 ng/ul m

response 6945

Ion	Exp%	Act%
232.00	100.00	100.00
131.00	39.90	27.79#
130.00	2.40	0.00#
166.00	27.60	15.83#




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(92) Benzo(a)pyrene-d12 (S)

24.313min (+ 0.002) 1.11 ng/u1

response 23928

Ion	Exp%	Act%
264.00	100.00	100.00
132.00	10.80	4.48#
118.00	6.70	7.65
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Quant Time: Sep 19 22:57:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024



TIC: BG062952.D\data.ms

(92) Benzo(a)pyrene-d12 (S)

24.324min (+ 0.013) 2.12 ng/u1 m

response 45448

Ion	Exp%	Act%
264.00	100.00	100.00
132.00	10.80	9.86
118.00	6.70	5.59
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
 Data File : BG062952.D
 Acq On : 19 Sep 2024 20:48
 Operator : JU/RC
 Sample : P3878-18MEDL 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DDCC1MEDL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/20/2024
 Supervised By :mohammad ahmed 09/22/2024

Quant Time: Sep 19 23:28:23 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 18 00:45:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.855	152	40279	20.000	ng/ul	0.00
20) Naphthalene-d8	10.646	136	163789	20.000	ng/ul	# 0.00
38) Acenaphthene-d10	14.489	164	128153	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.238	188	315996	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.492	240	337702	20.000	ng/ul	# 0.00
88) Perylene-d12	24.530	264	407059	20.000	ng/ul	0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	0.000	96	0	0.000	ng/uL	
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	7.027	99	6892m	1.649	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.186	67	4838	2.068	ng/ul	0.00
11) 2-Chlorophenol-d4	7.391	132	5245	1.911	ng/ul	0.00
15) 4-Methylphenol-d8	8.566	113	5305m	1.733	ng/ul	0.00
21) Nitrobenzene-d5	9.007	128	2451	1.878	ng/ul	0.00
24) 2-Nitrophenol-d4	9.724	143	2277m	1.538	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.282	165	5647m	1.839	ng/ul	0.01
31) 4-Chloroaniline-d4	10.787	131	6081m	1.591	ng/ul	0.00
46) Dimethylphthalate-d6	13.895	166	19619	2.059	ng/ul	0.00
49) Acenaphthylene-d8	14.183	160	22977	2.159	ng/ul	0.00
54) 4-Nitrophenol-d4	0.000	143	0d	0.000	ng/ul	
60) Fluorene-d10	15.482	176	20662	2.329	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	0.000	200	0d	0.000	ng/ul	
73) Anthracene-d10	17.332	188	34197	2.290	ng/ul	0.00
81) Pyrene-d10	19.630	212	42527	2.079	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.324	264	45448m	2.117	ng/ul	0.01
Target Compounds						
						Qvalue
58) 2,3,4,6-Tetrachlorophenol	15.123	232	6945m	2.596	ng/ul	
71) Pentachlorophenol	16.892	266	94158	40.709	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG091824\
Data File : BG062952.D
Acq On : 19 Sep 2024 20:48
Operator : JU/RC
Sample : P3878-18MEDL 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DDCC1MEDL

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/20/2024
Supervised By :mohammad ahmed 09/22/2024

Quant Time: Sep 19 23:28:23 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG091724.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 18 00:45:18 2024
Response via : Initial Calibration

