

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092017\
 Data File : BG028836.D
 Acq On : 20 Sep 2017 17:54
 Operator : SJ/JU
 Sample : PB102470BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB102470BL

Quant Time: Sep 21 04:02:16 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	36765	20.00	ng	-0.04
21) Naphthalene-d8	11.11	136	153154	20.00	ng	-0.04
38) Acenaphthene-d10	14.91	164	115265	20.00	ng	-0.04
63) Phenanthrene-d10	17.66	188	326002	20.00	ng	-0.04
75) Chrysene-d12	21.98	240	361815	20.00	ng	-0.05
86) Perylene-d12	25.45	264	363102	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.86	112	275853	123.81	ng	-0.05
7) Phenol-d6	7.44	99	369941	110.28	ng	-0.05
23) Nitrobenzene-d5	9.46	82	231787	72.40	ng	-0.05
41) 2,4,6-Tribromophenol	16.40	330	220451	115.64	ng	-0.04
44) 2-Fluorobiphenyl	13.53	172	628732	72.73	ng	-0.04
78) Terphenyl-d14	20.24	244	1235438	72.82	ng	-0.04


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092017\
Data File : BG028836.D
Acq On : 20 Sep 2017 17:54
Operator : SJ/JU
Sample : PB102470BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB102470BL

Quant Time: Sep 21 04:02:16 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.29 min Scan# 800

Delta R.T. -0.04 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54

Instrument :

BNA_G

ClientSampleId :

PB102470BL


Tot Ion:152 Resp: 36765

Ion Ratio Lower Upper

152 100

150 169.0 114.0 171.0




115 68.9 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 123.806 ng

RT: 5.86 min Scan# 386

Delta R.T. -0.05 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54


Tgt Ion:112 Resp: 275853

Ion Ratio Lower Upper

112 100

64 69.3 61.8 92.6



63 39.3 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 110.275 ng

RT: 7.44 min Scan# 656

Delta R.T. -0.05 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54

Instrument :

BNA_G

ClientSampleId :

PB102470BL


Tot Ion: 99 Resp: 369941

Ion Ratio Lower Upper




99 100

42 15.9 20.5 30.7#

71 39.9 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.11 min Scan# 1280

Delta R.T. -0.04 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54

Tgt Ion: 136 Resp: 153154


Ion Ratio Lower Upper

136 100



137 10.2 8.9 13.3


54 10.5 9.3 13.9

68 5.5 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 72.398 ng
 RT: 9.46 min Scan# 999
 Delta R.T. -0.05 min
 Lab File: BG028836.D
 Acq: 20 Sep 2017 17:54




Instrument :
 BNA_G
 ClientSampleId :
 PB102470BL


Tot Ion	82	Resp	231787
Ion Ratio	Lower	Upper	
82	100		
128	37.9	26.4	39.6
54	54.2	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.91 min Scan# 1927
 Delta R.T. -0.04 min
 Lab File: BG028836.D
 Acq: 20 Sep 2017 17:54

Tgt Ion	164	Resp	115265
Ion Ratio	Lower	Upper	
164	100		
162	98.9	85.1	127.7
160	44.7	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 115.637 ng
 RT: 16.40 min Scan# 2181
 Delta R.T. -0.04 min
 Lab File: BG028836.D
 Acq: 20 Sep 2017 17:54

Instrument :
 BNA_G
 ClientSampleId :
 PB102470BL

Tot Ion:330 Resp: 220451
 Ion Ratio Lower Upper
 330 100
 332 97.9 77.3 115.9
 141 29.7 32.1 48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 72.734 ng
 RT: 13.53 min Scan# 1692
 Delta R.T. -0.04 min
 Lab File: BG028836.D
 Acq: 20 Sep 2017 17:54

Tgt Ion:172 Resp: 628732
 Ion Ratio Lower Upper
 172 100
 171 36.6 32.2 48.2
 170 21.9 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.66 min Scan# 2395

Delta R.T. -0.04 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54

Instrument :

BNA_G

ClientSampled :

PB102470BL


Tot Ion:188 Resp: 326002

Ion Ratio Lower Upper

188 100

94 6.0 5.8 8.8



80 7.1 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.98 min Scan# 3131

Delta R.T. -0.05 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54


Tgt Ion:240 Resp: 361815

Ion Ratio Lower Upper

240 100

120 6.2 5.7 8.5



236 27.4 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 72.818 ng

RT: 20.24 min Scan# 2835

Delta R.T. -0.04 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54

Instrument :

BNA_G

ClientSampleId :

PB102470BL


Tot Ion:244 Resp: 1235438

Ion Ratio Lower Upper

244 100

212 7.2 10.0 15.0#




122 7.4 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.45 min Scan# 3721

Delta R.T. -0.08 min

Lab File: BG028836.D

Acq: 20 Sep 2017 17:54


Tgt Ion:264 Resp: 363102

Ion Ratio Lower Upper

264 100

260 23.2 21.8 32.8

265 22.5 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

