

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092117\
 Data File : BG028875.D
 Acq On : 22 Sep 2017 2:22
 Operator : SJ/JU
 Sample : I5335-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Sep 22 04:10:08 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	34963	20.00	ng	-0.04
21) Naphthalene-d8	11.11	136	127713	20.00	ng	-0.04
38) Acenaphthene-d10	14.90	164	97197	20.00	ng	-0.04
63) Phenanthrene-d10	17.66	188	263294	20.00	ng	-0.04
75) Chrysene-d12	21.98	240	277988	20.00	ng	-0.05
86) Perylene-d12	25.46	264	197409	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.86	112	313684	148.04	ng	-0.04
7) Phenol-d6	7.45	99	390494	122.40	ng	-0.04
23) Nitrobenzene-d5	9.46	82	289953	108.61	ng	-0.05
41) 2,4,6-Tribromophenol	16.40	330	271609	168.96	ng	-0.04
44) 2-Fluorobiphenyl	13.52	172	755942	103.71	ng	-0.04
78) Terphenyl-d14	20.25	244	1457030	111.78	ng	-0.04
Target Compounds						
15) Benzyl Alcohol	8.62	79	6120	2.46	ng	# 73
53) 2,4-Dinitrophenol	14.83	184	54	8.05	ng	# 15

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092117\
Data File : BG028875.D
Acq On : 22 Sep 2017 2:22
Operator : SJ/JU
Sample : I5335-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Sep 22 04:10:08 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.29 min Scan# 800

Delta R.T. -0.04 min

Lab File: BG028875.D

Acq: 22 Sep 2017 2:22

Instrument :

BNA_G

ClientSampleId :


Tot Ion:152 Resp: 34963

Ion Ratio Lower Upper

152 100

150 148.9 114.0 171.0




115 63.2 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 148.04 ng

RT: 5.86 min Scan# 387

Delta R.T. -0.04 min

Lab File: BG028875.D

Acq: 22 Sep 2017 2:22


Tgt Ion:112 Resp: 313684

Ion Ratio Lower Upper

112 100

64 68.7 61.8 92.6



63 40.3 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 122.40 ng

RT: 7.45 min Scan# 657

Delta R.T. -0.04 min

Lab File: BG028875.D

Acq: 22 Sep 2017 2:22

Instrument :

BNA_G

ClientSampled :


Tot Ion: 99 Resp: 390494

Ion Ratio Lower Upper




99 100

42 18.0 20.5 30.7#

71 38.9 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#15

Benzyl Alcohol

Concen: 2.46 ng

RT: 8.62 min Scan# 856

Delta R.T. 0.05 min

Lab File: BG028875.D

Acq: 22 Sep 2017 2:22


Tgt Ion: 79 Resp: 6120

Ion Ratio Lower Upper



79 100


108 30.0 45.5 68.3#

77 83.0 54.3 81.5#



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.11 min Scan# 1280
Delta R.T. -0.04 min
Lab File: BG028875.D
Acq: 22 Sep 2017 2:22




Instrument :
BNA_G
ClientSampleId :


Tot Ion:136	Resp:	127713
Ion Ratio	Lower	Upper
136	100	
137	9.8	8.9 13.3
54	9.8	9.3 13.9
68	4.6	5.1 7.7#



#23
Nitrobenzene-d5
Concen: 108.61 ng
RT: 9.46 min Scan# 999
Delta R.T. -0.05 min
Lab File: BG028875.D
Acq: 22 Sep 2017 2:22

Tgt Ion: 82	Resp:	289953
Ion Ratio	Lower	Upper
82	100	
128	37.7	26.4 39.6
54	55.8	49.4 74.2









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.90 min Scan# 1926
 Delta R.T. -0.04 min
 Lab File: BG028875.D
 Acq: 22 Sep 2017 2:22




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
164	100		
162	91.7	85.1	127.7
160	44.4	34.7	52.1



#41
 2,4,6-Tribromophenol
 Concen: 168.96 ng
 RT: 16.40 min Scan# 2180
 Delta R.T. -0.04 min
 Lab File: BG028875.D
 Acq: 22 Sep 2017 2:22

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.9	77.3	115.9
141	28.9	32.1	48.1









#44
 2-Fluorobiphenyl
 Concen: 103.71 ng
 RT: 13.52 min Scan# 1691
 Delta R.T. -0.04 min
 Lab File: BG028875.D
 Acq: 22 Sep 2017 2:22




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	36.6	32.2	48.2
170	23.1	21.8	32.6



#53
 2,4-Dinitrophenol
 Concen: 8.05 ng
 RT: 14.83 min Scan# 1913
 Delta R.T. -0.24 min
 Lab File: BG028875.D
 Acq: 22 Sep 2017 2:22

Tgt Ion	Ratio	Lower	Upper
184	100		
63	0.0	52.7	79.1#
154	0.0	57.3	85.9#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.66 min Scan# 2395
Delta R.T. -0.04 min
Lab File: BG028875.D
Acq: 22 Sep 2017 2:22




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 263294
Ion Ratio Lower Upper
188 100
94 6.1 5.8 8.8
80 8.1 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.98 min Scan# 3131
Delta R.T. -0.05 min
Lab File: BG028875.D
Acq: 22 Sep 2017 2:22

Tgt Ion:240 Resp: 277988
Ion Ratio Lower Upper
240 100
120 6.3 5.7 8.5
236 25.9 22.2 33.4





#78

Terphenyl-d14

Concen: 111.78 ng

RT: 20.25 min Scan# 2835

Delta R.T. -0.04 min

Lab File: BG028875.D

Acq: 22 Sep 2017 2:22


Instrument :

BNA_G

ClientSampleId :

Tot Ion:244 Resp: 1457030




Ion	Ratio	Lower	Upper
244	100		
212	7.9	10.0	15.0#
122	7.5	8.6	12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.46 min Scan# 3722


Delta R.T. -0.07 min

Lab File: BG028875.D

Acq: 22 Sep 2017 2:22

Tgt Ion:264 Resp: 197409

Ion	Ratio	Lower	Upper
264	100		
260	24.5	21.8	32.8
265	19.1	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

