

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG092215\
 Data File : BG018826.D
 Acq On : 22 Sep 2015 21:13
 Operator : UM/NP
 Sample : G3758-13
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHAA6

Quant Time: Sep 23 04:54:53 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG091015.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Sep 23 04:53:11 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	47568	20.00	ng/ul	0.00
18) Naphthalene-d8	10.80	136	207127	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.62	164	136094	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.37	188	374488	20.00	ng/ul	0.00
78) Chrysene-d12	21.62	240	446844	20.00	ng/ul	0.00
86) Perylene-d12	24.81	264	443386	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.44	96	4617	4.67	ng/uL	0.00
5) Phenol-d5	7.16	99	99732	25.53	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.32	67	61130	27.01	ng/ul	0.00
9) 2-Chlorophenol-d4	7.53	132	80284	27.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.70	113	84263	26.59	ng/ul	0.00
19) Nitrobenzene-d5	9.15	128	41345	26.35	ng/ul	0.00
22) 2-Nitrophenol-d4	9.88	143	47518	30.11	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.42	165	83819	25.23	ng/ul	0.00
29) 4-Chloroaniline-d4	10.93	131	115164	29.79	ng/ul	0.00
44) Dimethylphthalate-d6	14.03	166	317471	28.99	ng/ul	0.00
47) Acenaphthylene-d8	14.32	160	364780	28.11	ng/ul	0.00
52) 4-Nitrophenol-d4	14.82	143	54699	26.02	ng/ul	0.00
58) Fluorene-d10	15.61	176	271083	28.30	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.73	200	35028	19.76	ng/ul	0.00
71) Anthracene-d10	17.46	188	473146	28.70	ng/ul	0.00
79) Pyrene-d10	19.75	212	505486	24.59	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.59	264	424510	19.67	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	7.19	94	4732	1.17	ng/ul	92
45) Dimethylphthalate	14.07	163	172482	16.25	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG092215\
Data File : BG018826.D
Acq On : 22 Sep 2015 21:13
Operator : UM/NP
Sample : G3758-13
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JHAA6

Quant Time: Sep 23 04:54:53 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG091015.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Sep 23 04:53:11 2015
Response via : Initial Calibration





#6

Phenol

Concen: 1.17 ng/ul

RT: 7.19 min Scan# 741

Delta R.T. 0.00 min

Lab File: BG018826.D

Acq: 22 Sep 2015 21:13

Instrument :

BNA_G

ClientSampleId :

JHAA6


Tgt Ion: 94 Resp: 4732

Ion Ratio Lower Upper




94 100

65 29.3 23.0 34.6

66 31.0 31.0 46.4



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#45

Dimethylphthalate

Concen: 16.25 ng/ul

RT: 14.07 min Scan# 1912

Delta R.T. -0.00 min

Lab File: BG018826.D

Acq: 22 Sep 2015 21:13


Tgt Ion: 163 Resp: 172482

Ion Ratio Lower Upper

163 100

194 4.1 2.9 4.3

164 9.8 7.7 11.5



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

