

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092217\
 Data File : BG028879.D
 Acq On : 22 Sep 2017 18:01
 Operator : SJ/JU
 Sample : PB102487BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Sep 22 23:37:06 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.28	152	21107	20.00	ng	-0.05
21) Naphthalene-d8	11.10	136	83488	20.00	ng	-0.05
38) Acenaphthene-d10	14.89	164	62272	20.00	ng	-0.05
63) Phenanthrene-d10	17.64	188	210134	20.00	ng	-0.05
75) Chrysene-d12	21.96	240	250950	20.00	ng	-0.07
86) Perylene-d12	25.40	264	261700	20.00	ng	-0.12
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	181495	141.88	ng	-0.05
7) Phenol-d6	7.43	99	242194	125.75	ng	-0.06
23) Nitrobenzene-d5	9.45	82	152574	87.42	ng	-0.06
41) 2,4,6-Tribromophenol	16.38	330	173399	168.36	ng	-0.05
44) 2-Fluorobiphenyl	13.51	172	400429	85.74	ng	-0.05
78) Terphenyl-d14	20.23	244	1039422	88.33	ng	-0.05
Target Compounds						
32) Benzoic acid	10.13	122	64	6.14	ng	Qvalue # 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092217\
Data File : BG028879.D
Acq On : 22 Sep 2017 18:01
Operator : SJ/JU
Sample : PB102487BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Sep 22 23:37:06 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.28 min Scan# 798

Delta R.T. -0.05 min

Lab File: BG028879.D

Acq: 22 Sep 2017 18:01

Instrument :

BNA_G

ClientSampleId :


Tot Ion:152 Resp: 21107

Ion Ratio Lower Upper

152 100

150 167.8 114.0 171.0




115 68.4 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 141.88 ng

RT: 5.85 min Scan# 385

Delta R.T. -0.05 min

Lab File: BG028879.D

Acq: 22 Sep 2017 18:01


Tgt Ion:112 Resp: 181495

Ion Ratio Lower Upper

112 100

64 69.7 61.8 92.6



63 37.5 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 125.75 ng

RT: 7.43 min Scan# 654

Delta R.T. -0.06 min

Lab File: BG028879.D

Acq: 22 Sep 2017 18:01

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 242194

Ion Ratio Lower Upper




99 100

42 16.8 20.5 30.7#

71 41.0 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.10 min Scan# 1278

Delta R.T. -0.05 min

Lab File: BG028879.D

Acq: 22 Sep 2017 18:01

Tgt Ion: 136 Resp: 83488


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 11.7 9.3 13.9

68 5.7 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 87.42 ng
 RT: 9.45 min Scan# 997
 Delta R.T. -0.06 min
 Lab File: BG028879.D
 Acq: 22 Sep 2017 18:01




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
82	100		
128	35.5	26.4	39.6
54	55.2	49.4	74.2



#32
 Benzoic acid
 Concen: 6.14 ng
 RT: 10.13 min Scan# 1114
 Delta R.T. -0.33 min
 Lab File: BG028879.D
 Acq: 22 Sep 2017 18:01

Tgt Ion	Ratio	Lower	Upper
122	100		
105	0.0	120.1	160.1#
77	0.0	104.6	144.6#









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.89 min Scan# 1924
Delta R.T. -0.05 min
Lab File: BG028879.D
Acq: 22 Sep 2017 18:01

Instrument :
BNA_G
ClientSampleId :

Tot Ion:164 Resp: 62272
Ion Ratio Lower Upper
164 100
162 93.8 85.1 127.7
160 44.9 34.7 52.1




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 168.36 ng
RT: 16.38 min Scan# 2178
Delta R.T. -0.05 min
Lab File: BG028879.D
Acq: 22 Sep 2017 18:01

Tgt Ion:330 Resp: 173399
Ion Ratio Lower Upper
330 100
332 96.3 77.3 115.9
141 30.2 32.1 48.1#



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 85.74 ng
RT: 13.51 min Scan# 1689
Delta R.T. -0.05 min
Lab File: BG028879.D
Acq: 22 Sep 2017 18:01




Instrument :
BNA_G
ClientSampleId :


Tot Ion:172 Resp: 400429
Ion Ratio Lower Upper
172 100
171 35.3 32.2 48.2
170 23.1 21.8 32.6



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.64 min Scan# 2392
Delta R.T. -0.05 min
Lab File: BG028879.D
Acq: 22 Sep 2017 18:01

Tgt Ion:188 Resp: 210134
Ion Ratio Lower Upper
188 100
94 6.7 5.8 8.8
80 6.5 7.5 11.3#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.96 min Scan# 3127

Delta R.T. -0.07 min

Lab File: BG028879.D

Acq: 22 Sep 2017 18:01

Instrument :

BNA_G

ClientSampleId :





Tot Ion:240 Resp: 250950

Ion Ratio Lower Upper

240 100

120 5.8 5.7 8.5

236 25.2 22.2 33.4



#78

Terphenyl-d14

Concen: 88.33 ng

RT: 20.23 min Scan# 2832

Delta R.T. -0.05 min

Lab File: BG028879.D

Acq: 22 Sep 2017 18:01




Tgt Ion:244 Resp: 1039422


Ion Ratio Lower Upper

244 100

212 7.5 10.0 15.0#

122 7.4 8.6 12.8#





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.40 min Scan# 3713
Delta R.T. -0.12 min
Lab File: BG028879.D
Acq: 22 Sep 2017 18:01

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.6	21.8	32.8
265	22.8	18.2	27.4

