

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092315\
 Data File : BG018851.D
 Acq On : 23 Sep 2015 15:10
 Operator : UM/NP
 Sample : G3759-09
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHAD3

Quant Time: Sep 24 03:02:15 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG091015.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 24 03:00:14 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	66378	20.00	ng/ul	0.00
18) Naphthalene-d8	10.80	136	289481	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.62	164	187841	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.37	188	466007	20.00	ng/ul	0.00
78) Chrysene-d12	21.63	240	539146	20.00	ng/ul	0.00
86) Perylene-d12	24.81	264	537296	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.44	96	3438	2.49	ng/uL	0.00
5) Phenol-d5	7.16	99	70727	12.98	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.32	67	42507	13.46	ng/ul	0.00
9) 2-Chlorophenol-d4	7.53	132	58731	14.23	ng/ul	0.00
13) 4-Methylphenol-d8	8.71	113	57128	12.92	ng/ul	0.00
19) Nitrobenzene-d5	9.16	128	30161	13.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.88	143	32868	14.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.42	165	61894	13.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.93	131	84054	15.56	ng/ul	0.00
44) Dimethylphthalate-d6	14.03	166	209483	13.86	ng/ul	0.00
47) Acenaphthylene-d8	14.32	160	250460	13.98	ng/ul	0.00
52) 4-Nitrophenol-d4	14.82	143	25942	8.94	ng/ul	-0.01
58) Fluorene-d10	15.62	176	178407	13.50	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.73	200	11166	5.06	ng/ul	0.00
71) Anthracene-d10	17.47	188	291264	14.20	ng/ul	0.00
79) Pyrene-d10	19.75	212	293806	11.84	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.60	264	229358	8.77	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	14.07	163	108746	7.42	ng/ul	98




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092315\
Data File : BG018851.D
Acq On : 23 Sep 2015 15:10
Operator : UM/NP
Sample : G3759-09
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JHAD3

Quant Time: Sep 24 03:02:15 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG091015.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Sep 24 03:00:14 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 7.42 ng/ul

RT: 14.07 min Scan# 1912

Delta R.T. -0.01 min

Lab File: BG018851.D

Acq: 23 Sep 2015 15:10

Instrument :

BNA_G

ClientSampleId :

JHAD3

Tot Ion:163 Resp: 108746

Ion Ratio Lower Upper

163 100

194 3.9 2.9 4.3

164 10.3 7.7 11.5

