

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092317\
 Data File : BG028901.D
 Acq On : 23 Sep 2017 16:58
 Operator : SJ/JU
 Sample : I5298-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 091817-SIDI-F-D-B

Quant Time: Sep 25 01:00:01 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.28	152	25072	20.00	ng	-0.05
21) Naphthalene-d8	11.10	136	100388	20.00	ng	-0.05
38) Acenaphthene-d10	14.89	164	78043	20.00	ng	-0.05
63) Phenanthrene-d10	17.64	188	253523	20.00	ng	-0.05
75) Chrysene-d12	21.96	240	294267	20.00	ng	-0.07
86) Perylene-d12	25.41	264	311364	20.00	ng	-0.12
System Monitoring Compounds						
5) 2-Fluorophenol	5.84	112	62869	41.38	ng	-0.06
7) Phenol-d6	7.43	99	52830	23.09	ng	-0.06
23) Nitrobenzene-d5	9.45	82	197539	94.13	ng	-0.06
41) 2,4,6-Tribromophenol	16.38	330	152421	118.08	ng	-0.05
44) 2-Fluorobiphenyl	13.51	172	546458	93.37	ng	-0.05
78) Terphenyl-d14	20.23	244	1238756	89.77	ng	-0.05
Target Compounds						Qvalue
49) Dimethylphthalate	14.33	163	23275	3.557	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092317\
Data File : BG028901.D
Acq On : 23 Sep 2017 16:58
Operator : SJ/JU
Sample : I5298-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
091817-SIDI-F-D-B

Quant Time: Sep 25 01:00:01 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.28 min Scan# 798

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58

Instrument :

BNA_G

ClientSampleId :

091817-SIDI-F-D-B


Tot Ion:152 Resp: 25072

Ion Ratio Lower Upper

152 100

150 163.4 114.0 171.0




115 59.8 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 41.376 ng

RT: 5.84 min Scan# 384

Delta R.T. -0.06 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58


Tgt Ion:112 Resp: 62869

Ion Ratio Lower Upper

112 100

64 72.4 61.8 92.6



63 40.1 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 23.093 ng

RT: 7.43 min Scan# 654

Delta R.T. -0.06 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58

Instrument :

BNA_G

ClientSampleId :

091817-SIDI-F-D-B


Tot Ion: 99 Resp: 52830

Ion Ratio Lower Upper




99 100

42 15.1 20.5 30.7#

71 38.0 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.10 min Scan# 1278

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58

Tgt Ion: 136 Resp: 100388


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 11.7 9.3 13.9

68 4.2 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 94.132 ng
 RT: 9.45 min Scan# 997
 Delta R.T. -0.06 min
 Lab File: BG028901.D
 Acq: 23 Sep 2017 16:58




Instrument :
 BNA_G
 ClientSampleId :
 091817-SIDI-F-D-B


Tot Ion	82	Resp	197539
Ion	Ratio	Lower	Upper
82	100		
128	36.9	26.4	39.6
54	59.2	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.89 min Scan# 1924
 Delta R.T. -0.05 min
 Lab File: BG028901.D
 Acq: 23 Sep 2017 16:58

Tgt Ion	164	Resp	78043
Ion	Ratio	Lower	Upper
164	100		
162	95.2	85.1	127.7
160	43.3	34.7	52.1





#41

2,4,6-Tribromophenol

Concen: 118.084 ng

RT: 16.38 min Scan# 2178

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58

Instrument :

BNA_G

ClientSampleId :

091817-SIDI-F-D-B


Tot Ion:330 Resp: 152421

Ion Ratio Lower Upper

330 100

332 96.6 77.3 115.9




141 31.4 32.1 48.1#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 93.366 ng

RT: 13.51 min Scan# 1689

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58


Tgt Ion:172 Resp: 546458

Ion Ratio Lower Upper

172 100

171 35.7 32.2 48.2



170 24.4 21.8 32.6




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.557 ng

RT: 14.33 min Scan# 1829

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58

Instrument :

BNA_G

ClientSampleId :

091817-SIDI-F-D-B


Tot Ion:163 Resp: 23275

Ion Ratio Lower Upper

163 100

194 4.4 3.8 5.6




164 12.9 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.64 min Scan# 2392

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58


Tgt Ion:188 Resp: 253523

Ion Ratio Lower Upper

188 100

94 5.4 5.8 8.8#



80 7.8 7.5 11.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.96 min Scan# 3127

Delta R.T. -0.07 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58

Instrument :

BNA_G

ClientSampleId :

091817-SIDI-F-D-B


Tot Ion:240 Resp: 294267

Ion Ratio Lower Upper

240 100

120 6.0 5.7 8.5




236 26.7 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 89.773 ng

RT: 20.23 min Scan# 2833

Delta R.T. -0.05 min

Lab File: BG028901.D

Acq: 23 Sep 2017 16:58


Tgt Ion:244 Resp: 1238756

Ion Ratio Lower Upper

244 100

212 7.4 10.0 15.0#



122 6.7 8.6 12.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 25.41 min Scan# 3714
 Delta R.T. -0.12 min
 Lab File: BG028901.D
 Acq: 23 Sep 2017 16:58

Instrument :
 BNA_G
 ClientSampleId :
 091817-SIDI-F-D-B

Tot Ion:	264	Resp:	311364
Ion	Ratio	Lower	Upper
264	100		
260	24.9	21.8	32.8
265	20.8	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

