

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092418\
 Data File : BG036920.D
 Acq On : 24 Sep 2018 16:34
 Operator : JU/SJ
 Sample : PB113129BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB113129BL

Quant Time: Sep 24 17:11:15 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	36032	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	158679	20.00	ng	0.00
38) Acenaphthene-d10	14.67	164	108355	20.00	ng	0.00
63) Phenanthrene-d10	17.42	188	296857	20.00	ng	0.00
75) Chrysene-d12	21.68	240	323300	20.00	ng	0.00
86) Perylene-d12	24.89	264	316093	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	289636	154.16	ng	0.00
7) Phenol-d6	7.20	99	409008	140.70	ng	0.00
23) Nitrobenzene-d5	9.21	82	259880	87.70	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	174602	134.68	ng	0.00
44) 2-Fluorobiphenyl	13.29	172	636682	87.51	ng	0.00
78) Terphenyl-d14	20.02	244	1215717	98.88	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092418\
Data File : BG036920.D
Acq On : 24 Sep 2018 16:34
Operator : JU/SJ
Sample : PB113129BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB113129BL

Quant Time: Sep 24 17:11:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.04 min Scan# 809

Delta R.T. -0.00 min

Lab File: BG036920.D

Acq: 24 Sep 2018 16:34

Instrument :

BNA_G

ClientSampleId :

PB113129BL


Tot Ion:152 Resp: 36032

Ion Ratio Lower Upper

152 100

150 163.2 119.5 179.3




115 65.1 44.5 66.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 154.157 ng

RT: 5.62 min Scan# 396

Delta R.T. -0.00 min

Lab File: BG036920.D

Acq: 24 Sep 2018 16:34


Tgt Ion:112 Resp: 289636

Ion Ratio Lower Upper

112 100

64 70.5 57.2 85.8



63 38.6 30.8 46.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 140.703 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG036920.D

Acq: 24 Sep 2018 16:34

Instrument :

BNA_G

ClientSampleId :

PB113129BL


Tot Ion: 99 Resp: 409008

Ion Ratio Lower Upper




99 100

42 20.7 16.5 24.7

71 36.7 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1287

Delta R.T. -0.00 min

Lab File: BG036920.D

Acq: 24 Sep 2018 16:34

Tgt Ion: 136 Resp: 158679


Ion Ratio Lower Upper

136 100



137 10.5 8.8 13.2

54 11.4 9.2 13.8

68 6.3 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 87.704 ng
RT: 9.21 min Scan# 1007
Delta R.T. -0.00 min
Lab File: BG036920.D
Acq: 24 Sep 2018 16:34




Instrument :
BNA_G
ClientSampleId :
PB113129BL


Tot Ion	Ratio	Lower	Upper
82	100		
128	41.5	33.3	49.9
54	55.2	45.1	67.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1937
Delta R.T. -0.00 min
Lab File: BG036920.D
Acq: 24 Sep 2018 16:34

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.6	80.7	121.1
160	45.8	35.3	52.9









#41
 2,4,6-Tribromophenol
 Concen: 134.682 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG036920.D
 Acq: 24 Sep 2018 16:34

Instrument :
 BNA_G
 ClientSampleId :
 PB113129BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	75.4	113.2
141	37.7	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 87.515 ng
 RT: 13.29 min Scan# 1702
 Delta R.T. -0.01 min
 Lab File: BG036920.D
 Acq: 24 Sep 2018 16:34

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.0	31.3	46.9
170	25.9	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2404
Delta R.T. -0.00 min
Lab File: BG036920.D
Acq: 24 Sep 2018 16:34




Instrument :
BNA_G
ClientSampleId :
PB113129BL

Tot Ion:188 Resp: 296857
Ion Ratio Lower Upper
188 100
94 7.5 6.7 10.1
80 8.8 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3130
Delta R.T. -0.01 min
Lab File: BG036920.D
Acq: 24 Sep 2018 16:34

Tgt Ion:240 Resp: 323300
Ion Ratio Lower Upper
240 100
120 8.4 6.9 10.3
236 27.0 21.2 31.8









#78
 Terphenyl-d14
 Concen: 98.878 ng
 RT: 20.02 min Scan# 2848
 Delta R.T. -0.00 min
 Lab File: BG036920.D
 Acq: 24 Sep 2018 16:34

Instrument :
 BNA_G
 ClientSampleId :
 PB113129BL

Tot Ion:244 Resp: 1215717

Ion	Ratio	Lower	Upper
244	100		
212	8.4	7.0	10.6
122	8.7	7.1	10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.89 min Scan# 3676
 Delta R.T. -0.01 min
 Lab File: BG036920.D
 Acq: 24 Sep 2018 16:34

Tgt Ion:264 Resp: 316093

Ion	Ratio	Lower	Upper
264	100		
260	22.4	19.6	29.4
265	21.6	17.4	26.0

