

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092418\
 Data File : BG036946.D
 Acq On : 25 Sep 2018 10:04
 Operator : JU/SJ
 Sample : J5061-14
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 230-KV-C

Quant Time: Sep 25 11:16:42 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	38517	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	162141	20.00	ng	0.00
38) Acenaphthene-d10	14.67	164	112844	20.00	ng	0.00
63) Phenanthrene-d10	17.41	188	290791	20.00	ng	0.00
75) Chrysene-d12	21.68	240	306067	20.00	ng	-0.01
86) Perylene-d12	24.88	264	307431	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	258600	128.76	ng	0.00
7) Phenol-d6	7.20	99	331833	106.79	ng	-0.01
23) Nitrobenzene-d5	9.21	82	278557	92.00	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	154756	114.62	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	628757	82.99	ng	0.00
78) Terphenyl-d14	20.02	244	1138577	97.82	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092418\
Data File : BG036946.D
Acq On : 25 Sep 2018 10:04
Operator : JU/SJ
Sample : J5061-14
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
230-KV-C

Quant Time: Sep 25 11:16:42 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.04 min Scan# 809
 Delta R.T. -0.00 min
 Lab File: BG036946.D
 Acq: 25 Sep 2018 10:04

Instrument :
 BNA_G
 ClientSampleId :
 230-KV-C

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.9	119.5	179.3
115	62.5	44.5	66.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 128.758 ng
 RT: 5.62 min Scan# 396
 Delta R.T. -0.00 min
 Lab File: BG036946.D
 Acq: 25 Sep 2018 10:04

Tgt Ion	Ratio	Lower	Upper
112	100		
64	71.7	57.2	85.8
63	37.8	30.8	46.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 106.789 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG036946.D

Acq: 25 Sep 2018 10:04

Instrument :

BNA_G

ClientSampleId :

230-KV-C


Tot Ion: 99 Resp: 331833

Ion Ratio Lower Upper




99 100

42 22.8 16.5 24.7

71 38.3 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1287

Delta R.T. -0.00 min

Lab File: BG036946.D

Acq: 25 Sep 2018 10:04

Tgt Ion: 136 Resp: 162141


Ion Ratio Lower Upper

136 100



137 10.4 8.8 13.2


54 11.3 9.2 13.8

68 6.5 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 92.000 ng
 RT: 9.21 min Scan# 1007
 Delta R.T. -0.00 min
 Lab File: BG036946.D
 Acq: 25 Sep 2018 10:04




Instrument :
 BNA_G
 ClientSampleId :
 230-KV-C


Tot Ion	82	Resp	278557
Ion Ratio	Lower	Upper	
82	100		
128	40.1	33.3	49.9
54	59.1	45.1	67.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1937
 Delta R.T. -0.00 min
 Lab File: BG036946.D
 Acq: 25 Sep 2018 10:04

Tgt Ion	164	Resp	112844
Ion Ratio	Lower	Upper	
164	100		
162	97.6	80.7	121.1
160	40.1	35.3	52.9






#41
 2,4,6-Tribromophenol
 Concen: 114.625 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG036946.D
 Acq: 25 Sep 2018 10:04

Instrument :
 BNA_G
 ClientSampled :
 230-KV-C

Tot Ion	Ratio	Lower	Upper
330	100		
332	91.9	75.4	113.2
141	39.3	30.7	46.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 82.988 ng
 RT: 13.29 min Scan# 1703
 Delta R.T. -0.00 min
 Lab File: BG036946.D
 Acq: 25 Sep 2018 10:04

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	31.3	46.9
170	24.8	21.0	31.6






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2404

Delta R.T. -0.00 min

Lab File: BG036946.D

Acq: 25 Sep 2018 10:04

Instrument :

BNA_G

ClientSampleId :

230-KV-C


Tot Ion:188 Resp: 290791

Ion Ratio Lower Upper

188 100

94 7.8 6.7 10.1




80 9.0 8.1 12.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3130

Delta R.T. -0.01 min

Lab File: BG036946.D

Acq: 25 Sep 2018 10:04


Tgt Ion:240 Resp: 306067

Ion Ratio Lower Upper

240 100

120 8.0 6.9 10.3



236 25.2 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 97.818 ng

RT: 20.02 min Scan# 2848

Delta R.T. -0.00 min

Lab File: BG036946.D

Acq: 25 Sep 2018 10:04

Instrument :


BNA_G

ClientSampleId :

230-KV-C

Tot Ion:244 Resp: 1138577

Ion	Ratio	Lower	Upper
244	100		
212	8.7	7.0	10.6
122	8.8	7.1	10.7






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.88 min Scan# 3675


Delta R.T. -0.02 min

Lab File: BG036946.D

Acq: 25 Sep 2018 10:04

Tgt Ion:264 Resp: 307431

Ion	Ratio	Lower	Upper
264	100		
260	22.5	19.6	29.4
265	22.8	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

