

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG092515\
 Data File : BG018915.D
 Acq On : 26 Sep 2015 16:33
 Operator : UM/NP
 Sample : G3800-12
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C03G8

Quant Time: Sep 28 00:53:59 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG091015.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 28 00:51:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.99	152	57985	20.00	ng/ul	0.00
18) Naphthalene-d8	10.79	136	258918	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.61	164	169935	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.36	188	444608	20.00	ng/ul	0.00
78) Chrysene-d12	21.61	240	510889	20.00	ng/ul	0.00
86) Perylene-d12	24.79	264	501675	20.00	ng/ul	0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.44	96	1218	1.01	ng/uL	0.01
5) Phenol-d5	7.16	99	28668	6.02	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.31	67	96204	34.87	ng/ul	0.00
9) 2-Chlorophenol-d4	7.53	132	80985	22.46	ng/ul	0.00
13) 4-Methylphenol-d8	8.70	113	55066	14.25	ng/ul	0.00
19) Nitrobenzene-d5	9.15	128	91999	46.90	ng/ul	0.00
22) 2-Nitrophenol-d4	9.87	143	91594	46.43	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.42	165	112506	27.09	ng/ul	0.00
29) 4-Chloroaniline-d4	10.93	131	6872	1.42	ng/ul	0.01
44) Dimethylphthalate-d6	14.02	166	616100	45.05	ng/ul	0.00
47) Acenaphthylene-d8	14.31	160	1948136	120.21	ng/ul	0.00
52) 4-Nitrophenol-d4	14.83	143	14112	5.38	ng/ul	0.01
58) Fluorene-d10	15.61	176	1880211	157.23	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.73	200	298095	141.64	ng/ul	0.00
71) Anthracene-d10	17.46	188	2703238	138.10	ng/ul	0.00
79) Pyrene-d10	19.75	212	3223569	137.15	ng/ul	0.01
90) Benzo(a)pyrene-d12	24.61	264	4737830	194.05	ng/ul	0.04

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG092515\
Data File : BG018915.D
Acq On : 26 Sep 2015 16:33
Operator : UM/NP
Sample : G3800-12
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C03G8

Quant Time: Sep 28 00:53:59 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG091015.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 28 00:51:47 2015
Response via : Initial Calibration

