

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092517\
 Data File : BG028932.D
 Acq On : 26 Sep 2017 7:12
 Operator : SJ/JU
 Sample : I5395-09
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-3-(0-5)

Quant Time: Sep 26 08:17:06 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 16:57:11 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.28	152	22611	20.00	ng	-0.05
21) Naphthalene-d8	11.10	136	93397	20.00	ng	-0.05
38) Acenaphthene-d10	14.90	164	69031	20.00	ng	-0.05
63) Phenanthrene-d10	17.65	188	239322	20.00	ng	-0.05
75) Chrysene-d12	21.97	240	282358	20.00	ng	-0.06
86) Perylene-d12	25.42	264	268611	20.00	ng	-0.11
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	39101	28.53	ng	-0.05
7) Phenol-d6	7.44	99	49320	23.90	ng	-0.05
23) Nitrobenzene-d5	9.45	82	36935	18.92	ng	-0.05
41) 2,4,6-Tribromophenol	16.39	330	36619	32.07	ng	-0.05
44) 2-Fluorobiphenyl	13.52	172	95551	18.46	ng	-0.05
78) Terphenyl-d14	20.23	244	261100	19.72	ng	-0.05


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092517\
Data File : BG028932.D
Acq On : 26 Sep 2017 7:12
Operator : SJ/JU
Sample : I5395-09
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-3-(0-5)

Quant Time: Sep 26 08:17:06 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 16:57:11 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.28 min Scan# 799

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12

Instrument :

BNA_G

ClientSampleId :

TP-3-(0-5)


Tot Ion:152 Resp: 22611

Ion Ratio Lower Upper

152 100

150 162.6 114.0 171.0




115 60.3 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 28.534 ng

RT: 5.85 min Scan# 385

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12


Tgt Ion:112 Resp: 39101

Ion Ratio Lower Upper

112 100

64 68.2 61.8 92.6



63 45.9 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 23.905 ng

RT: 7.44 min Scan# 656

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12

Instrument :

BNA_G

ClientSampleId :

TP-3-(0-5)


Tot Ion: 99 Resp: 49320

Ion Ratio Lower Upper




99 100

42 15.6 20.5 30.7#

71 31.6 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.10 min Scan# 1278

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12

Tgt Ion: 136 Resp: 93397


Ion Ratio Lower Upper

136 100



137 10.4 8.9 13.3


54 10.4 9.3 13.9

68 3.8 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 18.918 ng

RT: 9.45 min Scan# 998

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12

Instrument :

BNA_G

ClientSampleId :

TP-3-(0-5)





Tot Ion: 82 Resp: 36935

Ion Ratio Lower Upper

82 100

128 29.8 26.4 39.6

54 47.1 49.4 74.2#



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.90 min Scan# 1925

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12




Tgt Ion: 164 Resp: 69031


Ion Ratio Lower Upper

164 100

162 92.0 85.1 127.7

160 46.3 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 32.073 ng
 RT: 16.39 min Scan# 2179
 Delta R.T. -0.05 min
 Lab File: BG028932.D
 Acq: 26 Sep 2017 7:12

Instrument :
 BNA_G
 ClientSampleId :
 TP-3-(0-5)

Tot Ion:330 Resp: 36619
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.3 115.9
 141 29.6 32.1 48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 18.457 ng
 RT: 13.52 min Scan# 1690
 Delta R.T. -0.05 min
 Lab File: BG028932.D
 Acq: 26 Sep 2017 7:12

Tgt Ion:172 Resp: 95551
 Ion Ratio Lower Upper
 172 100
 171 40.7 32.2 48.2
 170 21.9 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.65 min Scan# 2393

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12

Instrument :

BNA_G

ClientSampleId :

TP-3-(0-5)


Tot Ion:188 Resp: 239322

Ion Ratio Lower Upper

188 100

94 5.8 5.8 8.8#




80 7.7 7.5 11.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.97 min Scan# 3128

Delta R.T. -0.06 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12


Tgt Ion:240 Resp: 282358

Ion Ratio Lower Upper

240 100

120 6.4 5.7 8.5



236 25.9 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 19.720 ng

RT: 20.23 min Scan# 2833

Delta R.T. -0.05 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12

Instrument :

BNA_G

ClientSampled :

TP-3-(0-5)


Tot Ion:244 Resp: 261100

Ion Ratio Lower Upper

244 100

212 8.3 10.0 15.0#




122 6.6 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.42 min Scan# 3715

Delta R.T. -0.11 min

Lab File: BG028932.D

Acq: 26 Sep 2017 7:12


Tgt Ion:264 Resp: 268611

Ion Ratio Lower Upper

264 100

260 23.2 21.8 32.8

265 21.3 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

