

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092517\
 Data File : BG028937.D
 Acq On : 26 Sep 2017 10:30
 Operator : SJ/JU
 Sample : I5385-03
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 092117-SIDI-F-D-S

Quant Time: Sep 26 12:15:17 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 26 12:06:14 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.27	152	22663	20.00	ng	0.00
21) Naphthalene-d8	11.10	136	87831	20.00	ng	0.00
38) Acenaphthene-d10	14.89	164	69121	20.00	ng	0.00
63) Phenanthrene-d10	17.64	188	230085	20.00	ng	0.00
75) Chrysene-d12	21.96	240	265185	20.00	ng	0.00
86) Perylene-d12	25.41	264	260776	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	72533	52.81	ng	0.00
7) Phenol-d6	7.43	99	64098	31.00	ng	0.00
23) Nitrobenzene-d5	9.45	82	215556	117.40	ng	0.00
41) 2,4,6-Tribromophenol	16.39	330	159527	139.54	ng	0.00
44) 2-Fluorobiphenyl	13.51	172	593651	114.52	ng	0.00
78) Terphenyl-d14	20.24	244	1422443	114.39	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG092517\
Data File : BG028937.D
Acq On : 26 Sep 2017 10:30
Operator : SJ/JU
Sample : I5385-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
092117-SIDI-F-D-S

Quant Time: Sep 26 12:15:17 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 26 12:06:14 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.27 min Scan# 797

Delta R.T. -0.01 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30

Instrument :

BNA_G

ClientSampleId :

092117-SIDI-F-D-S


Tot Ion:152 Resp: 22663

Ion Ratio Lower Upper

152 100

150 145.3 114.0 171.0




115 52.7 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 52.810 ng

RT: 5.85 min Scan# 384

Delta R.T. 0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30


Tgt Ion:112 Resp: 72533

Ion Ratio Lower Upper

112 100

64 71.0 61.8 92.6



63 38.1 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 30.996 ng

RT: 7.43 min Scan# 654

Delta R.T. -0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30

Instrument :

BNA_G

ClientSampleId :

092117-SIDI-F-D-S


Tot Ion: 99 Resp: 64098

Ion Ratio Lower Upper




99 100

42 20.0 20.5 30.7#

71 38.6 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.10 min Scan# 1278

Delta R.T. 0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30

Tgt Ion: 136 Resp: 87831


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 10.4 9.3 13.9

68 6.0 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 117.403 ng
RT: 9.45 min Scan# 997
Delta R.T. -0.00 min
Lab File: BG028937.D
Acq: 26 Sep 2017 10:30




Instrument :
BNA_G
ClientSampleId :
092117-SIDI-F-D-S


Tot Ion	82	Resp	215556
Ion	Ratio	Lower	Upper
82	100		
128	39.2	26.4	39.6
54	59.0	49.4	74.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.89 min Scan# 1924
Delta R.T. -0.00 min
Lab File: BG028937.D
Acq: 26 Sep 2017 10:30

Tgt Ion	164	Resp	69121
Ion	Ratio	Lower	Upper
164	100		
162	101.3	85.1	127.7
160	44.3	34.7	52.1





#41

2,4,6-Tribromophenol

Concen: 139.542 ng

RT: 16.39 min Scan# 2178

Delta R.T. -0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30

Instrument :

BNA_G

ClientSampleId :

092117-SIDI-F-D-S


Tot Ion:330 Resp: 159527

Ion Ratio Lower Upper

330 100

332 96.5 77.3 115.9




141 31.1 32.1 48.1#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 114.522 ng

RT: 13.51 min Scan# 1689

Delta R.T. -0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30


Tgt Ion:172 Resp: 593651

Ion Ratio Lower Upper

172 100

171 38.3 32.2 48.2



170 23.1 21.8 32.6




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.64 min Scan# 2392

Delta R.T. -0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30

Instrument :

BNA_G

ClientSampleId :

092117-SIDI-F-D-S


Tot Ion:188 Resp: 230085

Ion Ratio Lower Upper

188 100

94 6.6 5.8 8.8




80 7.2 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.96 min Scan# 3127

Delta R.T. -0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30


Tgt Ion:240 Resp: 265185

Ion Ratio Lower Upper

240 100

120 6.8 5.7 8.5



236 26.8 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 114.390 ng

RT: 20.24 min Scan# 2833

Delta R.T. 0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30

Instrument :

BNA_G

ClientSampleId :

092117-SIDI-F-D-S


Tot Ion:244 Resp: 1422443

Ion Ratio Lower Upper

244 100

212 8.0 10.0 15.0#




122 7.1 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.41 min Scan# 3714

Delta R.T. -0.00 min

Lab File: BG028937.D

Acq: 26 Sep 2017 10:30


Tgt Ion:264 Resp: 260776

Ion Ratio Lower Upper

264 100

260 25.6 21.8 32.8

265 20.1 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

