

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092618\
 Data File : BG036998.D
 Acq On : 27 Sep 2018 1:40
 Operator : JU/SJ
 Sample : PB113230BL
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB113230BL

Quant Time: Sep 27 08:48:18 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	42833	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	175185	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	112917	20.00	ng	-0.01
63) Phenanthrene-d10	17.41	188	290804	20.00	ng	0.00
75) Chrysene-d12	21.68	240	306189	20.00	ng	-0.01
86) Perylene-d12	24.88	264	300614	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	284838	127.53	ng	0.00
7) Phenol-d6	7.20	99	408693	118.27	ng	-0.01
23) Nitrobenzene-d5	9.20	82	263643	80.59	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	137109	101.49	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	587248	77.46	ng	-0.01
78) Terphenyl-d14	20.02	244	1046058	89.83	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092618\
Data File : BG036998.D
Acq On : 27 Sep 2018 1:40
Operator : JU/SJ
Sample : PB113230BL
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB113230BL

Quant Time: Sep 27 08:48:18 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 810
Delta R.T. 0.00 min
Lab File: BG036998.D
Acq: 27 Sep 2018 1:40

Instrument :
BNA_G
ClientSampleId :
PB113230BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	140.8	119.5	179.3
115	57.2	44.5	66.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 127.532 ng
RT: 5.62 min Scan# 396
Delta R.T. -0.01 min
Lab File: BG036998.D
Acq: 27 Sep 2018 1:40

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.0	57.2	85.8
63	40.2	30.8	46.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 118.271 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG036998.D

Acq: 27 Sep 2018 1:40

Instrument :

BNA_G

ClientSampleId :

PB113230BL


Tot Ion: 99 Resp: 408693

Ion Ratio Lower Upper




99 100

42 22.2 16.5 24.7

71 38.3 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1287

Delta R.T. -0.01 min

Lab File: BG036998.D

Acq: 27 Sep 2018 1:40

Tgt Ion: 136 Resp: 175185


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2


54 11.2 9.2 13.8

68 5.6 5.8 8.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 80.591 ng
RT: 9.20 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BG036998.D
Acq: 27 Sep 2018 1:40




Instrument :
BNA_G
ClientSampleId :
PB113230BL


Tot Ion	Ratio	Lower	Upper
82	100		
128	39.9	33.3	49.9
54	57.3	45.1	67.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1936
Delta R.T. -0.01 min
Lab File: BG036998.D
Acq: 27 Sep 2018 1:40

Tgt Ion	Ratio	Lower	Upper
164	100		
162	95.5	80.7	121.1
160	42.3	35.3	52.9






#41
 2,4,6-Tribromophenol
 Concen: 101.488 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG036998.D
 Acq: 27 Sep 2018 1:40

Instrument :
 BNA_G
 ClientSampleId :
 PB113230BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	100.4	75.4	113.2
141	38.1	30.7	46.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 77.459 ng
 RT: 13.29 min Scan# 1702
 Delta R.T. -0.01 min
 Lab File: BG036998.D
 Acq: 27 Sep 2018 1:40

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.1	31.3	46.9
170	24.9	21.0	31.6






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.41 min Scan# 2404
Delta R.T. -0.01 min
Lab File: BG036998.D
Acq: 27 Sep 2018 1:40

Instrument :
BNA_G
ClientSampleId :
PB113230BL

Tot Ion:188 Resp: 290804
Ion Ratio Lower Upper
188 100
94 8.0 6.7 10.1
80 8.8 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3130
Delta R.T. -0.01 min
Lab File: BG036998.D
Acq: 27 Sep 2018 1:40

Tgt Ion:240 Resp: 306189
Ion Ratio Lower Upper
240 100
120 8.2 6.9 10.3
236 25.9 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 89.833 ng

RT: 20.02 min Scan# 2848

Delta R.T. -0.01 min

Lab File: BG036998.D

Acq: 27 Sep 2018 1:40

Instrument :


BNA_G

ClientSampleId :

PB113230BL

Tot Ion:244 Resp: 1046058

Ion	Ratio	Lower	Upper
244	100		
212	8.1	7.0	10.6
122	8.9	7.1	10.7






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.88 min Scan# 3675


Delta R.T. -0.02 min

Lab File: BG036998.D

Acq: 27 Sep 2018 1:40

Tgt Ion:264 Resp: 300614

Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.6	29.4
265	21.0	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

