

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG092718\
 Data File : BG037033.D
 Acq On : 28 Sep 2018 3:02
 Operator : JU/SJ
 Sample : PB113286TB
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB

Quant Time: Sep 28 04:25:50 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	38129	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	149311	20.00	ng	-0.01
38) Acenaphthene-d10	14.66	164	92741	20.00	ng	-0.01
63) Phenanthrene-d10	17.41	188	251771	20.00	ng	0.00
75) Chrysene-d12	21.68	240	282179	20.00	ng	-0.01
86) Perylene-d12	24.88	264	275808	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	276440	139.04	ng	0.00
7) Phenol-d6	7.20	99	374199	121.65	ng	-0.01
23) Nitrobenzene-d5	9.20	82	249964	89.65	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	144998	130.68	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	533254	85.64	ng	-0.01
78) Terphenyl-d14	20.02	244	1042354	97.13	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.20	70	33625	13.140	ng	# 68
50) 2,6-Dinitrotoluene	14.66	165	11623	7.136	ng	# 21
56) 2,4-Dinitrotoluene	14.66	165	11623	5.114	ng	# 19
66) 4-Bromophenyl-phenylether	16.16	248	10374	3.623	ng	# 1
76) Benzidine	20.02	184	18191	2.133	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG092718\
Data File : BG037033.D
Acq On : 28 Sep 2018 3:02
Operator : JU/SJ
Sample : PB113286TB
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB113286TB

Quant Time: Sep 28 04:25:50 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.04 min Scan# 809

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Instrument :

BNA_G

ClientSampleId :

PB113286TB


Tgt Ion:152 Resp: 38129

Ion Ratio Lower Upper

152 100

150 151.0 119.5 179.3




115 60.0 44.5 66.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 139.042 ng

RT: 5.61 min Scan# 396

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02


Tgt Ion:112 Resp: 276440

Ion Ratio Lower Upper

112 100

64 72.4 57.2 85.8



63 39.9 30.8 46.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 121.649 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Instrument :

BNA_G

ClientSampleId :

PB113286TB


Tgt Ion: 99 Resp: 374199

Ion Ratio Lower Upper




99 100

42 22.5 16.5 24.7

71 37.3 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.140 ng

RT: 9.20 min Scan# 1007

Delta R.T. 0.35 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Tgt Ion: 70 Resp: 33625


Ion Ratio Lower Upper

70 100



42 45.5 56.2 84.4#


101 0.0 7.8 11.6#

130 2.1 16.2 24.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.84 min Scan# 1286
Delta R.T. -0.01 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02




Instrument :
BNA_G
ClientSampleId :
PB113286TB


Tgt Ion:	136	Resp:	149311
Ion	Ratio	Lower	Upper
136	100		
137	10.1	8.8	13.2
54	10.0	9.2	13.8
68	4.7	5.8	8.6#



#23
Nitrobenzene-d5
Concen: 89.651 ng
RT: 9.20 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02

Tgt Ion:	82	Resp:	249964
Ion	Ratio	Lower	Upper
82	100		
128	40.8	33.3	49.9
54	59.1	45.1	67.7





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.66 min Scan# 1936

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Instrument :

BNA_G

ClientSampleId :

PB113286TB


Tgt Ion:164 Resp: 92741

Ion Ratio Lower Upper

164 100

162 105.3 80.7 121.1




160 43.6 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 130.677 ng

RT: 16.16 min Scan# 2190

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02


Tgt Ion:330 Resp: 144998

Ion Ratio Lower Upper

330 100

332 99.2 75.4 113.2



141 40.7 30.7 46.1




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 85.639 ng
 RT: 13.29 min Scan# 1702
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02




Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB


Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.8	31.3	46.9
170	24.5	21.0	31.6



#50
 2,6-Dinitrotoluene
 Concen: 7.136 ng
 RT: 14.66 min Scan# 1936
 Delta R.T. 0.42 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Tgt Ion	Ratio	Lower	Upper
165	100		
63	2.4	50.1	75.1#
89	0.0	47.8	71.6#









#56
 2,4-Dinitrotoluene
 Concen: 5.114 ng
 RT: 14.66 min Scan# 1936
 Delta R.T. -0.37 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02




Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB


Tgt Ion:	165	Resp:	11623
Ion	Ratio	Lower	Upper
165	100		
63	2.4	40.1	60.1#
89	0.0	63.7	95.5#
182	0.0	2.5	3.7#



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.41 min Scan# 2404
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Tgt Ion:	188	Resp:	251771
Ion	Ratio	Lower	Upper
188	100		
94	7.7	6.7	10.1
80	9.6	8.1	12.1









#66
 4-Bromophenyl-phenylether
 Concen: 3.623 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.45 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB

Tgt Ion:248 Resp: 10374
 Ion Ratio Lower Upper
 248 100
 250 210.0 78.1 117.1#
 141 546.7 53.7 80.5#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.68 min Scan# 3130
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Tgt Ion:240 Resp: 282179
 Ion Ratio Lower Upper
 240 100
 120 9.3 6.9 10.3
 236 26.4 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#76

Benzidine

Concen: 2.133 ng

RT: 20.02 min Scan# 2848

Delta R.T. 0.37 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Instrument :

BNA_G

ClientSampleId :

PB113286TB


Tgt Ion:184 Resp: 18191

Ion Ratio Lower Upper




184 100

185 13.5 12.6 18.8

183 9.5 10.9 16.3#



Abundance Ion 184.00 (183.70 to 184.70): E
Ion 185.00 (184.70 to 185.70): E
Ion 183.00 (182.70 to 183.70): E



#78

Terphenyl-d14

Concen: 97.132 ng

RT: 20.02 min Scan# 2848

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02


Tgt Ion:244 Resp: 1042354

Ion Ratio Lower Upper



244 100


212 8.4 7.0 10.6

122 8.5 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.000 ng
RT: 24.88 min Scan# 3675
Delta R.T. -0.02 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02

Instrument :
BNA_G
ClientSampleId :
PB113286TB

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.6	29.4
265	22.2	17.4	26.0

