

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092718\
 Data File : BG037032.D
 Acq On : 28 Sep 2018 2:23
 Operator : JU/SJ
 Sample : PB113286BL
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB113286BL

Quant Time: Sep 28 04:49:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	41701	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	167932	20.00	ng	-0.01
38) Acenaphthene-d10	14.66	164	103140	20.00	ng	-0.01
63) Phenanthrene-d10	17.41	188	280727	20.00	ng	0.00
75) Chrysene-d12	21.68	240	312968	20.00	ng	-0.01
86) Perylene-d12	24.88	264	305003	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	254909	117.23	ng	0.00
7) Phenol-d6	7.20	99	340010	101.07	ng	-0.01
23) Nitrobenzene-d5	9.20	82	224839	71.70	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	133200	107.94	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	491477	70.97	ng	-0.01
78) Terphenyl-d14	20.02	244	936127	78.65	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092718\
Data File : BG037032.D
Acq On : 28 Sep 2018 2:23
Operator : JU/SJ
Sample : PB113286BL
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB113286BL

Quant Time: Sep 28 04:49:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.04 min Scan# 809

Delta R.T. -0.00 min

Lab File: BG037032.D

Acq: 28 Sep 2018 2:23

Instrument :

BNA_G

ClientSampleId :

PB113286BL


Tot Ion:152 Resp: 41701

Ion Ratio Lower Upper

152 100

150 154.3 119.5 179.3




115 59.7 44.5 66.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 117.230 ng

RT: 5.62 min Scan# 396

Delta R.T. -0.00 min

Lab File: BG037032.D

Acq: 28 Sep 2018 2:23


Tgt Ion:112 Resp: 254909

Ion Ratio Lower Upper

112 100

64 70.2 57.2 85.8



63 36.7 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 101.066 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG037032.D

Acq: 28 Sep 2018 2:23

Instrument :

BNA_G

ClientSampleId :

PB113286BL


Tot Ion: 99 Resp: 340010

Ion Ratio Lower Upper




99 100

42 20.6 16.5 24.7

71 35.8 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1286

Delta R.T. -0.01 min

Lab File: BG037032.D

Acq: 28 Sep 2018 2:23

Tgt Ion: 136 Resp: 167932


Ion Ratio Lower Upper

136 100



137 9.7 8.8 13.2

54 10.5 9.2 13.8

68 6.5 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 71.698 ng
 RT: 9.20 min Scan# 1006
 Delta R.T. -0.01 min
 Lab File: BG037032.D
 Acq: 28 Sep 2018 2:23




Instrument :
 BNA_G
 ClientSampleId :
 PB113286BL


Tot Ion	82	Resp	224839
Ion	Ratio	Lower	Upper
82	100		
128	40.1	33.3	49.9
54	55.5	45.1	67.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.66 min Scan# 1936
 Delta R.T. -0.01 min
 Lab File: BG037032.D
 Acq: 28 Sep 2018 2:23

Tgt Ion	164	Resp	103140
Ion	Ratio	Lower	Upper
164	100		
162	99.0	80.7	121.1
160	46.6	35.3	52.9








#41
 2,4,6-Tribromophenol
 Concen: 107.941 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG037032.D
 Acq: 28 Sep 2018 2:23

Instrument :
 BNA_G
 ClientSampleId :
 PB113286BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.0	75.4	113.2
141	39.4	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 70.972 ng
 RT: 13.29 min Scan# 1702
 Delta R.T. -0.01 min
 Lab File: BG037032.D
 Acq: 28 Sep 2018 2:23

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.5	31.3	46.9
170	24.3	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.41 min Scan# 2404
Delta R.T. -0.00 min
Lab File: BG037032.D
Acq: 28 Sep 2018 2:23




Instrument :
BNA_G
ClientSampleId :
PB113286BL

Tot Ion:188 Resp: 280727
Ion Ratio Lower Upper
188 100
94 8.7 6.7 10.1
80 9.2 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3130
Delta R.T. -0.01 min
Lab File: BG037032.D
Acq: 28 Sep 2018 2:23

Tgt Ion:240 Resp: 312968
Ion Ratio Lower Upper
240 100
120 8.2 6.9 10.3
236 26.0 21.2 31.8





#78

Terphenyl-d14

Concen: 78.651 ng

RT: 20.02 min Scan# 2847

Delta R.T. -0.01 min

Lab File: BG037032.D

Acq: 28 Sep 2018 2:23

Instrument :

BNA_G

ClientSampleId :

PB113286BL


Tot Ion:244 Resp: 936127

Ion Ratio Lower Upper

244 100

212 8.3 7.0 10.6




122 9.4 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.88 min Scan# 3675

Delta R.T. -0.02 min

Lab File: BG037032.D

Acq: 28 Sep 2018 2:23


Tgt Ion:264 Resp: 305003

Ion Ratio Lower Upper

264 100

260 23.6 19.6 29.4

265 20.5 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

