

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092718\
 Data File : BG037033.D
 Acq On : 28 Sep 2018 3:02
 Operator : JU/SJ
 Sample : PB113286TB
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB

Quant Time: Sep 28 04:50:20 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	38129	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	149311	20.00	ng	-0.01
38) Acenaphthene-d10	14.66	164	92741	20.00	ng	-0.01
63) Phenanthrene-d10	17.41	188	251771	20.00	ng	0.00
75) Chrysene-d12	21.68	240	282179	20.00	ng	-0.01
86) Perylene-d12	24.88	264	275808	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	276440	139.04	ng	0.00
7) Phenol-d6	7.20	99	374199	121.65	ng	-0.01
23) Nitrobenzene-d5	9.20	82	249964	89.65	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	144998	130.68	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	533254	85.64	ng	-0.01
78) Terphenyl-d14	20.02	244	1042354	97.13	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092718\
Data File : BG037033.D
Acq On : 28 Sep 2018 3:02
Operator : JU/SJ
Sample : PB113286TB
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB113286TB

Quant Time: Sep 28 04:50:20 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.04 min Scan# 809
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB

Tot Ion:152 Resp: 38129
 Ion Ratio Lower Upper
 152 100
 150 151.0 119.5 179.3
 115 60.0 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 139.042 ng
 RT: 5.61 min Scan# 396
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Tgt Ion:112 Resp: 276440
 Ion Ratio Lower Upper
 112 100
 64 72.4 57.2 85.8
 63 39.9 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 121.649 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Instrument :

BNA_G

ClientSampleId :

PB113286TB


Tot Ion: 99 Resp: 374199

Ion Ratio Lower Upper




99 100

42 22.5 16.5 24.7

71 37.3 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.84 min Scan# 1286

Delta R.T. -0.01 min

Lab File: BG037033.D

Acq: 28 Sep 2018 3:02

Tgt Ion: 136 Resp: 149311


Ion Ratio Lower Upper

136 100



137 10.1 8.8 13.2


54 10.0 9.2 13.8

68 4.7 5.8 8.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 89.651 ng
RT: 9.20 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02




Instrument :
BNA_G
ClientSampleId :
PB113286TB


Tot Ion	Ratio	Lower	Upper
82	100		
128	40.8	33.3	49.9
54	59.1	45.1	67.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1936
Delta R.T. -0.01 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.3	80.7	121.1
160	43.6	35.3	52.9









#41
 2,4,6-Tribromophenol
 Concen: 130.677 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Instrument :
 BNA_G
 ClientSampled :
 PB113286TB

Tot Ion	Ratio	Lower	Upper
330	100		
332	99.2	75.4	113.2
141	40.7	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.639 ng
 RT: 13.29 min Scan# 1702
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.8	31.3	46.9
170	24.5	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.41 min Scan# 2404
Delta R.T. -0.01 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02




Instrument :
BNA_G
ClientSampleId :
PB113286TB


Tot Ion:188 Resp: 251771
Ion Ratio Lower Upper
188 100
94 7.7 6.7 10.1
80 9.6 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3130
Delta R.T. -0.01 min
Lab File: BG037033.D
Acq: 28 Sep 2018 3:02

Tgt Ion:240 Resp: 282179
Ion Ratio Lower Upper
240 100
120 9.3 6.9 10.3
236 26.4 21.2 31.8









#78
 Terphenyl-d14
 Concen: 97.132 ng
 RT: 20.02 min Scan# 2848
 Delta R.T. -0.01 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Instrument :
 BNA_G
 ClientSampleId :
 PB113286TB

Tot Ion:244 Resp: 1042354

Ion	Ratio	Lower	Upper
244	100		
212	8.4	7.0	10.6
122	8.5	7.1	10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.88 min Scan# 3675
 Delta R.T. -0.02 min
 Lab File: BG037033.D
 Acq: 28 Sep 2018 3:02

Tgt Ion:264 Resp: 275808

Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.6	29.4
265	22.2	17.4	26.0

