

Data Path : Z:\HPCHEM1\BNA G\DATA\BG093017\
 Data File : BG029000.D
 Acq On : 1 Oct 2017 4:39
 Operator : SJ/JU
 Sample : I5551-09
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JC-03-092917-C

Quant Time: Oct 01 05:13:03 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Oct 01 04:41:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.25	152	41516	20.00	ng	0.00
21) Naphthalene-d8	11.07	136	155495	20.00	ng	0.00
38) Acenaphthene-d10	14.87	164	109283	20.00	ng	0.00
63) Phenanthrene-d10	17.62	188	279661	20.00	ng	0.00
75) Chrysene-d12	21.94	240	329410	20.00	ng	-0.01
86) Perylene-d12	25.37	264	335976	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.83	112	348036	138.33	ng	0.00
7) Phenol-d6	7.42	99	437133	115.39	ng	0.00
23) Nitrobenzene-d5	9.43	82	312948	96.28	ng	0.00
41) 2,4,6-Tribromophenol	16.37	330	267688	148.10	ng	0.00
44) 2-Fluorobiphenyl	13.49	172	786718	95.99	ng	0.00
78) Terphenyl-d14	20.21	244	1426671	92.36	ng	0.00
Target Compounds						
76) Benzidine	19.85	184	19272	2.256	ng	Qvalue # 87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG093017\
Data File : BG029000.D
Acq On : 1 Oct 2017 4:39
Operator : SJ/JU
Sample : I5551-09
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JC-03-092917-C

Quant Time: Oct 01 05:13:03 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG091217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Oct 01 04:41:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.25 min Scan# 794
Delta R.T. -0.00 min
Lab File: BG029000.D
Acq: 1 Oct 2017 4:39

Instrument :
BNA_G
ClientSampleId :
JC-03-092917-C

Tot Ion	Ratio	Lower	Upper
152	100		
150	150.0	114.0	171.0
115	53.3	48.1	72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.327 ng
RT: 5.83 min Scan# 381
Delta R.T. 0.00 min
Lab File: BG029000.D
Acq: 1 Oct 2017 4:39

Tgt Ion	Ratio	Lower	Upper
112	100		
64	71.7	61.8	92.6
63	38.4	37.2	55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 115.393 ng

RT: 7.42 min Scan# 652

Delta R.T. 0.00 min

Lab File: BG029000.D

Acq: 1 Oct 2017 4:39

Instrument :

BNA_G

ClientSampleId :

JC-03-092917-C


Tot Ion: 99 Resp: 437133

Ion Ratio Lower Upper




99 100

42 17.3 20.5 30.7#

71 40.0 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.07 min Scan# 1274

Delta R.T. -0.01 min

Lab File: BG029000.D

Acq: 1 Oct 2017 4:39

Tgt Ion:136 Resp: 155495


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 12.5 9.3 13.9

68 4.3 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 96.277 ng
RT: 9.43 min Scan# 994
Delta R.T. -0.00 min
Lab File: BG029000.D
Acq: 1 Oct 2017 4:39




Instrument :
BNA_G
ClientSampleId :
JC-03-092917-C


Tot Ion: 82 Resp: 312948
Ion Ratio Lower Upper
82 100
128 36.8 26.4 39.6
54 56.2 49.4 74.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.87 min Scan# 1921
Delta R.T. -0.01 min
Lab File: BG029000.D
Acq: 1 Oct 2017 4:39

Tgt Ion: 164 Resp: 109283
Ion Ratio Lower Upper
164 100
162 96.4 85.1 127.7
160 46.4 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 148.101 ng
 RT: 16.37 min Scan# 2175
 Delta R.T. -0.01 min
 Lab File: BG029000.D
 Acq: 1 Oct 2017 4:39




Instrument :
 BNA_G
 ClientSampleId :
 JC-03-092917-C


Tot Ion:330 Resp: 267688
 Ion Ratio Lower Upper
 330 100
 332 95.3 77.3 115.9
 141 30.3 32.1 48.1#



#44
 2-Fluorobiphenyl
 Concen: 95.992 ng
 RT: 13.49 min Scan# 1686
 Delta R.T. -0.01 min
 Lab File: BG029000.D
 Acq: 1 Oct 2017 4:39

Tgt Ion:172 Resp: 786718
 Ion Ratio Lower Upper
 172 100
 171 35.6 32.2 48.2
 170 23.3 21.8 32.6





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.62 min Scan# 2389

Delta R.T. -0.01 min

Lab File: BG029000.D

Acq: 1 Oct 2017 4:39

Instrument :

BNA_G

ClientSampleId :

JC-03-092917-C


Tot Ion:188 Resp: 279661

Ion Ratio Lower Upper

188 100

94 7.0 5.8 8.8


80 7.0 7.5 11.3#





Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



Time-->



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.94 min Scan# 3123

Delta R.T. -0.01 min

Lab File: BG029000.D

Acq: 1 Oct 2017 4:39


Tgt Ion:240 Resp: 329410

Ion Ratio Lower Upper

240 100

120 5.7 5.7 8.5


236 24.6 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->





#76

Benzidine

Concen: 2.256 ng

RT: 19.85 min Scan# 2768

Delta R.T. 0.00 min

Lab File: BG029000.D

Acq: 1 Oct 2017 4:39

Instrument :

BNA_G

ClientSampleId :

JC-03-092917-C


Tot Ion:184 Resp: 19272

Ion Ratio Lower Upper

184 100

185 10.0 13.0 19.6#




183 9.5 11.0 16.6#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#78

Terphenyl-d14

Concen: 92.361 ng

RT: 20.21 min Scan# 2830

Delta R.T. -0.01 min

Lab File: BG029000.D

Acq: 1 Oct 2017 4:39


Tgt Ion:244 Resp: 1426671

Ion Ratio Lower Upper

244 100

212 7.6 10.0 15.0#



122 7.2 8.6 12.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 25.37 min Scan# 3708
Delta R.T. -0.00 min
Lab File: BG029000.D
Acq: 1 Oct 2017 4:39

Instrument :
BNA_G
ClientSampleId :
JC-03-092917-C

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	21.8	32.8
265	22.9	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

