

Quantitation Report (QT Reviewed)


```
Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\  
Data File : BG050379.D  
Acq On    : 2 Oct 2021    7:23  
Operator  : CG/JU  
Sample    : SSTDCCC020  
Misc      :  
ALS Vial  : 64    Sample Multiplier: 1
```

Instrument :
BNA_G
LabSampleId :
SSTDCCC020

Manual Integrations APPROVED

mohammad
10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
Quant Title : SVOA CALIBRATION
Qlast Update : Thu Sep 30 16:27:24 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\
 Data File : BG050379.D
 Acq On : 2 Oct 2021 7:23
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTDCCC020

Manual Integrations
 APPROVED

mohammad
 10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 30 16:27:24 2021
 Response via : Initial Calibration



TIC: BG050379.D\data.ms

(3) 1,4-Dioxane-d8 (S)

3.640min (+ 0.000) 7.98 ng/uL

response 11252

Ion	Exp%	Act%
96.00	100.00	100.00
64.00	89.00	77.10
34.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\
 Data File : BG050379.D
 Acq On : 2 Oct 2021 7:23
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTDCCC020

Manual Integrations
 APPROVED

mohammad
 10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 30 16:27:24 2021
 Response via : Initial Calibration



TIC: BG050379.D\data.ms

(3) 1,4-Dioxane-d8 (S)

3.640min (+ 0.000) 8.04 ng/uL m 10/05/21 JU

response 11335

Ion	Exp%	Act%
96.00	100.00	100.00
64.00	89.00	77.10
34.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\
 Data File : BG050379.D
 Acq On : 2 Oct 2021 7:23
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTDCCC020

Manual Integrations
 APPROVED

mohammad
 10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 30 16:27:24 2021
 Response via : Initial Calibration



(96) Benzo(g,h,i)perylene

30.509min (-0.047) 12.97 ng/ul

response 201771

Ion	Exp%	Act%
276.00	100.00	100.00
138.00	17.60	21.01
277.00	22.40	24.46
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\
 Data File : BG050379.D
 Acq On : 2 Oct 2021 7:23
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTDCCC020

Manual Integrations
 APPROVED

mohammad
 10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 30 16:27:24 2021
 Response via : Initial Calibration



(96) Benzo(g,h,i)perylene

30.521min (-0.035) 20.73 ng/ul m 10/05/21JU

response 322454

Ion	Exp%	Act%
276.00	100.00	100.00
138.00	17.60	18.86
277.00	22.40	22.16
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\
 Data File : BG050379.D
 Acq On : 2 Oct 2021 7:23
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTDCCC020

Manual Integrations
 APPROVED

mohammad
 10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 30 16:27:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
Internal Standards					
1) 1,4-Dichlorobenzene-d4	8.270	152	51795	20.000 ng/ul	0.00
20) Naphthalene-d8	11.096	136	213460	20.000 ng/ul	0.00
38) Acenaphthene-d10	14.886	164	141230	20.000 ng/ul	0.00
64) Phenanthrene-d10	17.630	188	305047	20.000 ng/ul	0.00
79) Chrysene-d12	21.931	240	281092	20.000 ng/ul	-0.02
88) Perylene-d12	25.350	264	282852	20.000 ng/ul	-0.03

System Monitoring Compounds					
3) 1,4-Dioxane-d8	3.640	96	11335m	8.040 ng/ul	0.00 10/05/21 JV
4) Pyridine-d5	4.063	84	87757	20.890 ng/ul	0.00
7) Phenol-d5	7.401	99	94296	20.838 ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.583	67	61325	21.532 ng/ul	0.00
11) 2-Chlorophenol-d4	7.794	132	67222	21.200 ng/ul	0.00
15) 4-Methylphenol-d8	8.958	113	72822	21.261 ng/ul	0.00
21) Nitrobenzene-d5	9.439	128	35029	23.458 ng/ul	0.00
24) 2-Nitrophenol-d4	10.168	143	36114	22.534 ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.697	165	68084	21.514 ng/ul	-0.01
31) 4-Chloroaniline-d4	11.220	131	93496	20.680 ng/ul	0.00
46) Dimethylphthalate-d6	14.281	166	199620	20.653 ng/ul	-0.01
49) Acenaphthylene-d8	14.580	160	258615	21.306 ng/ul	-0.01
54) 4-Nitrophenol-d4	15.051	143	37346	20.061 ng/ul	0.00
60) Fluorene-d10	15.873	176	177879	20.427 ng/ul	-0.01
65) 4,6-Dinitro-2-methylph...	15.979	200	31328	20.590 ng/ul	0.00
73) Anthracene-d10	17.730	188	274106	21.270 ng/ul	0.00
81) Pyrene-d10	19.998	212	319584	21.382 ng/ul	-0.01
92) Benzo(a)pyrene-d12	25.115	264	303520	21.341 ng/ul	-0.02

Target Compounds				Qvalue	
2) 1,4-Dioxane	3.676	88	13914	8.158 ng/uL	88
5) Pyridine	4.087	79	89941	21.136 ng/ul	95
6) Benzaldehyde	7.401	77	73326	24.569 ng/ul	92
8) Phenol	7.430	94	99522	21.456 ng/ul	96
10) Bis(2-Chloroethyl)ether	7.677	93	74512	21.417 ng/ul	98
12) 2-Chlorophenol	7.824	128	68159	21.011 ng/ul#	93
13) 2-Methylphenol	8.699	108	72400	21.180 ng/ul	91
14) 2,2'-oxybis(1-Chloropr...	8.793	45	116764	22.369 ng/ul	98
16) Acetophenone	9.093	105	113977	20.943 ng/ul	95
17) N-Nitroso-di-n-propyla...	9.069	70	70328	21.503 ng/ul	92
18) 4-Methylphenol	9.022	108	75976	20.987 ng/ul	94
19) Hexachloroethane	9.363	117	30156	21.629 ng/ul	97
22) Nitrobenzene	9.481	77	101977	22.786 ng/ul	98
23) Isophorone	10.003	82	184621	21.465 ng/ul	99
25) 2-Nitrophenol	10.197	139	37524	22.781 ng/ul	96
26) 2,4-Dimethylphenol	10.239	107	87528	21.407 ng/ul	94
27) Bis(2-Chloroethoxy)met...	10.479	93	100543	21.652 ng/ul	98
29) 2,4-Dichlorophenol	10.726	162	66985	21.379 ng/ul	97
30) Naphthalene	11.143	128	230557	21.038 ng/ul	99
32) 4-Chloroaniline	11.243	127	95139	20.902 ng/ul	97
33) Hexachlorobutadiene	11.419	225	46959	20.624 ng/ul	97
34) Caprolactam	12.001	113	24118	19.924 ng/ul	93
35) 4-Chloro-3-methylphenol	12.336	107	80373	21.758 ng/ul#	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG093021\
 Data File : BG050379.D
 Acq On : 2 Oct 2021 7:23
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTDCCC020

Manual Integrations
 APPROVED

mohammad
 10/4/2021 11:50:56 AM

Quant Time: Oct 02 08:03:35 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG093021.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 30 16:27:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) 2-Methylnaphthalene	12.730	142	154418	20.725	ng/ul	100
37) 1-Methylnaphthalene	12.947	142	154682	20.622	ng/ul	96
39) 1,2,4,5-Tetrachloroben...	13.088	216	87594	21.492	ng/ul#	97
40) Hexachlorocyclopentadiene	13.065	237	53935	19.955	ng/ul	98
41) 2,4,6-Trichlorophenol	13.323	196	56367	21.942	ng/ul	96
42) 2,4,5-Trichlorophenol	13.388	196	62327	22.180	ng/ul	98
43) 1,1'-Biphenyl	13.723	154	206431	21.720	ng/ul	99
44) 2-Chloronaphthalene	13.770	162	159973	21.485	ng/ul	98
45) 2-Nitroaniline	13.964	65	58222	23.884	ng/ul	92
47) Dimethylphthalate	14.328	163	200487	20.616	ng/ul	99
48) 2,6-Dinitrotoluene	14.451	165	39729	21.718	ng/ul	96
50) Acenaphthylene	14.610	152	263718	21.419	ng/ul	98
51) 3-Nitroaniline	14.780	138	43800	22.012	ng/ul	91
52) Acenaphthene	14.951	153	173000	21.259	ng/ul	98
53) 2,4-Dinitrophenol	14.980	184	20945	18.369	ng/ul#	86
55) 4-Nitrophenol	15.062	109	37231	20.225	ng/ul	98
56) Dibenzofuran	15.280	168	247002	20.870	ng/ul	96
57) 2,4-Dinitrotoluene	15.233	165	58537	22.037	ng/ul	98
58) 2,3,4,6-Tetrachlorophenol	15.497	232	49491	20.481	ng/ul#	88
59) Diethylphthalate	15.685	149	209272	20.623	ng/ul	99
61) Fluorene	15.926	166	188340	20.002	ng/ul	96
62) 4-Chlorophenyl-phenyle...	15.914	204	104099	20.414	ng/ul	96
63) 4-Nitroaniline	15.938	138	44046	21.919	ng/ul	98
66) 4,6-Dinitro-2-methylph...	15.991	198	31231	20.766	ng/ul	95
67) N-Nitrosodiphenylamine	16.126	169	171972	22.297	ng/ul	97
68) 4-Bromophenyl-phenylether	16.813	248	61327	21.594	ng/ul	94
69) Hexachlorobenzene	16.925	284	64789	21.664	ng/ul	97
70) Atrazine	17.066	200	71636	21.814	ng/ul	98
71) Pentachlorophenol	17.266	266	39948	20.397	ng/ul	99
72) Phenanthrene	17.671	178	326419	21.437	ng/ul	98
74) Anthracene	17.765	178	324614	21.526	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.693	216	92529	23.008	ng/ul	98
76) Pentachlorobenzene	15.197	250	82503	22.455	ng/ul	98
77) Carbazole	18.029	167	297150	22.014	ng/ul	99
78) Di-n-butylphthalate	18.570	149	356464	22.286	ng/ul	99
80) Fluoranthene	19.669	202	402328	21.435	ng/ul	99
82) Pyrene	20.027	202	394106	21.292	ng/ul	98
83) Butylbenzylphthalate	20.902	149	155455	22.786	ng/ul	99
84) 3,3'-Dichlorobenzidine	21.813	252	129382	22.332	ng/ul	95
85) Benzo(a)anthracene	21.907	228	361836	21.353	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.796	149	222391	22.684	ng/ul	98
87) Chrysene	21.978	228	346283	21.323	ng/ul	99
89) Di-n-octyl phthalate	23.076	149	380895	23.435	ng/ul	100
90) Benzo(b)fluoranthene	24.257	252	365065	21.190	ng/ul	99
91) Benzo(k)fluoranthene	24.328	252	343282	21.413	ng/ul	97
93) Benzo(a)pyrene	25.192	252	349204	21.243	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	29.275	276	331343	17.953	ng/ul	97
95) Dibenzo(a,h)anthracene	29.351	278	332373	21.162	ng/ul	96
96) Benzo(g,h,i)perylene	30.521	276	322454m >	20.726	ng/ul >	10/05/21 JU

(#) = qualifier out of range (m) = manual integration (+) = signals summed